

REPUBLIC OF THE PHILIPPINES

NATIONAL DISASTER RISK REDUCTION AND MANAGEMENT COUNCIL

National Disaster Risk Reduction and Management Center, Camp Aguinaldo, Quezon City, Philippines

NDRRMC UPDATE

Severe Weather Bulletin No. 08 re Typhoon "HANNA" (SOUDELOR)

Releasing Officer:

USEC ALEXANDER P. PAMA

DATE

07 August 2015, 11:00 AM

Source: PAGASA-DOST

I. SITUATION OVERVIEW:

TYPHOON "HANNA" HAS MAINTAINED ITS STRENGTH AS IT CONTINUES TO MOVE CLOSER TOWARDS BATANES-TAIWAN AREA.

Location of Center: (as of 10:00 a.m.)	395 km East Northeast of Itbayat, Batanes			
Coordinates:	22.0°N, 125.4°E			
Strength:	Maximum sustained winds of 165 kph near the center and gustiness of up to 200 kph			
Movement:	Forecast to move West Northwest at 20 kph.			
	24 hour (Tomorrow morning): Over Taiwan or at 60 km North Northwest of Itbayat, Batanes			
Forecast Positions/Outlook:	48 hour (Sunday morning): Outside PAR or at 750 km Northwest of Itbayat, Batanes			
	72 hour (Monday morning): 1,115 km North Northwest of Itbayat, Batanes (Outside PAR)			

PUBLIC STORM WARNING SIGNAL						
PSWS	Luzon	Visayas	Mindanao	Impacts of the wind		
#2 (winds of 61 - 120 kph is expected in 24 hours)	Batanes Province including Itbayat			 Light to moderate damage to high risk structures Very light to light damage to medium-risk structures No damage to very light damage to low risk structures Unshielded, old dilapidated schoolhouses, makeshift shanties, and other structures of light materials are 		

				 partially damaged or unroofed A number of nipa and cogon houses may be partially or totally unroofed Some old galvanized iron (G.I.) roofs may be peeled or blown off Some wooden, old electric posts are tilted or downed Some damage to poorly constructed 		
	,			 signs/billboards In general, the winds may bring light to moderate damage to the exposed communities. Most banana plants, a few mango trees, ipil-ipil and similar types of trees are downed or broken 		
				 Some coconut trees may be tilted with few others broken Rice and corn may be adversely affected 		
		,	,	 Considerable damage to shrubbery and trees with some heavy-foliaged trees blown down 		
Wave Height: 4.1 - 14.0 meters Storm surge possible at coastal areas						
#1 C (winds of 30 - 60 kph is expected	alayan and Babuyan Group of slands and Northern Cagayan			 Very light or no damage to low risk structures Light damage to medium to high risk structures Slight damage to some houses of very light materials or makeshift structures in exposed communities. Some banana plants are tilted, a few downed and leaves are generally damaged Twigs of small trees may be broken Rice crops, however, may suffer significant damage when it is in its flowering stage 		
	Wave Height: (Open Sea) 1.25-4.0 meters					

- Estimated rainfall amount is from moderate to heavy within the 700 km diameter of the typhoon
- Fisher folk are advised not to venture out over the northern and eastern seaboards of Luzon, southern seaboard of Southern Luzon and the seaboards of Palawan, Visayas and Mindanao
- Southwest Monsoon is affecting Southern Luzon, Visayas, and Mindanao
- Residents in low lying and mountainous areas are alerted against possible flashfloods and landslides
- The public and the disaster risk reduction and management council concerned are advised to take appropriate actions and watch for the next bulletin to be issued at 5:00 PM today

II. ACTION/S TAKEN

- NDRRMC Operations Center disseminated Severe Weather Bulletin No. 08 re Typhoon "HANNA" (SOUDELOR) to all OCD Regional Centers through SMS and facsimile and uploaded on the NDRRMC website for further dissemination to their respective local disaster risk reduction and management councils (LDRRMCs) from the provincial down to the municipal levels.
- Directed RDRRMCs concerned through the OCD Regional Centers to undertake precautionary measures in their areas of responsibility (AOR) and subsequently advised local DRRMCs to initiate pre-emptive evacuation of families in low-lying and mountainous areas if situation warrants.