



REPUBLIC OF THE PHILIPPINES
NATIONAL DISASTER RISK REDUCTION AND MANAGEMENT COUNCIL

National Disaster Risk Reduction and Management Center, Camp Aguinaldo, Quezon City, Philippines

NDRRMC UPDATE

Severe Weather Bulletin No. 11 re Typhoon “HANNA” (SOUDELOR)

Releasing Officer:


USEC ALEXANDER P. PAMA
Executive Director

DATE : **08 August 2015, 5:00 AM**

Source: PAGASA-DOST

I. SITUATION OVERVIEW:

TYPHOON “HANNA” SLIGHTLY INTENSIFIED AS IT MOVES CLOSER TOWARDS TAIWAN.

Location of Center: (as of 4:00 a.m.)	380 km North of Itbayat, Batanes
Coordinates:	24.2°N, 122.1°E
Strength:	Maximum sustained winds of 175 kph near the center and gustiness of up to 210 kph
Movement:	Forecast to move West Northwest at 20 kph .
Forecast Positions/Outlook:	24 hour (Tomorrow morning): Outside PAR or at 690 km North Northwest of Itbayat, Batanes 48 hour (Monday morning): 1210 km Northwest of Itbayat, Batanes (Outside PAR) 72 hour (Tuesday morning): 1,500 km North Northwest of Itbayat, Batanes (Outside PAR)

PUBLIC STORM WARNING SIGNAL				
PSWS	Luzon	Visayas	Mindanao	Impacts of the wind
#2 (winds of 61 - 120 kph is expected in 24 hours)	Batanes Province including Itbayat			<ul style="list-style-type: none">• Light to moderate damage to high risk structures• Very light to light damage to medium-risk structures• No damage to low risk structures• Unshielded, old dilapidated schoolhouses, makeshift shanties, and other structures of light materials are partially damaged or unroofed

				<ul style="list-style-type: none"> • A number of nipa and cogon houses may be partially or totally unroofed • Some old galvanized iron (G.I.) roofs may be peeled or blown off • Some wooden, old electric posts are tilted or downed • Some damage to poorly constructed signs/billboards • In general, the winds may bring light to moderate damage to the exposed communities. • Most banana plants, a few mango trees, ipil-ipil and similar types of trees are downed or broken • Some coconut trees may be tilted with few others broken • Rice and corn may be adversely affected • Considerable damage to shrubbery and trees with some heavy-foliaged trees blown down
Wave Height: 4.1 - 14.0 meters Storm surge possible at coastal areas				
#1 (winds of 30 - 60 kph is expected in 36 hours)	Calayan and Babuyan Group of Islands and Northern Cagayan			<ul style="list-style-type: none"> • Very light or no damage to low risk structures • Light damage to medium to high risk structures • Slight damage to some houses of very light materials or makeshift structures in exposed communities. • Some banana plants are tilted, a few downed and leaves are generally damaged • Twigs of small trees may be broken • Rice crops, however, may suffer significant damage when it is in its flowering stage
Wave Height: (Open Sea) 1.25-4.0 meters				

- Estimated rainfall amount is from moderate to heavy within the 750 km diameter of the typhoon.
- Fisher folk are advised not to venture out over seaboards of Luzon, [Eastern Visayas](#) and [Panay Island](#).
- Southwest Monsoon is affecting [Central and Southern Luzon](#), Visayas and [Mindanao](#).
- Residents in low lying and mountainous areas are alerted against possible flashfloods and landslides
- The public and the disaster risk reduction and management council concerned are advised to take appropriate actions and watch for the next bulletin to be issued at **11:00 AM today**.

II. ACTION/S TAKEN

- **NDRRMC Operations Center** disseminated **Severe Weather Bulletin No. 11** re **Typhoon “HANNA” (SOUDELOR)** to all OCD Regional Centers through SMS and facsimile and uploaded on the NDRRMC website for further dissemination to their respective local disaster risk reduction and management councils (LDRRMCs) from the provincial down to the municipal levels.
 - Directed RDRRMCs concerned through the OCD Regional Centers to undertake precautionary measures in their areas of responsibility (AOR) and subsequently advised local DRRMCs to initiate pre-emptive evacuation of families in low-lying and mountainous areas if situation warrants.
-