

REPUBLIC OF THE PHILIPPINES

NATIONAL DISASTER RISK REDUCTION AND MANAGEMENT COUNCIL

National Disaster Risk Reduction and Management Center, Camp Aguinaldo, Quezon City, Philippines

NDRRMC UPDATE

Severe Weather Bulletin No. 12 re Typhoon "HANNA" (SOUDELOR)

Releasing Officer:

USEC ALEXANDER P. PAMA
Executive Director

DATE

08 August 2015, 11:00 AM

Source: PAGASA-DOST

I. SITUATION OVERVIEW:

TYPHOON "HANNA" HAS WEAKENED AS IT CROSSES OVER THE RUGGED TERRAIN OF TAIWAN

Location of Center: (as of 10:00 a.m.)	405 km North Northwest of Ithavat Batanes		
Coordinates:	: 24.1°N, 120.2°E		
Strength:	Maximum sustained winds of 150 kph near the center and gustiness of up to 185 kph		
Movement:	Forecast to move Northwest at 20 kph.		
Forecast Positions/Outlook:	24 hour (Tomorrow morning): Outside PAR or at 810 km North Northwest of Itbayat, Batanes 48 hour (Monday morning): 1160 km Northwest of Itbayat, Batanes (Outside PAR)		

PUBLIC STORM WARNING SIGNAL				
PSWS	Luzon	Visayas	Mindanao	Impacts of the wind
#2 (winds of 61 - 120 kph is expected in 24 hours)	Batanes Province including Itbayat			 Light to moderate damage to high risk structures Very light to light damage to medium-risk structures No damage to low risk structures Unshielded, old dilapidated schoolhouses, makeshift shanties, and other structures of light materials are
	· a 1			 partially damaged or unroofed A number of nipa and cogon houses may be partially or totally unroofed Some old galvanized iron (G.I.) roofs may be peeled or blown off

	 Some wooden, old electric posts are tilted or downed Some damage to poorly constructed signs/billboards In general, the winds may bring light to moderate damage to the exposed communities. Most banana plants, a few mango trees, ipil-ipil and similar types of trees are downed or broken Some coconut trees may be tilted with few others broken Rice and corn may be adversely affected Considerable damage to shrubbery and trees with some heavy-foliaged trees blown down
Wave Height: 4.1 - 14.0 me	ters Storm surge possible at coastal areas
#1 Calayan and (winds of Babuyan 30 - 60 Group of Islands expected in 36 hours)	Very light or no damage to low risk structures Light damage to medium to high risk structures Slight damage to some houses of very light materials or makeshift structures in exposed communities. Some banana plants are tilted, a few downed and leaves are generally damaged Twigs of small trees may be broken Rice crops, however, may suffer significant damage when it is in its flowering stage

- Estimated rainfall amount is from moderate to heavy within the 650 km diameter of the typhoon.
- Fisher folk are advised not to venture out over seaboards of Luzon, Eastern Visayas and Panay Island.
- Southwest Monsoon is affecting western section of Northern and Central Luzon, Southern Luzon and Visayas.
- Residents in low lying and mountainous areas are alerted against possible flashfloods and landslides
- Pubic storm warning signal over Northern Cagayan is now lifted.
- The public and the disaster risk reduction and management council concerned are advised to take appropriate actions and watch for the next bulletin to be issued at 05:00 PM today.

II. ACTION/S TAKEN

- NDRRMC Operations Center disseminated Severe Weather Bulletin No. 12 re Typhoon
 "HANNA" (SOUDELOR) to all OCD Regional Centers through SMS and facsimile and
 uploaded on the NDRRMC website for further dissemination to their respective local
 disaster risk reduction and management councils (LDRRMCs) from the provincial down to
 the municipal levels.
- Directed RDRRMCs concerned through the OCD Regional Centers to undertake precautionary measures in their areas of responsibility (AOR) and subsequently advised local DRRMCs to initiate pre-emptive evacuation of families in low-lying and mountainous areas if situation warrants.