

NATIONAL DISASTER RISK REDUCTION AND MANAGEMENT COUNCIL

National Disaster Risk Reduction and Management Center, Camp Aguinaldo, Quezon City, Philippines

NDRRMC UPDATE

Severe Weather Bulletin No. 06 re Typhoon "LANDO"

Releasing Officer:

USEC ALEXANDER P. PAMA
Executive Director

DATE

: 16 October 2015, 11:00 AM

Source: PAGASA-DOST

I. SITUATION OVERVIEW:

Typhoon "LANDO" continues to gain strength as it moves towards Isabela- Aurora area.

Location of Center: (as of 10:00 a.m.)	585 km East of Baler, Aurora		
Coordinates:	15.8°N, 127.0°E		
Strength:	Maximum sustained winds of 130 kph near the center and gustiness of up to 160 kph.		
Movement:	Forecast to move West at 15 kph.		
	Tomorrow morning: 240 km East of Baler, Aurora		
Forecast Positions/Outlook:	Sunday morning: 80 km North of Baler, Aurora or in the vicinity of Saguday, Quirino		
	Monday morning: 60 km South Southeast of Laoag City or in the vicinity of San Juan, Abra		
	Tuesday morning: 120 km North of Laoag City		
	Wednesday morning 95 km West of Itbayat, Batanes		

PSWS Visayas Mindanao Impacts of the wind Luzon Light to Moderate damage to high risk structures; #2 Very light to light damage to (winds of 61 - 120 medium-risk structures; Aurora and Isabela kph is expected in No damage to very light at least 24 hours) damage to low risk structures Unshielded, old dilapidated school, houses, makeshift

				shanties, and other structures of light materials are partially damaged or unroofed. A number of nipa and cogon houses may be partially or totally unroofed. Some old galvanized iron (G.I.) roofs may be peeled or blown off. Some wooden, old electric posts are tilted or downed. Some damage to poorly constructed signs/billboards In general, the winds may bring light to moderate damage to the exposed communities. Most banana plants, a few mango trees, ipil-ipil and similar types of trees are downed or broken Some coconut trees may be tilted with few others broken Rice and corn may be adversely affected Considerable damage to shrubbery and trees with some heavy-foliaged trees blown down.
C	APPROVED THE TOTAL PROPERTY STATE	ght: 4.1-14.0 \$	Storm surg	e possible at coastal areas
	Cagayan, Kalinga Mt. Province, Ifugao, Benguet, Quirino, Nueva Viscaya, Nueva Ecija, Bulacan, Pampanga, Tarlac, Pangasinan, Rizal, Quezon including Polillo Island, Camarines Norte, Camarines Sur, Catanduanes	³ .4	_	 Very light or no damage to low risk structures. Light damage to medium to high risk structures. Slight damage to some houses of very light materials or makeshift structures in exposed communities. Some banana plants are tilted, a few downed and leaves are generally damaged. Twigs of small trees may be broken. Rice crops, however, may suffer significant damage when it is in its flowering stage

- Estimated rainfall amount is from heavy to intense within the 550 km diameter of the Typhoon.
- Fisherfolk are advised NOT to venture out over the northern and western seaboards of Northern Luzon, western seaboard of Central Luzon and eastern seaboard of Visayas.
- Possible areas to be raised to PSWS #1: La Union, Abra, Ilocos Sur, Ilocos Norte, Zambales and Metro Manila.
- The public and the disaster risk reduction and management council concerned are advised to take appropriate actions.

II. ACTION/S TAKEN

- NDRRMC Operations Center disseminated Severe Weather Bulletin No. 06 re Typhoon "LANDO" to all OCD Regional Centers through SMS and facsimile and uploaded on the NDRRMC website for further dissemination to their respective local disaster risk reduction and management councils (LDRRMCs) from the provincial down to the municipal levels.
- Directed RDRRMCs concerned through the OCD Regional Centers to undertake precautionary measures in their areas of responsibility (AOR) and subsequently advised local DRRMCs to initiate pre-emptive evacuation of families in low-lying and mountainous areas if situation warrants.