

#### REPUBLIC OF THE PHILIPPINES

# NATIONAL DISASTER RISK REDUCTION AND MANAGEMENT COUNCIL

National Disaster Risk Reduction and Management Center, Camp Aguinaldo, Quezon City, Philippines

# **NDRRMC UPDATE**

Incident Monitored Covering the Period 5:00 PM, 16 November – 8:00 AM, 17 November 2018

Releasing Officer:

USEC RICARDO B. JALAD
Executive Director, NDRRMC and
Administrator, OCD

Date: 17 November 2018

Source: OCDRO VIII

I. Initial Report regarding Fire Incident at Brgys. 39 and 42, Tacloban City

## A. SITUATION OVERVIEW

At around 9:41 PM, 16 November 2018, RDRRMOC-8 was informed regarding an ongoing fire incident along Brgys. 39 and 42, Tacloban City. The fire broke out at around 9:35PM of the same date and the suspected cause of the fire was due to an unattended lighted candle in a Boarding House. Three (3) fire trucks, immediately responded and it was declared fire out at 10:30 PM of the same date. The DRMD Staff conducted an onsite assessment as to the extent of damaged and number of affected families or individuals.

#### B. EFFECTS

- A total of 19 families or 140 individuals were affected in two (2) Barangays in Tacloban City.
- A total of 19 houses were damaged (1 partially/ 18 totally).

### C. ACTIONS TAKEN:

#### BFP TACLOBAN CITY FIRE STATION

- Responded to the fire scene and conducted fire suppression operation.
- Conducted on-site investigation for the possible cause and estimated damages of the fire incident.

# **BFP RO VIII**

Responded to the fire scene and conducted fire suppression augmentation.

#### **DSWD VIII**

• The DRMD Staff conducted an on-site assessment as to the extent of damaged and number of affected families or individuals.

#### **OCDRO VIII**

 Continuously monitoring the incident and coordinated with BFP Tacloban City Fire Station, BFP Regional Office 8 and DSWD8 for information related to the incident.