

REPUBLIC OF THE PHILIPPINES

NATIONAL DISASTER RISK REDUCTION AND MANAGEMENT COUNCIL

National Disaster Risk Reduction and Management Center, Camp Aguinaldo, Quezon City, Philippines

NDRRMC UPDATE

SitRep No. 08 regarding Magnitude 6.6 and 6.5 Earthquakes in Tulunan, North Cotabato

Releasing Officer:

UNDERSECRATARY RICARDO B JALAD

Executive Director, NDRRMC and Administrator, OCD

DATE: 02 November 2019, 6:00 AM

Sources: DOST-PHIVOLCS, DOH, DSWD, DPWH, DepEd, OCDROs IX, X, XI, XII, and BARMM

I. SITUATION OVERVIEW

On 29 October 2019 at around 9:04 AM, the Philippine Institute of Volcanology and Seismology (PHIVOLCS) recorded the second strong earthquake of Magnitude 6.6 that shook the province of North Cotabato with and almost the same epicentre located 25 kilometers southeast of the municipality of Tulunan of said province with a depth of 7 kilometers.

Just two (2) days after on October 31, 2019 at 9:15 AM, another strong earthquake of Magnitude 6.5 again rocked central and eastern Mindanao was recorded with tectonic in origin at a shallow depth of two (2) kilometers. Once more, the epicentre was determined in Tulunan, North Cotabato.

These earthquakes, as well as the previously recorded earthquake on October 16, 2019 of Magnitude 6.3, with the same epicentre location in Tulunan, North Cotabato, is considered part of a sequence of events from interrelated faults in the region.

A. Magnitude 6.6 Earthquake in Tulunan, North Cotabato

On 29 October 2019, an earthquake with epicenter located southeast of Tulunan, Cotabato occurred with the following details:

Date/Time	29 Oct 2019 - 09:04:43 AM
Location	06.81°N, 125.03°E - 022 km S 79° E of Tulunan (Cotabato)
Depth of Focus (Km)	007
Origin	TECTONIC
Magnitude	Ms 6.6
Expecting Damage	YES
Expecting Aftershocks	YES
Reported Intensities	Intensity VII- Tulunan and Makilala, Cotabato; Kidapawan City; Digos City, Bansalan, Magsaysay, Davao del Sur and Malungon, Sarangani

	Intensity VI- Koronadal City and Davao City			
	Intensity V- Cotabato City; Tampakan, Surallah, Banga and Tup South Cotabato; General Santos City; Magpet, Cotabato; Tacuro City, Kalamansig, Bagumbayan, Sultan Kudarat; Alabel, Sarangani; Kalilangan and Damulog, Bukidnon; Tagum City, Davao del Norte			
	Intensity IV- Cagayan De Oro City; Talakag, Manolo Fortich and Libona, Bukidnon; Glan, Maitum, Maasim and Kiamba, Sarangani; Butuan City; Iligan City; Tubod and Bacolod, Lanao del Norte			
	Intensity III- Molave, Zamboanga del Sur; Dipolog City, Sergio Osmeña Sr. and Polanco, Zamboanga del Norte; Zamboanga City; Gingoog City, Misamis Oriental and Bislig City			
	Intensity II- Kabasalan, Zamboanga Sibugay, Mambajao, Camiguin and Isabela City, Basilan Instrumental Intensities: Intensity VII- Malungon, Sarangani			
	Intensity V- Cotabato City; Alabel, Sarangani and Tupi, South Cotabato			
	Intensity IV- Gingoog City, Misamis Oriental; Kiamba, Sarangani; General Santos City; Cagayan De Oro City			
	Intensity II- Zamboanga City and Tulunan, Cotabato			
	Intensity I- Palo, Leyte; Dipolog City and Bislig City			
Issued on	29 October 2019, 4:12 PM			

B. Magnitude 6.5 Earthquake in Tulunan, North Cotabato

On 31 October 2019, another earthquake with epicenter located northeast of Tulunan, Cotabato occurred with the following details:

Date/Time	31 Oct 2019 - 09:11:18 AM			
Location	06.92°N, 125.06°E - 027 km N 75° E of Tulunan (Cotabato)			
Depth of Focus (Km)	008			
Origin	TECTONIC Ms 6 5			
Magnitude	Ms 6.5			
Expecting Damage	YES			
Expecting Aftershocks	YES			
Reported Intensities	Intensity VII – Tulunan and Makilala, Cotabato; Kidapawan City; Sta. Cruz, Matanao, Magsaysay, and Bansalan, Davao del Sur; Digos City Intensity VI – Davao City; Hagonoy, Davao del Sur Intensity V – Polomolok, Tampakan, Tupi, Surallah and Sto. Niño, South Cotabato; Isulan, Sultan Kudarat; Malungon, Sarangani; Koronadal City; General Santos City Intensity IV – Lake Sebu, South Cotabato; Lebak, Kalamansig, Pigcawayan and Esperanza, Sultan Kudarat; Kalilangan, Damulog, Kadingilan and Talakag, Bukidnon; Alabel, Malampatan, and Kiamba, Sarangani; Tacurong City Intensity III - Banga, South Cotabato; Lambayon, Sultan Kudarat; Baungon, Manolo Fortich, Don Carlos, Maramag, Quezon, Libona, Valencia City and Malaybalay City, Bukidnon; Tubod and Kauswagan, Lanao Del Norte; Naawan, Misamis Oriental; El			
	Salvador City; Gingoog City; Cagayan De Oro City; Butuan City; Bislig City Intensity II - Sindangan and Polanco, Zamboanga Del Norte; Las			
	Sindangan and Folanco, Zamboanga Del Norte, Las			

	Nieves, Agusan Del Sur; Dapitan City; Dipolog City			
	Intensity I - Zamboanga City			
	Instrumental Intensities:			
	Intensity VII - Kidapawan City			
	Intensity V- Malungon, Sarangani; Tupi, South Cotabato;			
	Koronadal City			
	Intensity IV- Kiamba and Alabel, Sarangani; General Santos City			
	Intensity III - Gingoog City; Cagayan De Oro City			
	Intensity I - Bago City; Bislig City; Zamboanga City			
Issued on	31 October 2019, 1:54 PM			

Due to the magnitude of these events, small to moderate-sized earthquakes are expected to occur in the epicentral area and may continue for several days to weeks, some of which may be felt. Furthermore, a "No Tsunami Threat" advisory was issued for the M6.6 and M6.5 earthquakes because both were located inland. Source: DOST-PHIVOLCS Report on the Series of Earthqualkes in Cotabato

II. EFFECTS

A. Incidents Monitored

31 October 2019

- A landslide incident was reported at Sitio Biao, Brgy. New Esperanza, M'lang, Cotabato Province due to the Magnitude 6.5 earthquake.
- Eva's Hotel in Quezon Boulevard, National Highway, Kidapawan City, North Cotabato collapsed due to the Magnitude 6.5 earthquake. No casualty was reported from the incident. A demolition order was issued to Eva's Hotel.
- Brgy. Batasan Gymnasium in Makilala, Cotabato collapsed due to the Magnitude 6.5 earthquake which resulted to one (1) dead.

29 October 2019

- A fire broke-out at G Skin and Domantay Jamora Dental Clinic in General Santos City, South Cotabato. It was declared fire out on the same day (Region XII).
- The dike near Buluan-Paglat river was damaged that resulted in the continuous flow of water towards Barangays Tual, Damakling, and Poblacion causing flood (BARMM).
- Landslide incident was reported at Sitio Saulbulawan, Barangay Bituan which totally blocked the road going to Barangay Bacong, Tulunan, Cotabato.
- Another landslide incident was reported in Barangay Upper Bala, Magsaysay, Davao del Sur wherein two (2) missing persons were reported due to the said landslide.

Source: OCDROs XI, XII and BARMM

NO SIGNIFICANT CHANGES FROM PREVIOUS SITREP

B. Affected Population

- A total of <u>29,349 families/146,745 persons</u> (previous report: 6,009 families / 30,045 persons) were affected in <u>149 barangays</u> (previous report: 72 barangays) in Regions XI and XII.
- Of which, a total of <u>4,127 families/20,635 persons</u> (previous report: 2,552 families / 12,760 persons) are taking temporary shelter in <u>27 evacuation centers</u> (previous report: 19 evacuation centers), while <u>1,370 families/6,850 persons</u> are served outside ECs.

REGION / PROVINCE /	NO. OF AFFECTED		No. of ECs	SERVED POPULATION				
CITY / MUNICIPALITY				INSIDE ECs		OUTSIDE ECs		
	Brgys.	Families	Persons	203	Families	Persons	Families	Persons
GRAND TOTAL	149	29,349	146,745	27	4,127	20,635	1,370	6.850
REGION XI	61	2,945	14,725	18	2,203	11,015	390	1,950
Davao del Sur	56	2,924	14,620	18	2,203	11,015	390	1,950
Bansalan	17	718	3,590	9	561	2,805	126	630
City of Digos (capital)	3	173	865	1	173	865		-
Kiblawan	1	1	5		-	-		
Magsaysay	21	1,951	9,755	8	1469	7,345	236	1,180
Matanao	2	51	255	-	-	-		1,700
Padada	1	2	10	170	-	-		
Sta. Cruz	11	28	140		살	-	28	140
Davao Occidental	5	21	105			-		110
Malita	1	1	5	-	11.00	7-		
Santa Maria	4	20	100		11=0	7-		
REGION XII	88	26,404	132,020	9	1,924	9,620	980	4,900
North Cotabato	88	26,404	132,020	9	1.924	9,620	980	4,900
City of Kidapawan (capital)	6	1,924	9,620	9	1,924	9,620	-	-
Makilala	38	20,704	103,520	-	11-51	-	· -	_
M'lang	15	117	585	-	0=	-	50	250
Tulunan	29	3,659	18,295	20	V(<u>1</u>)	-	930	4,650

Source: DSWD DROMIC Report No. 08 on the Ms 6.6 EQ in Tulunan, North Cotabato as of 02 November 2019, 12:00 AM Note: Ongoing assessment and validation.

C. Casualties (TAB A)

A total of <u>17 dead, 327 injured, and 2 missing persons</u> (previous report: 16 dead; 403 injured) were reported in Regions X, XI, XII, and BARMM.

AREA	NO. OF CASUALTY	REMARKS	
<u>DEAD</u>	<u>17</u>		
REGION XI	3	Due to the Magnitude 6.6 Earthquake	
Davao del Sur	3		
REGION XII	14	Seven (7) of the deaths were caused by the Magnitude 6.6 earthquake, while seven (7) were caused by the Magnitude 6.5 earthquak	
South Cotabato	2	, , , , , , , , , , , , , , , , , , , ,	
Cotabato	11		
Sultan Kudarat	1		
INJURED	<u>327</u>		
REGION X	14	Due to the Magnitude 6.6 Earthquake	
Lanao del Norte	8		
Bukidnon	6		
REGION XI	16	Due to the Magnitude 6.6 Earthquake	
Davao del Sur	11		
Davao City	4		
Davao del Norte	1		
REGION XII	297	Due to the Magnitude 6.6 Earthquake	
Cotabato	253		
South Cotabato	40		
Sarangani	3		
Sultan Kudarat	1		
BARMM	1	Due to the Magnitude 6.6 Earthquake	
Maguindanao	1	, ,	

AREA	NO. OF CASUALTY	REMARKS
MISSING	<u>2</u>	
REGION XI	2	Due to the Magnitude 6.6 Earthquake
Davao del Sur	2	

Sources: OCDROs X, XI, XII, and BARMM

Note: Reported casualties are for further validation and verification.

Decrease in number of injured is due to ongoing validation and verification

NO SIGNIFICANT CHANGES FROM PREVIOUS SITREP

D. Damage to Infrastructure (TAB B)

A total of <u>28,222 infrastructures</u> (previous report: 3,365 infrastructures) in Regions IX, X, XI, XII, and BARMM were reported damaged due to the incident as shown below:

INFRASTRUCTURE	TOTALLY	PARTIALLY	TOTAL DAMAGE
TOTAL	20,928	7,294	28,222
Houses	20,921	6,429	27,350
Schools	2	755	757
Health Facilities	0	37	37
Other Public Structures	4	26	30
Places of Worship	0	6	6
Private/Commercial Establishments	1	25	26
Roads and Bridges	0	16	16

Sources: OCDRO IX, X, XI, XII, BARMM, DepEd, DOH, DSWD, and DPWH

Note: Figures are still subject for validation and verification

E. Status of Lifelines

Power Supply

As of 31 October 2019, 13 out of 18 LGUs in the Cotabato Province and 2 out of 12 LGUs in Sultan Kudarat Province experience power outage.

Source: Sit Rep No. 09 of 31 October 2019, 3:00 PM

On 29 October 2019, a total of twenty-three (23) cities/municipalities (previous report: 21 cities/municipalities) experienced power interruption in the Provinces of Cotabato, South Cotabato, Sultan Kudarat, and Sarangani. Power was restored on the same day.

Source: OCDRO XII

Water Supply

As of 31 October 2019, the Metro Kidapawan Water District (MKWD) of Kidapawan City, Cotabato Province incurred damages that resulted to water interruption.

On 31 October 2019, the water system in Brgy. Tawan-Tawan, M'lang, Cotabato Province was damaged and is in need for repair.

Source: OCDRO XII

NO SIGNIFICANT CHANGES FROM PREVIOUS SITREP

F. Suspension of Classes and Work

Suspension of Classes (TAB C)

One hundred eight (108) cities/municipalities (previous report: 85) in Regions X, XI, XII, and BARMM declared suspension of classes on 29 and 30 October 2019.

Suspension of Work

Sixty (60) cities/municipalities (previous report: 22) in Regions X, XI, XII, and BARMM declared suspension of work on 29 October 2019:

REGION	REMARKS		
Region X			
Bukidnon			
Kibawe	By virtue of EO no. 53 s. 2019 by the Municipal Mayor		
Region XI			
Davao del Norte			
Province-wide (3 cities and 8 municipalities)			
Region XII			
Cotabato			
Magpet			
Tulunan			
Kidapawan City			
South Cotabato			
General Santos City			
Koronadal City			
Polomok			
Tupi			
Sarangani Province			
Malungon			
Sultan Kudarat			
Bagumbayan			
Isulan			
Tacurong City			
BARMM			
Maguindanao	And part Any years \$90 (MACCA)		
Province-wide (1 city and 36 municipalities)	Suspension of work from 29-30 October 2019		

Sources: OCDROs X, XI, XII,. And BARMM

NO SIGNIFICANT CHANGES FROM PREVIOUS SITREP

III. ACTIONS TAKEN

A. National DRRM Council (NDRRMC)

Conducted a Response Cluster Meeting on 31 October 2019, 3:00 PM at the $3^{\rm rd}$ Floor New NDRRMOC Building, Camp General Emilio Aguinaldo,, Quezon City.

NDRRM Operations Center (NDRRMOC)

- a. Raised Alert Status to BLUE on 30 October 2019, 8:00 AM.
- b. Prepared the Emergency Alert Warning Message (EAWM) for dissemination of Telecommunication Companies to the affected areas.

EAWM	Date & Time	Area
		Cotabato, Davao del Sur, South Cotabato,
ML6.4	29 October 2019, 9:15 AM	Sultan Kudarat, Compostela Valley,
		Maguindanao, Agusan del Sur, Surigao del Sur
mb 6.5	31 October 2019, 9:23 AM	Cotabato, Davao del Sur, Sarangani, South
	31 October 2019, 9.23 AM	Cotabato, Misamis Oriental
Ms 5.5	01 Nov 2019, 10:33 AM	Sarangani, Davao Occidental
		Makilala and Pikit Cotabato, Magsaysay,
Me 50	Ms 5.0 01 Nov 2019, 02:07 PM	Davao del Sur, Bansalan Davao del Sur,
1013 0.0		Malungon, Sarangani; Koronadal City, Tupi
		South Cotabato, and Alabel, Sarangani

 Continuous coordination with NDRRMC Member-Agencies and affected OCDROs.

Office of Civil Defense (OCD)

- a. Conducted ocular inspection and situation briefing in OCDRO XI, Municipalities of Makilala, Kidapawan, Cotabato, Provincial Capitol of Cotabato and Magsaysay, Davao del Sur on 01 November 2019.
- b. Facilitated the request of the DSWD through coordination with AFP for transport of various relief items to General Santos City via C130 Plane, which departed CJVAB at 1:09PM, 30 October 2019. Following are the items transported by C130:
 - a. 500 laminated sacks
 - b. 50 tents
 - c. 166 Food Packs
 - d. 500 Sleeping kits
- c. Coordinated with Philippine Disaster Resilience Foundation (PDRF) for the transport of various relief items of DSWD to Davao City via Commercial Planes.

Items	Quantity	Dimension (cubic meter)	Weight (lbs.)
Family Tents	40	10	6,160
Sleeping Kits	500	5	3,850
Pre-cut Laminated Sacks	500	2	3,025
Family Food Packs	500	5	8,800
Sub total		22	21,835

d. Coordinated with the Department of Transportation (DOTr) on DSWD's request for assistance and accommodation of transport vehicles to the Roll-On/Roll-Off ships bound to South Cotabato.

Particulars	Units	Quantity
Kitchen Kit	Pcs	1,200
Sleeping Kit	Pcs	1,600
Laminated Sacks	Pcs	4,800
Family Tent	Pcs	125
Family Tent	Pcs	125

e. Facilitated the transport of 187 sleeping kits from DSWD to Davao City in coordination with PDRF which arrived at 9:00 AM, 01 November 2019.

Search and Rescue Cluster

Alerted the following teams for deployment to Davao City on 30 October 2019 :

No. of Team	Team	Agency	No. of Personnel
1	SRR Team	525th PA DRU	18
1	SRR Team	505th SRG PAF	15
1	K9 Search Team	MMDA	5

- f. Coordinated with OCDRO VIII for the provision of five hundred (500) pcs. tarpaulin intended as augmentation to the efforts of OCDRO XI.
- g. Coordinated with OCDRO IX for the provision of five hundred (500) pcs. tarpaulin intended as augmentation to the efforts of OCDRO XII.
- h. Coordinated the request of Tzu Chi Foundation for the delivery of two hundred (200) beds intended for the affected persons in Davao City.
- i. Facilitated the request of PDRF for the delivery of 1,000 pieces of 5-gallon water jugs from Manila Water.
- j. Facilitated the delivery of four (4) Water Filtration Systems plus accessories for immediate deployment to areas severely affected by the earthquake in Mindanao. Details are as follows:

Particulars	Quantity	Unit	Weight (kg)	Dimension (LxWxH)
Water Filtration Unit	4	Unit	200	122 x 56 x 183
525 th ECBn, PA	2	Pax	80	
OCD personnel	2	Pax	80	

Said items are requested to be delivered via C295 aircraft.

Department of Interior and Local Government (DILG)

- a. Issued a DILG advisory on "EARTHQUAKE PREPAREDNESS AND INITIAL RESPONSE ACTIONS FOR DILG PERSONNEL" to all concerned Regional and Field Offices on BEFORE, DURING, and IMMEDIATELY after an earthquake and especially on the following LGU actions to be monitored:
 - 1. Presence of LCE in the AOR;
 - 2. Immediately convened the Local Disaster Risk Reduction and Management Council;
 - 3. Activated the Incident Management Team and the various disaster response teams;
 - 4. LGU implemented disaster response actions, such as evacuation of persons and animals to safe open spaces, distribution of clean drinking water, food, emergency medicines and other basic essentials (e.g., tents, mats, blankets, water containers, cooking pots, etc.); and
 - 5. LGU, in coordination with other agencies, conducted Rapid Damage Assessment and Needs Analysis, as well as

Infrastructure Audit of all buildings, houses, roads, bridges and other critical facilities.

- b. Issued a Supplemental DILG advisory on "PRECAUTIONARY MEASURES TO UNDERTAKE AFTER AN EARTHQUAKE INCIDENT" to all concerned Regional Offices and advised all to inform and/or remind all LCEs on the following:
 - 1. In case of another felt earthquake, all residents must do the Duck (Drop), Cover and Hold;
 - 2. After an earthquake, all houses and buildings must be inspected for any sign of damage, and the structural integrity must be assured by the Local Building Official;
 - 3. Evacuate all the occupants of houses and buildings with tension cracks;
 - 4. Do not use damaged buildings and infrastructures, which should be properly marked as "INSPECTED, RESTRICTED, OFF-LIMITS":
 - 5. Prepare to evacuate all persons and animals in areas which can experience landslides triggered by earthquakes and prolonged or heavy rainfall;
 - 6. Conduct thorough risk assessment (i.e., identify the hazards, assess exposure and vulnerability of the affected population, and determine the coping capacity of the affected population, responders, communities and the LGU itself);
 - 7. Ensure that all evacuation centers (open spaces or light-material structures, e.g., tents and nipa huts) are situated in safe locations and have very low to zero risk; and
 - 8. The construction, renovation, repair, alteration, occupancy, maintenance and even demolition of houses and buildings, whether private or government-owned, must conform to the requirements of the New National Building Code (Revised IRR).

Bureau of Fire Protection (BFP)

Deployed augmentation teams to assist the SRR (a total of 102 personnel).

Health Emergency Management Bureau (HEMB)

- a. Raised Code Blue Alert
- b. Facilitated transport of logistics (Collapsible water container, Micronutrient Powder, Tents and Breastfeeding Kits) amounting to PhP 1,248,956 to Region X and XII.
- c. Activated Emergency Operations Center.

Philippine Red Cross

Provided water distribution, water collecting point in Barangay Imolvis, Kidpawan City and Barangay Balnate in Magsaysay, Davao Del Sur with one (1) water tanker mobilized in Kidapawan City and Davao del Sur.

B. Regional DRRM Council

RDRRMCs X, XI, XII, and BARMM are continuously monitoring their areas of responsibility and are in coordination with their respective member agencies to ensure the widest dissemination of updates and advisories through SMS, facsimile, and official social media websites.

REGION	ALERT STATUS	DATE
XI	RED	29 October 2019
XII	RED	29 October 2019, 3:00 PM
BARMM	BLUE	Since 16 October 2019

1. RDRRMC X

BFP X

- a. SRU Team Charlie-B is on standby ready to be deployed.
- b. Maramag FS prepared all firefighting equipment and ready to respond for emergency.
- c. Lala FS is on standby for augmentation.

DSWD X

Deployed eleven (11) Regional QRT members for augmention support to Field Office XI on 01 November 2019.

2. RDRRMC XI

DSWD XI

- a. Raised alert level status to RED on 01 November 2019.
- b. Provided 500 Family Food Packs and 300 Sleeping Kits to affected families in Magsaysay, Davao del Sur on 01 November 2019.

3. RDRRMC XII

DSWD XII

DSWD-FO XII delivered 1,200 Family Food Packs and 100 rolls of Pre-cut Laminated Sacks in Tulunan, North Cotabato on 01 November 2019.

Soccsksargen CHD

- a. Raised Code Blue Alert
- b. Mobilized two (2) Medical Teams to Makilala and Kidapawan city.
- c. Deployed three (3) RHA Teams to conduct assessment of affected LGUs.
- d. Deployed engineers to assess health facilities in the province.
- e. Provided initial logistics: drugs/medicines, jerry cans, hygiene kits, family tents to LGUs worth PhP 160,000,00
- f. Continuous coordination with LGU HEMS in different municipalities.
- g. Active monitoring for any other untoward incidents following the event.

IV. COST OF ASSISTANCE

As of this date of reporting, a total of ₱15,200,373.00 (previous report: ₱8,636,648.00) worth of assistance was provided by **DSWD** and **OCD XI** to the affected families.

REGION / PROVINCE /	TOTAL COST OF ASSISTANCE					
MUNICIPALITY	DSWD	OCD	GRAND TOTAL			
GRAND TOTAL	6,004,485.00	9,195,888.00	15,200,373.00			
REGION XI	2,071,137.00	9,195,888.00	11,267,025.00			
Without breakdown		5,587,400.00	5,587,400.00			
Davao del Sur						
Bansalan	402,967.00	391,118.00	794,085.00			
Magsaysay	1,320,230.00	2,172,040.00	3,492,270.00			
Matanao	347,940.00	1,045,330.00	1,393,270.00			
REGION XII	3,933,348.00	0	3,933,348.00			
North Cotabato	3,933,348.00	0	3,933,348.00			
City of Kidapawan (capital)	657,500.00	-	657,500.00			
Makilala	1,130,790.00		1,130,790.00			
M'lang	123,508.00	-	123,508.00			
Tulunan	2,021,550.00	-	2,021,550.00			

Sources: OCDROs X, XI and DSWD DROMIC Report No. 08 on the Ms 6.6 EQ in Tulunan, North Cotabato as of 02 November 2019, 12:00 AM

Effects of Magnitude 6.6 and 6.5 Earthquakes in Tulunan, North Cotabato <u>CASUALTIES</u> As of 02 November 2019, 6:00 AM

	AREA	NAME	AGE	SEX	ADDRESS	REMARKS
	DEAD	<u>17</u>				
	REGION XI	3				
	Davao del Sur	3				
1		Jessie Riel Parba (previously reported as Jesriel Pabra)	15 yrs. old	М	Purok 3 Pakigdait, Magsaysay, Davao del Sur	Died due to collapsed wall debris in Kasugi NHS caused by the magnitude 6.6 earthquake.
1		Benita B. Saban			Sitio Upper Asbang-elok, Brgy. Tagaytay, Magsaysay, Davao del Sur	Died due to landslide caused by the magnitude 6.6 earthquake.
1		Romulo Naraga			Brgy. Altavista, Bansalan, Davao del Sur	Died due to cardiac arrest caused by the
	REGION XII	14			Oui	magnitude 6.6 earthquake.
	South Cotabato	2				
1		Nestor Narciso	66 yrs. old	М	Brgy. Zone 1 Bagong Sikat, Koronadal City	caused by the magnitude 6.6 earthquake.
1		Marcelo Tare	75 yrs. Old	М	Purok Tenifulan, Brgy. Maligo, Polomolok	Died due to earthquake- induced landslide caused by the magnitude 6.5 earthquake.
	Cotabato	11	4			
1		Samuel Linao Andy (previously reported as Angel Andy)	44 yrs. old	М	Sitio Kitao, Brgy. Lanao Kuran, Arakan, Cotabato	Died due to realiste source to the
1		Renee Corpuz Andy (previously reported as Rene Boy Andy)	7 yrs. old	М		Died due to rockslide caused by the magnitude 6.6 earthquake.
1		Marichelle Morla	23 yrs. old	F	Sitio Alimodian, Brgy. Banayal, Tulunan	Died due to falling debris caused by the magnitude 6.6 earthquake.
1		Patricio Lumayon	65 yrs. old	F	Brgy. Luayon, Makilala	Died due to falling debris caused by the magnitude 6.6 earthquake.
1		Pao Zailon Abdulah	64 yrs. old	М	Brgy. Kibayao, Carmen, North Cotabato	Died due to cardiac arrest caused by the magnitude 6.6 earthquake.
1		Isidro Gomez	63 yrs. old	М	Purok 3, Brgy. Pag Asa, M'lang, Cotabato	Died due to cardiac arrest caused by the magnitude 6.6 earthquake.
1		Cesar Benjie Bangot (previously reported as Cesar Bangot)	58 yrs. old	М	Brgy. Batasan, Makilala	Died due to falling debris of collapsed barangay hall caused by magnitude 6.5 earthquake.
1		Romel Galicia	20 yrs. old	М	Brgy. Luayon, Makilala	Died due to fallen tree caused by magnitude 6.5 earthquake.
1		Priscilla Varona (previously reported as Precilla Verona)	70 yrs. old	М	Sitio San Isidro, Brgy. Malasila, Makilala	Died due to fallen debris caused by magnitude 6.5 earthquake.
1		Juve Gabriel Jaoud (previously reported as Juve Gabriel Jauod)	7 yrs. old	М	Brgy. Buenavida, Makilala	Died due to fallen debris caused by magnitude 6.5 earthquake.
1		Tessie Alacayde (previously reported as Tessie Alcayde)	70 yrs. old	F	Sitio Kapatagan, Brgy. Luayon, Makilala	Died due to magnitude 6.5 earthquake.
2 11	Sultan Kudarat	1		. =		
1		Lito Peles Mino	59 yrs. old	М	Sitio Musak, Brgy. Sinapulan, Columbio	Died due to rock slide caused by magnitude 6.5 earthquake.
	INJURED	<u>327</u>				
18-18-3	REGION X	14				
	Lanao del Norte	8				
8	Iligan City	Names are subject for validation				Students fainted due to nervousness.
	Bukidnon	6				
6	Valencia City	Names are subject for validation				One (1) customer fainted in Robinsons Ma One (1) employee fainted from Valencia City Hall Compound Three (3) students fainted due to ground shaking in Valencia City High School One (1) person suffered minor injury at the New Integrated Terminal Complex and was given first aid
	REGION XI	16				
6	Davao del Sur	11				
1		Names are subject for validation lan Alegro	8 yrs. old			Injured caused by 6.6 magnitude
1	Magsaysay	Aison Attic				earthquake. Rescued from landslide incident in Brgy. Upper Bala caused by 6.6 magnitude
-	Hagonoy	Names are subject for validation				earthquake; incurred fracture.
2						

	AREA	NAME	AGE	SEX	ADDRESS	REMARKS
	Davao City	4	FALLS BY		Land the second section of	TEMATIO
1	Isla Verde	Benilda Capidtuan	31 yrs. old	F		The State of the Control of the Cont
1	Puan	Nazario Maynabay III	31 yrs. old	М		Injured caused by 6.6 magnitude
1	Bucana	Antena Abejuela	64 yrs. old	F		earthquake.
1	Ecoland	Mae Ann Oledan	25 yrs. old	F		1
	Davao del Norte	1	ALLEY ST	THE NEW		
1	The second secon	Regein Casanillo	21 yrs. old			Injured caused by 6.6 magnitude earthquake.
	REGION XII	297	NEW YORK	V for terms	The second the second the second	eartiquake.
44.11	Cotabato	253	自己的		The second of the second of the second	Commence of the Commence of th
5	Cotabato					The second secon
58	Kidapawan City					
11	Arakan					
21	M' Lang	Names are subject for validation				
53	Tulunan	ivalies are subject for validation				
61	Kabacan					
42	Makilala					
2	Magpaet					
	South Cotabato	40				
7	Koronadal City					A CONTRACTOR OF THE CONTRACTOR
6	Tupi	Names are subject for validation				
27	Norala					
	Sarangani	3				
3		Names are subject for validation				
	Sultan Kudarat			117		
1		Name is subject for validation				
	BARMM	1				
	Maguindanao	PERMIT		Telescope.		
1	Pagalungan	Name is subject for validation				One person was reported injured due to falling debris
	MISSING	<u>2</u>				
	REGION XI	2	La Aventa de la Caracteria de la Caracte			
	Davao del Sur	2		175	Property and the same of the same states	
1		Gilbert Superales			Brgy. Upper Bala	Reported missing during the landslide
1		Miggy Attic			Sitio Labidangan, Brgy. Upper Bala	 incident in Upper Bala, Magsaysay caused by magnitude 6.6 earthquake.

Sources: OCDROs X, XI, XII, and BARMM

Note: Reported casualties are for further validation and verification.

Effects of Magnitude 6.6 and 6.5 Earthquakes in Tulunan, North Cotabato <u>DAMAGE TO INFRASTRUCTURE</u> As of 02 November 2019, 6:00 AM

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
GRAND TOTAL	28,222	20,928	7,294	
HOUSES	27,350	CONTRACTOR CONTRACTOR	Laurente Contract of the Contr	(1) 可是基础的信息的信息可能是
以其他的时间 的是 1960年的1960年 1960年		20,921	6,429	
REGION XI Davao del Sur	2,755	453	2,302	
Bansalan	2,734 718	452	2,282	MANUSER CONTROL OF THE
Kiblawan	1	162	556	
Magsaysay	1,951	286	1,665	
Matanao	51	1	50	
Padada	2		2	
Sta. Cruz Davao Occidental	11	2	9	
Malita	21	4 1 1	20	10000000000000000000000000000000000000
Santa Maria	1 20	1		
REGION XII	24,575	20,468	20	
North Cotabato	24,575	20,468	4,107 4,107	
Columbio	20	8	12	2 OF THE PROPERTY OF THE PROPE
M'lang	117	73	44	
Tulunan	3,659	1,375	2,284	
Makilala Kidapawan City	20,704	18,997	1,707	
BARMM	75 20	15	60	
Maguindanao	20	0	20	
Datu Abdullah Sangki	1	-	1	THE RESERVE OF THE PARTY OF THE
Datu Montawal	19	-	19	
SCHOOLS	757	2	de la	Experience of the second
		and the state of the state of	755	
REGION IX Zamboanga del Sur	1	0	1	
Pagadian City	1 WAY DO NOT THE	0	1	
REGION X	White Beach Elementary School	-	1	Minor cracks
Bukidnon	52 15	0	52	
Tellurase Code Presi, eventuaje i Cropia Bestryt.	Jasaan Elementary School	-	15	1 totally desired to
Cabanglasan	900 N 900 N 1000 N 1000 N		1	1 totally damaged classroom 10 totally damaged, 10 partially
	Valsons Elementary School	0.50	1	damaged classrooms
Damulog	Aludas Elementary School	-	1	1 totally damaged classroom
Dangcagan	Migcuya Elementary School	(-	1	2 partially damaged classrooms
Don Carlos	San Nicolas Elementary School	-	1	1 partially damaged classroom
	Mahayahay Elementary School	-	1	1 totally damaged classroom
Kadingilan ——	San Andres National High School San Andres National High School - Cabadiangan Annex	-	1	1 partially damaged classroom
M. P.		•	1	1 partially damaged classroom
Kalilangan	Malinao Elementary School	828	1	2 totally damaged, 8 partially damaged classroms
Kibawe	Mascarinas Elementary School		3	2 totally damaged, 1 partially
13800003883		-	1	damaged classroms
Pangantucan	Kimanait Elementary School	-	1	3 partially damaged classrooms
Quezon	Merangera Elementary School	12	1	2 partially damaged classrooms
	Bukidnon National High School - Annex Dalwangan	((*))	1	3 totally damaged, 4 partially
Malaybalay	Capitan Angel		1	damaged classrooms
	Malaybalay City National High School	-	i	3 totally damaged classrooms 1 partially damaged classroom
Misamis Occidental		0	1	r partially damaged classifoliii
Oroquieta City	Tuyabong Bajo Elementary School	-	1	1 partially damaged classroom
Misamis Oriental	16	0	16	
Kinoguitan	Biray Elementary School	(*)	1	
-	West City Central School	-	1	Cracks
Cagayan de Oro City	Macasandig Elementary School Carmen National High School	-	1	Cracks
ouguyan de one ony	Agusan Elementary School	-	1	Cracks
	Agusan National High School	-	1	Cracks
Balingoan	Bauk-Bauk Elementary School	-	1	Cracks 1 totally damaged room
Laguindingan	Kimaya Elementary School	-	1	1 totally damaged room
Laganangan	Kibaghot Elementary School	17/20	1	1 totally damaged room
Lagonglong	C. Gadrinab Elementary School	197	1	3 totally damaged rooms
	Lagonglong CS	-	1	1 room with major damage
Lugait Magsaysay	Biga Elementary School	-	1	1 room with major damage
Manticao	Cadena de Amor Elementary School Tuod Integrated School	-	1	3 rooms with major damage
	Baluarte Elementary School	-	1 1	11 totally damaged rooms
Tagoloan	Gracia Elementary School	-	1	1 totally damaged room 1 totally damaged room
Misamis Occidental	The state of the s	0	40% (81% 1 SOF BOOK)	r totally darliaged room
Oroquieta City	Tuyabang Bajo Elementary School	-	1	1 room with major damage
anao del Norte	2	0	2	major damage
Magsaysay	Magsaysay Central School	-	1	Minor cracks
Bukidnon	Magsaysay National High School	-	1	Minor cracks
Sandion	Bukidnon National High School - Annex Dalwangan	-	17 1	3 totally damaged rooms, 4 rooms with major damage, and 5 rooms
Malaybalay City	Capital Angel Integrated School	-	1	with minor damage 3 totally damaged rooms, 3 rooms
waiayudidy Oily	Malaybalay City National High School	-		with minor damage
	Managok National High School	-	1 1	1 room with major damage
	Managak National Flight School Mapayag Elementary School	-	1	8 rooms with minor damage 1 room with minor damage

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
Cabanasta	Jasaan Elementary School Manggaod Elementary School		1	1 room with minor damage
Cabangsalan ——	Valsons Elementary School		1	1 room with minor damage 10 rooms with major damage and 10
Dangcagan	Migcuya Elementary School		1	totally damaged rooms
Don Carlos	Mahayahay Elementary School	-	1	2 rooms with major damage 1 totally damaged rooms
NATIONAL STATES				1 room with minor damage 2 totally damaged classrooms 8
Kalilangan	Malinao Elementary School		1	rooms with major damage and 6
Pangantucan	Vimposit Flamentani Onkani		W45	rooms with minor damage 7 rooms with major damage
	Kimanait Elementary School Salawagan National High School	-	1	4 rooms with minor damage
Quezon	Merangeran Elementary School	-	1	Collapsed ceiling; cracked walls 2 rooms with major damage
Sumilao Talakag	San Vicente Elementary School Sto Nino Elementary School	-	1	3 rooms with minor damage
EGION XI	259	2	1 257	1 room with major damage
avao del Sur	151	11 15 THE LET BE	150	
	Brgy. Altavista Daycare Center Darapuay Elementary School	1	1	Totally damaged
	Marber National High School	-	1	10 rooms with damage 6 rooms with damage
Bansalan	Sibayan Elementary School	2	1	4 rooms with damage
	Bansalan Central Elementary School Bonifacio Elementary School	-	1	15 rooms with minor damage 3 rooms with minor damage
	Rizal Elementary School	-	1	3 rooms with major damage, 4 rooms
	Union Elementary School	-	1	with minor damage 4 rooms with minor damage
	Guihing Central Elementary School	N20	1	2 rooms with major damage, 14
	Gadeco Elementary School	-	1	rooms with minor damage
	Hagonoy Central Elementary School	_	1	14 rooms with damage 1 room with major damage, 8
	Quezon Elementary School	_	1	rooms with minor damage
Hagonoy	Romaguera Elementary School	-	1	2 totally damaged rooms 1 room with minor damage
	Sacub National High School Sacub Elementary School	-	1 1	7 rooms with minor damage
	DANGO CHECO STORIA O SERVICIO CON CONTROL STORIA DE STATE		•	3 totally damaged rooms 3 totally damaged, 3 rooms with
	San Isidro Elementary School	-	1	major damage, 4 rooms with
	Bulacan Elementary School	-	1	minor damage 1 room with damage
Malalag	Bolton Elementary School Davao del Sur School of Fisheries	-	1	4 rooms with damage
	Mabini Elementary School	-	1	5 rooms with minor damage 5 rooms with minor damage
	Malalag Central Elementary School Kiblawan Elementary School	-	11	19 rooms with damage
	Kisulan Elementary School	-	1	9 rooms with minor damage 6 totally damaged rooms, 6 rooms
Kiblawan	Idea Elementary School		1	with minor damage
	Zosimo S. Magdadaro National High School	-	1	6 rooms with damage 3 rooms with minor damage
_	A. Mabini Elementary School Agdao Elementary School	-	1	6 totally damaged rooms
	Baguio Central Elementary School		1	2 rooms with minor damage 3 totally damageed rooms,
	Baguio Central Elementary School	(#)	1	3 rooms with minor damage
	Bago Oshiro Elementary School	97.3	1	4 totally damaged rooms, 4 rooms with minor damage
	Binugao Central Elementary School		1	9 rooms with minor damage
	Bunawan Aplaya Elementary School			
	Binugao Elementary School	-	1	2 rooms with minor damage
	Buda National High School	-	1	16 rooms with minor damage 4 rooms with minor damage
	Buhangin Central Elementary School Sped Center	(41)	1	3 rooms with minor damage
	Cadalian Elementary School	150	1	14 totally damaged rooms, 14 rooms with minor damage
<u> </u>	Datu Duyan Elementary School	-	1	1 room with major damage
	Datu Lompipi Elementary School Diego Silang Elementary School	-	1	12 rooms with minor damage 5 rooms with minor damage
	Dominga Elementary School	-	1	3 rooms with minor damage
-	Dona Asuncion Hizon Elementary School	-	1	23 rooms with minor damage
<u></u>	E. B. Lopez Mem. National High School	-	1	2 totally damaged rooms, 5 rooms with major damage
D 0/4	Inayangan Elementary School J. Cruz Sr. Elementary School	-	1	11 rooms with minor damage
Davao City	Kabacan Elementary School	-	1	7 rooms with minor damage
	Kanacan Elementary School	-	1	2 rooms with minor damage
	Kapt. T. Monteverdo Sr. Central Elementary School	·	1	1 room with minor damage 2 totally damaged rooms, 2 rooms
	Kibangay Elementary School	-	1	with major damage
	Langub Elementary School	2	1	5 totally damaged rooms, 3 rooms with major damage, 2 rooms with minor damage
	Lourdes Elementary School	-	1	1 totally damaged room
	ower Tamunan National High School	- 1	1	2 rooms with minor damage 2 totally damaged rooms, 2 rooms
	Lower Tamugan National High School			
	Lower Tamugan National High School Lt. C. Villafuerte, Sr. Elementary School Luman Elementary School		1	with major damage 1 totally damaged room, 1 room with
	Lt. C. Villafuerte, Sr. Elementary School	-		with major damage 1 totally damaged room, 1 room with major damage, 6 rooms with minor damage. 12 totally damaged rooms, 12
	Lt. C. Villafuerte, Sr. Elementary School Luman Elementary School	-	1	with major damage 1 totally damaged room, 1 room with major damage, 6 rooms with minor damage. 12 totally damaged rooms, 12 rooms with minor damage
	Lt. C. Villafuerte, Sr. Elementary School Luman Elementary School Malagos Elementary School SPED Center Malalan Elementary School Mangas-As Elementary School	-	1	with major damage 1 totally damaged room, 1 room with major damage, 6 rooms with minor damage. 12 totally damaged rooms, 12
	Lt. C. Villafuerte, Sr. Elementary School Luman Elementary School Malagos Elementary School SPED Center Malalan Elementary School	1	1 1 1	with major damage 1 totally damaged room, 1 room with major damage, 6 rooms with minor damage. 12 totally damaged rooms, 12 rooms with minor damage 7 rooms with minor damage 2 totally damaged rooms, 3 rooms

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
	Panalum Elementary School	-	1	2 rooms with minor damage
	Pilar P. Rodriguez Integrated School R.C. Quimpo Elementary School	-	1	6 rooms with minor damage 1 room with major damage, 6 rooms
	San Lorenzo Elementary School	-	1	with minor damage 10 totally damaged rooms, 9 rooms with major damage, 1 room
	Sir Elementary School	-	1	7 rooms with minor damage
	Tagakpan Elementary School	-	1	8 rooms with minor damage
	Tambobong National High School Tawantawan Elementary School	-	1	3 rooms with minor damage
	Unapan Elementary School	-	1	3 rooms with minor damage 4 rooms with minor damage
	Waan Elementary School	-	1	4 totally damaged rooms, 4 rooms with minor damage
	Tacunan National Highschool	-	1	Minor cracks
	Sto. Nino National High School		1	Minor cracks
	SPED Bangkal		1	Minor cracks
 	Mintal Comprehensive National High School Matina Pangi Elementary School	-	1	Minor cracks
	Magtuod Elementary School		1	Minor cracks Minor cracks, 2 rooms with major
	Manambulan Elementary School	-	1	damage, 15 rooms with minor damage
	Maa Elementary School	1	1	Minor cracks Minor cracks
	Maa National High School		1	Minor cracks
Davao City	Calinan NationI High School		1	Minor cracks
	Corquera Elementary School	-	1	Minor cracks
	Cabantian Elementary School	-	1	Minor cracks, 37 totally damaged rooms, 1 room with major damage, 36 rooms with minor damage
	Aflect Elementary School, Panacan		1	Minor cracks
	Matina Biao Elementary School	1.50	1	Minor cracks
l	Matina Biao High School Gumalang Elementary School	-	1	Minor cracks
<u> </u>		1.0	1	Minor cracks
	Talomo Elementary School	-	1	Minor cracks, 5 rooms with minor damage
	Talomo Central Elementary School		1	40 rooms with minor damage
<u></u>	Wilfredo Aquino Elementary School	•	1	Minor cracks
l	Dona Carmen National High School USEP Obrero	//		Minor cracks
	Holy Cross Mintal Senior High Building 3rd flr	-	1	Minor cracks
	Don Enrique Bustamante National High School, Bago Gallera	-	1	Minor cracks Minor cracks
	Cabantian National High School2nd and 3rd bldg.		1	Minor cracks
	Baguio Proper High School		1	Minor cracks
	Baguio Proper Elementary School		1	Minor cracks
	Daniel R. Aguinaldo National High School 1st bldg. Dona Pilar Elementary School	(2)	1	Minor cracks, 22 rooms with minor damage
	Brgy. 5-A, HolyCross of Davao	-	1 1	Minor cracks Minor cracks
i i	Eden Elementary School	-	1	Minor cracks
	Holy Child College of Davao, Brgy. Sto. Nino	1.5	1	Minor cracks
	Apolandia Elementary School	-	1	2 rooms with minor damage
l l	Arcaflor Maniapao Elementary School) -)	1	1 room with minor damage
	Bagumbuhay Elementary School Colorado Elementary School		1	1 room with minor damage
	Digos City Central Elementary School	(4)	1	1 room with minor damage 1 totally damaged rooms, 5 rooms with major damage, 20 rooms with
	Digos City National High School - Balabag HS Annex	-	1	minor damage 1 room with minor damage
	Digos City National High School - Soong HS Annex	3.5	1	3 rooms with minor damage
-	Digos City Senior High School Gaudioso Reusora Central Elementary School	X=1	1	5 rooms with minor damage
Digos City	Goma National High School	-	1	1 room with major damage 4 totally damaged rooms, 2 rooms with major damage, 1 room with
	Kapatagan National High School	-	1	minor damage
	Matti National High School	-	i	2 rooms with minor damage 20 rooms with minor damage
	Mahayahay Elementary School		1	3 rooms with minor damage
	Pedro Bansalan Elementary School	-	1	1 room with minor damage
	Ramon Magsaysay Central Elementary School	(#)	1	20 totally damaged rooms, 10 rooms with major damage, 8 rooms with minor damage
	Ruparan National High School	(=(1	1 rooms with major damage, 12 rooms with minor damage
	Bala Elementary School	15%	1	4 rooms with major damage, 16 rooms with minor damage
	Barayong Central Elementary School	1 - 1	1	2 rooms with major damage, 2 rooms with minor damage Damaged endwall (bothsides),
Magsaysay	Isulan National High School		1	collapsed ceiling, masonry walls cracked, beams with crack (1st floor), columns with cracks (plastering)
	Kasuga National High School	-	1	Damaged end walls
	Kasuga Elementary School	-	1	5 rooms with minor damage
	Lower Bala National High School Malawanit Elementary School	-	1	5 rooms with major damage, 8 rooms with minor damage
	Tacul Agricultural High School	-	1	3 rooms with minor damage 19 rooms with major damage
			1	21 rooms with major damage, 6
	Salud Cagas Technical and Vocational High School	1 - 1		

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
	Buri Elementary School M. H. Del Pilar Elementary School	-	1	8 rooms with minor damage
-	Cabasagan Elementary School		1	4 rooms with minor damage
<u>-</u>	Dongan Pekong Elementary School	-	1	5 rooms with major damage
	New Visayas Elementary School		1	3 rooms with minor damage 10 rooms with damage
	Sulatorio Elementary School	-	1	5 rooms with damage
1	Marciano Apiag Elementary School	-	1	1 room with damage
	La Suerte Elementary School	-	1	3 rooms with damage
220	Bangkal Elementary School	-	1	3 rooms with damage
Matanao	Glot Towak Elementary School	-	1	5 rooms with major damage
	Manga Central Elementary School	1921	4	3 rooms with major damage, 13
	Manga Central Elementary School	-	1	rooms with minor damage
	Marcos D. Sarona Elementary School	-	1	2 totally damaged rooms, 2 room with major damage, 2 rooms wit
	Saub Elementary School Savoy Elementary School	-	1	minor damage 6 rooms with minor damage 10 rooms with minor damage
	Tibongtibong Elementary School	-	1	4 rooms with minor damage
(4	Tribal Filipino School of Datalfitak	-	1	5 rooms with minor damage
Sulop	Sulop National High School	(5)	1	3 rooms with damage
Padada	Maria Cleta R. Delos Cientos National High School		1	1 room with minor damage
	Astorga Central Elementary School	-	1	11 rooms with minor damage
	Bato National High School	- 3	1	7 rooms with minor damage
<u></u>	Jose Rizal Elementary School	-	1	1 room withm inor damage
	Sinoron Elementary School	-	1	3 rooms with damage
	Idong Elementary School	-	1	6 rooms with damage
Santa Cruz	Anastacio G. Canda	•	1	1 room with damage
	Manuel Francisco C. Ramos National High School	-	1	2 rooms with minor damage
	Santa Cruz Central Elementary School		1	5 rooms with major damage, 5 roo
				with minor damage
	Santa Cruz National High School	-	1	21 rooms with minor damage
	Tubison Elementary School		1	2 rooms with minor damage
avao del Norte	93	0	93	法国际外交流的 例如此是1500年
	Rizal Elementary School	140	1	With cracks; 10 totally damage rooms, 3 rooms with minor
	Katipunan Elementary School	-	1	damage Recommended for non-occupance
Panabo City	Valentin N. Daquio Elementary School	(+)	1	Recommended for non-occupance
	Panabo City Senior High School		1	With cracks
	San Vicente National High School	1=0	1	With cracks; 2 rooms with mind
<u> </u>	· · · · · · · · · · · · · · · · · · ·		X	damage
	Manay National High School		1	Minor cracks
	Dalisay Village Elementary School	(2)	1	Minor cracks; 3 rooms with min
	Kasilak Elementary School		1	damage Minor cracks; 7 room with mino damage
	Buenavista Elementary School	121	1	Minor cracks; 8 rooms with minor damage
	Cabili Elementary School		1	7 rooms with minor damage
<u></u>	Roxas Elementary School		1	3 rooms with minor damage
	Quezon National High School New Visayas Elementary School	(28)	1	Minor cracks; 1 room with mino damage
-	Kauswangan National High School	-	1	Minor cracks
_	Kiloloy Elementary School	-	1	Minor cracks
	Tagurot Elementary School	-	1	Minor cracks
	Nanyo Elementary School	-	1	Minor cracks Minor cracks
	Salvacion Elementary School		1	Minor cracks
	Glecerio L. Dondoy Elementary School	-	1	Minor cracks
	Little Panay National High School		1	Minor cracks
	DMJ National High School	(*)	1	Recommended for non-occupan
	JP Laurel Elementary School	-	1	Minor cracks
	Kiotoy Elementary School Licanan Elementary School	•	1	4 rooms with minor damage
Panabo City —	Rodrigo Mabitad Elementary School	-	1	Minor cracks
	A, O. Floirendo National High School	-	1	Minor cracks
-	Consolacion Elementary School	-	1	10 rooms with minor damage
<u> </u>	Gredu Elementary School	-	1	2 rooms with minor damage 3 rooms with minor damage
<u> </u>	Kasilak Elementary School		1	2 rooms with minor damage
	Katualan Elementary School		1	2 totally damaged rooms, 1 roor with major damage, 1 room with
	Little Panay	-	1	minor damage 6 rooms with minor damage
	Mabunao Elementary School	-	1	8 totally damaged rooms, 3 room with major damage, 2 rooms wit
 	Sindaton National High School		1	minor damage 1 room with damage
<u> </u>	Namuag Elementary School		1	4 rooms with minor damage
<u> </u>	Panabo Central Elementary School SPED Center	-	1	4 rooms with minor damage
<u> </u>	Panabo National High School		1	16 rooms with minor damage
	San Francisco Elementary School	-	1	1 room with minor damage
	Sta Cruz Elementary School	-	i	1 room with minor damage
	Sto. Niño Elementary School		i	4 rooms with minor damage
<u> </u>	SHOWN THOUSEN WE RESENT IN			3 rooms with major damage,
	Tibungol Elementary School	12	1	rooms with minor damage,
	Magugpo Pilot Elementary School	-	1	Minor cracks
	Rizal Elementary School		i	Minor cracks
	Suaybaguio Rina Elementary School	-	1	Minor cracks
	Tagum National Trade School		1	Minor cracks
(2)-231 MINA P				
Tagum City	Babanganan Elementary School	-	1	Minor cracks
Tagum City	Babanganan Elementary School Tagum City National High School		1	Minor cracks
Tagum City	Babanganan Elementary School	-		

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
Tagum City	Pandapan Elementary School		1	Minor cracks
raguin City	Col. Salundares Elementary School	-	1	Minor cracks
_	Union Elementary School Laureta Elementary School	-	1	Minor cracks
	Sto. Niño Central Elementary School	-	1	Minor cracks Minor cracks
	Tibi Tibi Elementary School		1	Minor cracks
Talainged	Datu Jose Libayao Memorial High School	-	1	Minor cracks
Talaingod	Palma Gil Elementary School Dagohoy Elementary School	-	1 1	Minor cracks
	Dagohoy National High School	-	1	Minor cracks Minor cracks
	Jose Tuason Jr. Memorial National High School		1	23 rooms with minor damage
	Dujali National HighSchool	-	1	8 clasrooms with multiple cracks 2 rooms are temporarily closed due
B. E. Dujali	Tanglaw National High School	-	1	to major cracks 4 classrooms with minor cracks (ne- 2-storey buildings)
	Antonio V.Fruto, Sr. National High School	(5)	1	6 classrooms with minor cracks 1 classroom with multiple cracks
	Anibongan National High School Guadalupe Elementary School	-	1	Minor cracks in the 2-storey building
Carmen	Lapaz National High School	- i	1	Minor cracks Minor cracks on rooms
1	Minda Elementary School	-	1	Cracks in rooms
	Sto. Niño Elementary School	-	1	With cracks
Island Garden City of Samal	Nieves National High School	-	1	Minor damages
Island Garden City of Sanial	Angel Villarica Central School Anonang National High School	-	1	Minor cracks
	Kapalong College of Agriculture, Science & Technology	-	1	Minor cracks Minor cracks
Kapalong	Celementa F. Rayo Elementary School	-	1	Minor cracks Minor cracks
Kapalong	Kapalong National High School		i	Minor cracks
	Maniki Central Elementary School	-	1	Cracks on walls
	Poblacion Maryknol HS	(4)	1	Visible cracks on walls
_	Poblacion National High School	-	1	Visible cracks on walls
New Corella	Del Pilar Elementary School Limbaan Elementary School	-	1	Visible cracks on walls
	Limbaan High School	-	1	Visible cracks on walls Visible cracks on walls
	Kauswagan Elementary School	-	1	2 rooms with minor damage
	Butay Day Care Center	-	i	Unlevel slab, floor, and walls
	New Santiago Day Care Center (P-4)		1	Rear wall and slab separation
<u> </u>	New Bantayan Elementary School	-	1	Minor cracks
_	Sagayen Elementary School	-	1	Minor cracks
_	Buclad Elementary School Cambanogoy Elementary School	-	1	Minor cracks
<u> </u>	Asuncion Central Elementary School		1	Minor cracks
Asuncion	And the state of t			Partially damaged Building in front of gate; partially
United participation of the Control	Camoning Elementary School	(=)	1	damaged
	Magatos SPED Room		1	Partially damaged
<u> </u>	Asuncion National High School	X=3	1	Minor cracks on walls
	Sonlon Elementary School		1	Old building with stage; partially damaged TVL and Senior High Building;
	Sonlon High School	-	1	partially damaged
avao Occidental	office of the Language of the Asset State of the State of	1	3	THE SEASOP THE PROPERTY OF
Sto Maria	Malalag Tubig Elementary School	1		Wall detached from foundation
Sta. Maria	Heracleo Casco National High School	*	1	Old building is for temporary closure
Malita	Fishing Village National High School	(7)	1	2 buildings are for temporary closure
	Mariano Peralta National High School	2	1	Old building is for closure
ompostela Valley	As a construction of the second secon	0	11	Old building is for closure
	Gabi Elementary School	-	1	6 rooms with minor damage
Compostela	Osmeña Elementary School	-	1	1 room with minor damage
	Tamia Elementary School	-	i	15 rooms with minor damage
Maco	Atty. Orlando S. Rimando National High School		1	2 rooms with minor damage
Mawab	Tuboran National High School	-	1	4 rooms with major damage
20000 220 1002/000	Montevista National High School	-	1	Minor cracks
Montevista	New Calape Elementary School		1	1 room with minor damage
	Compostela Valley State College	<u>u</u> n	1	Minor cracks
	Manat National High School	-	1	Minor cracks
Nabunturan	Nabunturan	2	1	Minor cracks; partially damaged
	Central Elementary School			due to 6.5 EQ
GION XII	Sta. Maria Elementary School	-	1	6 rooms with minor damage
Iltan Kudarat	421	0	421	
mui. Muuajat	4 Banate Central Elementary School	0	4	
22.0	Banate National HS	-	1 1	
Malungon	Malalag Cogon Elementary School	-	1	
	Malalag National HS	-	<u> </u>	
Itan Kudarat	80	0	80	ALCOHOL BURNESS CAR CO.
	Amado Fernandez Sr. Central Elementary School		1	6 rooms with minor damage
	Apolinario S Bernardo National High School	-	1	1 room with minor damage
	Casilda P Venus Elementary School	-	1	4 rooms with minor damage
	Dr. Manuel Grino CMES		1	3 rooms with minor damage
<u> </u>	Lancheta-Magallon Elementary School		1	2 rooms with minor damage
Tacurong City	Ma. Z. Bayya Elementary School	-	11	4 rooms with minor damage
racurong city	Maria A Montanilla MES San Emmanuel National High School	· ·	1 1	10 rooms with minor damage
<u> </u>	Upper Katungal Elementary School	2	1	3 rooms with minor damage
<u> </u>	Rajah Muda Elementary School		1	2 rooms with minor damage
-	Rajah Muda Elementary School Rajah Muda National High School	-	1 1	7 rooms with minor damage
	Tacurong National High School	-	1	6 rooms with minor damage
	Tacurong Pilot Elementary School	-	1	
				1 room with major damage, 10 room
2-2000	Esperanza National High School	-	1	with minor damage
Esparanza	Dimakant HS		1	1 room with major damage, 4 rooms

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
Esparanza	Marawir Integrated School	-	1	1 room with major damage, 4 rooms with minor damage
	Pamantingan Elementary School	-	1	1 room with minor damage
	Dimakanit High School Kalawag Central School		1	Minor cracks
	Bonita Elementary School	-	1	Minor cracks
	Villa Clara Elementary School		1	Major cracks observed Minor cracks
Isulan	Mapantig Elementary School	-	1	3 rooms with minor damage
	Bambad National High School	-	1	2 rooms with minor damage
-	Bambad Central School Bual Elementary School	•	1	1 room with minor damage
	D. Lotilla Elementary School	-	1	9 rooms with minor damage
	Notre Dame of Isulan	- :	1	2 rooms with minor damage Cracks observed
	Kalamansig National High School			Partially damaged, 11 rooms with
Kalamansig	Pagasa Elementary School	-	1	minor damage
Kalamansiy	Sangay National High School		1	E como villo villo villo
	Sta. Clara National High School	12	1	5 rooms with minor damage
	Sultan Kudarat State University - Kalamansig Campus	-	1	3 rooms with minor damage
	Alamada Sabawa Elementary School	12		1 room with major damage,
	Programme (1995)		1	1 room with minor damage
	Bilumin Elementary School	-	1	7 rooms with minor damage
-	Pidtiguian Elementary School	•	1	2 rooms with minor damage
-	Pimbalayan Elementary School	•	1	1 room with minor damage
-	Tinumigues Elementary School		1	4 rooms with minor damage
	Datu Sambilan Elementary School	(4)	1	1 room with major damage,
	Didtaras Elementary School	-	1	5 rooms with minor damage
Lambayong (Mariano Marcos)	Kapingkong National High School		1	6 rooms with minor damage 26 rooms with minor damage
75. 2020	Kapingkong Central Elementary School		1	6 rooms with minor damage
	Kapingkong Elementary School		1	4 rooms with minor damage
	Katitisan Elementary School	3.5	1	4 rooms with minor damage
	Lambayong National High School	-	1	8 rooms with minor damage
	Maligaya National High School	3.53	1	16 rooms with minor damage
-	Madandig National High School	-	1	2 rooms with minor damage
-	Matiompong Elementary School	-	1	4 rooms with minor damage
	Mamali National High School Palumbe Integrated School	-	1	56 rooms with minor damage
	E Arcaño Memorial National High School	-	1	3 rooms with minor damage
1		-		1 room with major damage 2 rooms with major damage, 5
	Lagandang Elementary School	151	1	rooms with minor damage, 5
	Keytodac National High School	(3)	1	2 rooms with major damage, 2 rooms with minor damage
	Pakil Elementary School		1	Partially damaged
Lebak	Pakil Annex		1	Partially damaged
	Purikay National High School	-	1	Partially damaged; 4 rooms with
				minor damage
()	Lebak Legislated National High School Lebak National High School	-	1	Partially damaged
	Mangudadatu National High School - Villamonte Annex	-	1	3 rooms with minor damage
	Salaman Central Elementary School	-	1	2 rooms with minor damage Partially damaged
	Tran National High School	-	1	3 rooms with minor damage
Lutayan	Lutayan National High School	-	1	3 rooms with minor damage
	Katiku Central School	7=0	1	1 room with major damage, 4
		1.50	<u> </u>	rooms with minor damage
	Kalanawi 1 Elementary School	-	1	1 room with minor damage
	President Quirino Central School	-	1	3 rooms with major damage, 3 rooms
· · · · · · · · · · · · · · · · · · ·	Malingon Elementary School		4	with minor damage
President Quirino				1 room with minor damage 13 damaged rooms, 13 rooms with
	President Quirino National High School		1	minor damage
	Purok 4 Elementary School	-	1	3 rooms with minor damage
	Suben Elementary School		1	1 room with major dames
	\$4.0 (2000) 11 (11 (12 (2000) 11 (2			1 room with major damage
Sen. Ninoy Aquino	Tual Elementary School Senator Ninoy Aquino National High School	-	1	1 room with minor damage
Jan. Harry Additio	Santo Niño Elementary School	-	1	4 rooms with minor damage
Paris to the same	ositio timo Elomontal y Odridoi	-	- V	2 rooms with minor damage 2 totally damaged rooms, 2 rooms
Bagyumbayan	Bai Saripinang Elementary School		1	with major damage, 5 rooms with minor damage
	Columbio National High School	-	1	29 rooms with minor damage
0200 000	Datablao National High School	-	1	3 rooms with minor damage
Columbio	Zeneben Integrated School		1	2 rooms with minor damage
1	Telafas National High School	-	1	1 room with major damage, 12 rooms
	Dansuli Elementary School			with minor damage
V. #868.E468	Data Talipasan Impao Elementary School	-	1	7 rooms with minor damage 8 rooms with minor damage
Isulan	Isulan Central School SPED Center		1	17 rooms with minor damage
	Impao Elementary School	-	1	2 rooms with minor damage
rth Cotabato	212	0	212	and manufacturing
	Bangsamoro Elementary School	-	1	1 room with minor damage
	Datu Saliman Elementary School	-	11	5 rooms with minor damage
	Cayetano A Javier Memorial Elementary School	-	1	2 rooms with minor damage
	Habitat Elementary School	-	1	2 rooms with major damage, 2 rooms with minor damage
Videouse City	Juan L Gantuangco School of Arts and Trades	2	1	2 rooms with major damage, 13 rooms with minor damage
Kidapawan City	Juan P. Jalipa Memorial National High School		1	1 room with major damage
	Junction Elementary School	2	1	1 totally damaged room, 5 rooms
I	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- I	- N	with minor damage
	Kalaisan Elementani Cohest			
	Kalaisan Elementary School		1	1 room with minor damage
	Kalaisan Elementary School Lanao Central Elementary School	-	1	1 room with minor damage 3 rooms with minor damage
				1 room with minor damage

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
	Macebolig Integrated School Mateo Elementary School	· ·	1	1 room with minor damage
	Marciano Mancera Integrated School	-	1	1 room with minor damage
	Mua-An Integrated School		1	1 room with minor damage 2 rooms with major damage
	Nuangan Integrated School	-	1	5 rooms with minor damage
	Onica National High School	-	1	1 room with minor damage
	Paco National High School		1	4 rooms with major damage,
Kidapawan City	Ray Buenaventura A. Sabulao Elementary School	-	1	rooms with minor damage 1 room with minor damage
	San Miguel Elementary School	<u>.</u>	1	1 room with minor damage
	Saniel Cruz National High School	-	1	4 rooms with minor damage
	Sibawan Elementary School Sikitan Elementary School		1	1 room with minor damage
	Singao Integrated School		1 1	4 rooms with minor damage 1 room with minor damage
	Spottswood National High School		1	3 rooms with minor damage
	Suerte MElementary School	-	1	1 room with major damage, 1 ro
	Badak Elementary School			with minor damage
0/2	Kitub-Bao National High School		1	2 rooms with minor damage
Alamada	Lt. Tito S. Orejudos Elementary School		1	10 rooms with minor damage 2 rooms with minor damage
	Upper Dado Central Elementary School		i	1 room with minor damage
	Dualing High School	-	1	3 rooms with minor damage
	Malapang Elementary School	-	1	4 rooms with major damage, 5 rooms
	New Leon Elementary School	-	1	with minor damage
	Palacat Elementary School	-	1	8 rooms with minor damage 6 rooms with minor damage
Aleosan	Sta. Cruz Elementary School	8-1	1	3 rooms with major damage,
	otal oraz ziomontary odnosi			4 rooms with minor damage
	Tomada Elementen, Cabaal		18	5 totally damaged rooms, 3 roo
	Tomado Elementary School	-	1	with major damage, 2 rooms v
				minor damage
	Pentil High School	(4)	1	6 rooms with major damage, 4 ro with minor damage
	Badiangon High School		1	2 rooms with major damage
	Busaon Elementary School	-	1	3 rooms with minor damage
	Greenfield National High School	-	1	7 rooms with major damage,
	Guitawan Elementary School	_	1	rooms with minor damage
Arakan	Katipunan High School	-	1	1 room with minor damage 6 rooms with minor damage
	Kabalantian Elementary School	-	1	8 rooms with minor damage
	Kabalantian High School		1	4 totally damaged rooms, 4 room
			,	with minor damage
	Meocan High School	1920	1	12 totally damaged rooms, 12 ro
	Badtucon Elementary School	-	1	with minor damage 1 room with minor damage
	Banisilan National High School		1	2 rooms with minor damage
	Banisilan Central Elementary School			3 totally damaged rooms, 3 roo
	180	\-\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1	with minor damage
Banisilan ———	Kalalagan Elementary School	-	1	2 rooms with minor damage
4	Kulawan Elementary School Kiaring Elementary School		1	2 rooms with minor damage
	Malagap Elementary School	-	1	1 room with minor damage 1 room with major damage
	Rancho Elementary School	-	1	1 room with minor damage
	Malinao Central Elementary School	-	1	6 rooms with minor damage
<u> </u>	Aroman Elementary School Bai Matabay Plang MPS	-	1	9 rooms with minor damage
	Liliongan Elementary School	-	1	1 room with major damage
Carmen	New Bentangan Primary School	-	1	3 rooms with minor damage 2 rooms with minor damage
	Old Bentangan Elementary School		1	7 rooms with minor damage
	Makatactac Elementary School	-	1	5 rooms with minor damage
	Kabacan Senior High School	-	1	6 rooms with major damage,
<u> </u>	year-announced and an announced an announced and an announced and an announced and an announced an announced and an announced and an announced and an announced an announced and an announced and an announced and an announced an announc	1000		rooms with minor damage
	Katidtuan Central Elementary School Kayaga Elementary School	-	1	1 totally damaged room
Kabacan	Mulita Elementary School		1	1 room with minor damage 5 totally damaged rooms
Kabacan	Simone Elementary School	-	1	2 rooms with minor damage
				1 totally damaged room, 2 room
1	Siento Trenta Elementary School	-	1	with major damage, 3 rooms w
	Lower Paatan Elementary School		1	minor damage
	Barongis Elementary School	-	1	3 rooms with minor damage 3 rooms with minor damage
	Kapayawi Elementary School	-	1	3 rooms with minor damage 3 rooms with minor damage
	Kitubod Elementary School	14	1	2 rooms with minor damage
	Kitubod High School		1	7 rooms with minor damage
	Malengen Elementary School Medal Elementary School	-	1	2 rooms with minor damage
Libungan	Nicaan Annex Primary School	-	1	3 rooms with minor damage
				4 rooms with minor damage 2 totally damaged rooms, 1 roo
	Nicaan High School	*	1	with major damage
	Nueva Fuerza Elementary		1	3 rooms with minor damage
	Sinapangan Elementary School Palao Elementary School	-	1	4 rooms with minor damage
	Piarro Elementary School	-	1	4 rooms with minor damage
	Elonionally Control			1 room with minor damage Classroom with cracks, 1 room v
		2	1	
	Amabil Elementary School	-	1	
		-		minor damage 2 totally damaged rooms, 1 roo
	Amabil Elementary School Bagumbayan Elementary School	-	1	2 totally damaged rooms, 1 roo
	Bagumbayan Elementary School	-	1	totally damaged rooms, 1 room with major damage, 1 room with major damage
	Bagumbayan Elementary School Binay Elementary School	-	1	2 totally damaged rooms, 1 roo with major damage, 1 room wi minor damage 3 rooms with minor damage
	Bagumbayan Elementary School Binay Elementary School Boay-Boay Elementary School	-	1 1 1	2 totally damaged rooms, 1 roo with major damage, 1 room wit minor damage 3 rooms with minor damage 4 rooms with minor damage
Magpet	Bagumbayan Elementary School Binay Elementary School	-	1	2 totally damaged rooms, 1 roo with major damage, 1 room wt minor damage 3 rooms with minor damage 4 rooms with minor damage 2 rooms with minor damage
Magpet	Bagumbayan Elementary School Binay Elementary School Boay-Boay Elementary School Bongolanon High School	-	1 1 1 1	2 totally damaged rooms, 1 roc with major damage, 1 room wi minor damage 3 rooms with minor damage 4 rooms with minor damage 2 rooms with minor damage 2 totally damaged rooms, 2 rooi
Magpet	Bagumbayan Elementary School Binay Elementary School Boay-Boay Elementary School	-	1 1 1	2 totally damaged rooms, 1 roo with major damage, 1 room wt minor damage 3 rooms with minor damage 4 rooms with minor damage 2 rooms with minor damage 2 totally damaged rooms, 2 roor with major damage, 3 rooms wi
Magpet	Bagumbayan Elementary School Binay Elementary School Boay-Boay Elementary School Bongolanon High School Cebomailo Primary School Annex	-	1 1 1 1	2 totally damaged rooms, 1 roo with major damage, 1 room with minor damage 3 rooms with minor damage 4 rooms with minor damage 2 rooms with minor damage 2 totally damaged rooms, 2 roo with major damage, 3 rooms wi minor damage
Magpet	Bagumbayan Elementary School Binay Elementary School Boay-Boay Elementary School Bongolanon High School Cebomailo Primary School Annex Doles Elementary School	-	1 1 1 1 1 1 1	2 totally damaged rooms, 1 roo with major damage, 1 room wt minor damage 3 rooms with minor damage 4 rooms with minor damage 2 rooms with minor damage 2 totally damaged rooms, 2 roor with major damage, 3 rooms wi minor damage 1 room with major damage, 2 roo with major damage, 2 roo with minor damage
Magpet	Bagumbayan Elementary School Binay Elementary School Boay-Boay Elementary School Bongolanon High School Cebomailo Primary School Annex	-	1 1 1 1	2 totally damaged rooms, 1 roo with major damage, 1 room wt minor damage 3 rooms with minor damage 4 rooms with minor damage 2 rooms with minor damage 2 totally damaged rooms, 2 roor with major damage, 3 rooms wi minor damage 1 room with major damage, 2 roo

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
	Kamada Elementary School	-	1	2 rooms with major damage, 3 rooms
	Kisandal Elementary School	-	1	with minor damage 6 rooms with minor damage
	Manobisa Elementary School	_	1	1 totally damaged room, 2 rooms with major damage, 3 rooms with
_	Manual National Ulab Cabant			minor damage
-	Magpet National High School Manumba National High School		1	5 rooms with minor damage 2 rooms with major damage
	Noa Elementary School	-	1	1 room with major damage, 1 room
Magpet —	Owas Elementary School		1	with minor damage 1 room with minor damage
	Tagbac Central Elementary School Temporan Elementary School - Annex	-	1	6 rooms with minor damage
		-	1	1 room with minor damage 2 totally damaged rooms, 2 rooms
_	Temporan Elementary School	0=2	1	with major damage, 3 rooms with minor damage
	Manobo National High School	12	1	6 totally damaged rooms, 1 room with major damage, 4 rooms with minor damage
	Magkaalam Elementary School Agustin Doneza Elementary School	-	1	5 rooms with minor damage
	Asuncion Elementary School		1	3 rooms with minor damage 1 room with minor damage
	Balawan Elementary School	024	1	3 totally damaged rooms, 3 rooms
	Braulio G Dano Elementary School		1	with mjor damage 2 totally damaged rooms, 2 rooms with major damage, 2 rooms with
_	Kohilow Elementers Coh - I			minor damage
-	Kabilaw Elementary School	•	1	5 rooms with minor damage 1 room with major damage, 2 rooms
_	Batasan Elementary School	343	1	with minor damage
	Bulatukan Elementary School		1	1 room with major damage, 13 rooms with minor damage
	Buena Vida Elementary School	_	1	6 totally damaged rooms, 3 rooms
_		100		with major damage 9 totally damaged rooms, 9 rooms
	Bulakanon High School	A T E	1	with major damage, 7 rooms with minor damage
-	Indangan Elementary School Ireneo R. Castro (Patulangon) Elementary School	-	1	1 room with minor damage
	Jose Rizal National High School		1	1 room with minor damage 2 rooms with major damage, 2 rooms
Makilala	Kisandal Elementary School	-	1	with minor damage 6 rooms with minor damage
	Kisandal Central Elementary School	-	1	1 totally damaged room
	Kisante National High School	1-1	1	8 rooms with major damage, 7
	Rodero Elementary School		1	rooms with minor damage 4 totally damaged rooms, 3 rooms with major damage, 2 rooms with
	000 M 1 2 5 1		**	minor damage
	Sitio Mainit Elementary School	-	1	1 room with minor damage 1 room with major damage, 2 rooms
	Kisante National High School - Batasan HS Annex	150	1	with minor damage
	Makilala National High School	-	11	3 rooms with minor damage 6 totally damaged rooms, 3 rooms
	Malasila National Vocational and Technological High School	-	1	with major damage, 2 rooms with minor damage
	Malungon High School New Israel Elementary School	-	1	2 rooms with minor damage 3 rooms with minor damage
	New Cebu Elementary School	41	1	1 totally damaged room, 6 rooms with major damage,
	Sto Niño Elementary School	-3	1	6 rooms with minor damage 9 totally damaged rooms,
	Luayon National High School	-	1	9 roms with major damage 1 room with major damage
	Dalapitan Elementary School Diosdado Almarines Elementary School	-	1	1 room with minor damage
	Natipakan Elementary School	-	1	1 room with major damage 5 rooms with minor damage
_	Estado Elementary School New Xavier Elementary School	-	11	1 totally damaged room
Matalam	Kibudoc Elementary School	-	1	7 rooms with minor damage 3 totally damaged rooms, 3 rooms
	Sarayan Elementary School	-	1	with minor damage 7 totally damaged rooms, 7 rooms
	Sta. Maria High School		1	with minor damage 3 rooms with minor damage
	Agriculture High School	-	1	4 riooms with minor damage
	Bitoka Elementary School Capayangan Elementary School	-	1 1	4 rooms with major damage 2 rooms with major damage
	Eliseo Elementary School	1	1	1 room with minor damage
	Kimagango Central Elementary School		1	2 rooms with major damage, 2 rooms with minor damage
	Rangeban Elementary School		1	3 rooms with major damage, 3 rooms with minor damage
	Central Bulanan Elementary School	-	1	1 totally damaged room
-	Center Glad Elementary School Central Katingawan Elementary School	-	1	2 rooms with minor damage 2 rooms with minor damage
Midsayap —	Daig Elementary School	-	1	7 totally damaged rooms, 2 rooms with major damage
	Dabpil Sampulna Elementary School	-	1	2 rooms with major damage, 6 rooms with minor damage
-	Malingao Elementary School	-	1	2 rooms with major damage; 2 rooms with minor damage 2 rooms with major damage, 2
	Olandang National High School	-	1	rooms with minor damage
_	Nabalawag Elementary School	-	1	2 rooms with major damage, 11 rooms with minor damage
_	Salunayan High School - Nabalawag High School Annex Sadaan Elementary School	-	1	2 rooms with major damage, 2 rooms with minor damage 3 rooms with minor damage
	Tukuran T. Kendenga High School	-	1	2 rooms with minor damage
	Villarica High School		1	

AREA	PARTICULARS Columbus High School	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
	Calunasan High School Don Tomas Buenaflor Elementary School	-	1 1	3 rooms with minor damage
	Nueva Vida National High School		1	2 rooms with minor damage Collapsed ceiling, 21 totally damaged
_	M'lang National High School	-		rooms
	La Fortuna Elementary School	-	1 1	1 room with minor damage
M'lang	Lepaga Elementary School	-	1	7 rooms with minor damage
	Liboo Elementary School	-	1	1 room with major damage
	Lika National High School	-	1	1 room with major damage, 2 rooms
	Luz Village Elementary School	-	1	with minor damage 2 rooms with major damage
	Perez Elementary School	-	1	1 room with minor damage
	Ugpay Elementary School Balong Elementary School	-	1 1	2 rooms with minor damage
	Binandal Primary School		1	4 rooms with minor damage 2 rooms with minor damage
_	Dulangan M Abid Elementary School	-	1	5 rooms with minor damage
<u> </u>	Kabasalan Elementary School Katilacan Primary School	-	1 1	7 rooms with minor damage
	Kolambog Elementary School		1	2 rooms with minor damage 5 rooms with minor damage
_	Macabual Elementary School	-	1	6 rooms with minor damage
-	Punol Elementary School Silik Central Elementary School	-	1	7 rooms with minor damage
	Barungis Elementary School	-	1	7 rooms with minor damage 6 rooms with minor damage
	Batulawan Central Elementary School	_	1	8 totally damaged rooms, 16 rooms
_	Datu Bitol Mangansakan Memorial High School	-		with major damage
Pikit	Fort Pikit Elementary School	-	1	7 rooms with minor damage 5 rooms with minor damage
	Ginatilan Elementary School	-	i	5 rooms with minor damage
	Gokotan Elementary School	-	1	5 rooms with major damage, 5 rooms
	Mapagkaya Elementary School	-	1	with minor damage 7 rooms with minor damage
	Nunguan Elementary School		1	3 rooms with minor damage
	Pikit Central Elementary School Pikit National High School - Gokotan Annex	-	1	6 rooms with minor damage
	Silik High School	-	1	2 rooms with minor damage 3 rooms with minor damage
1	Sultan Memorial Elementary School		1	2 rooms with major damage, 10
_				rooms with minor damage
_	Sultan Memorial High School	-	1	2 rooms with minor damage
	Takepan Central Elementary School	-	1	2 totally damaged rooms, 3 rooms with major damage, 5 rooms with
	Calixta Daguman Elementary School			minor damage
Danish at Danish	Guinto Elementary School	-	1	5 rooms with minor damage
President Roxas	Kamasi High School	14	1	5 rooms with minor damage 4 rooms with major damage
	Tarinan Primary School	- 15	1	1 room with minor damage
	Manuangan HS - Datu Binasing HS Annex	-	1	4 totally damaged rooms, 4 rooms
Pigkawayan	Pingcawayan National High School - Patot Annex	-	1	with minor damage 3 rooms with minor damage
	Pingcawayan National High School - Libungan Torreta Annex	(4)	1	8 rooms with minor damage
	Tabarangao Elementary School	7	1	1 room with minor damage
	Bacong Elementary School	(4)	1	11 rooms with major damage, 5 rooms with minor damage
	Banayal Elementary School	(4)	1	3 rooms with major damage, 5 rooms
-	Banayal HS - Bacong HS Annex		1	with minor damage 4 rooms with minor damage
	Colonsalnafil Elementary School	-	i	1 room with minor damage
	Discolate it Uint Colored		24	1 totally damaged room, 1 room with
	Dimakanit High School	(*)	1	major damage, 2 rooms with minor
	Kanibong Indigenous Peoples Elementary School		1	damage 1 room with minor damage
	Minapan Elementary School	_	1	1 totally damaged room, 1 room with
·	La Esperanza Central Elementary School		1	minor damage.
<u></u>	Ed Edpordinga Octival Cicinentary Scribbi	-		4 rooms with minor damage 3 totally damaged rooms, 3 rooms
	Magbok Elementary School	-	1	with major damage, 2 rooms with
Tulunan	Maybula Elementary School	_	111	minor damage
	Minapan High School	-	1	3 rooms with minor damage 13 rooms with minor damage
	0000 (Mass No. 1000MS)			2 totally damaged rooms, 4 rooms
	New Alimodian Elementary School		1	with major damage, 2 rooms with
	Minapan HS	-	1	minor damage 13 rooms with minor damage
	New Caridad Elementary School	-	1	2 rooms with major damage, 3 rooms
-				with minor damage
	New Caridad NVTHS	(50)	1	2 rooms with major damage; 2 rooms with minor damage
				3 totally damaged rooms, 3 rooms
	Paraiso Elementary School	-	1	with major damage, 2 rooms with
-				minor damage
	Tuburan Elementary School	(8)	1	2 rooms with major damage, 5 rooms with minor damage
	Sibsib High School	-	1	6 rooms with minor damage
		-	1	40 rooms with minor damage
South Cotabato	Tulunan National High School			
outh Cotabato		0	125 1	4 rooms with minor damage
outh Cotabato	Tulunan National High School 125 Bacongco National High School Carpenter Hill Elementary School	- -	1	4 rooms with minor damage 4 rooms with minor damage
South Cotabato	Tulunan National High School 125 Bacongco National High School Carpenter Hill Elementary School Chua Elementary School	- - -	1 1 1	4 rooms with minor damage 2 rooms with minor damage
South Cotabato	Tulunan National High School 125 Bacongco National High School Carpenter Hill Elementary School Chua Elementary School Concepcion National High School	- - - -	1 1 1	4 rooms with minor damage 2 rooms with minor damage 1 room with minor damage
iouth Cotabato	Tulunan National High School 125 Bacongco National High School Carpenter Hill Elementary School Chua Elementary School Concepcion National High School Esperanza National High School	- - - - -	1 1 1 1 1	4 rooms with minor damage 2 rooms with minor damage 1 room with minor damage 6 rooms with minor damage
South Cotabato Koronadal City	Tulunan National High School 125 Bacongco National High School Carpenter Hill Elementary School Chua Elementary School Concepcion National High School	- - - -	1 1 1	4 rooms with minor damage 2 rooms with minor damage 1 room with minor damage 6 rooms with minor damage 7 totally damaged rooms, 7 rooms with minor damage
	Tulunan National High School 125 Bacongco National High School Carpenter Hill Elementary School Chua Elementary School Concepcion National High School Esperanza National High School	- - - - -	1 1 1 1 1	4 rooms with minor damage 2 rooms with minor damage 1 room with minor damage 6 rooms with minor damage 7 totally damaged rooms, 7 rooms with minor damage 14 totally damaged rooms, 14
	Tulunan National High School 125 Bacongco National High School Carpenter Hill Elementary School Chua Elementary School Concepcion National High School Esperanza National High School Koronadal Central II Elementary School		1 1 1 1 1 1	4 rooms with minor damage 2 rooms with minor damage 1 room with minor damage 6 rooms with minor damage 7 totally damaged rooms, 7 rooms with minor damage 14 totally damaged rooms, 14 rooms with minor damage
	Tulunan National High School 125 Bacongco National High School Carpenter Hill Elementary School Chua Elementary School Concepcion National High School Esperanza National High School Koronadal Central II Elementary School Koronadal National Central High School		1 1 1 1 1 1 1 1 1 1 1 1	4 rooms with minor damage 2 rooms with minor damage 1 room with minor damage 6 rooms with minor damage 7 totally damaged rooms, 7 rooms with minor damage 14 totally damaged rooms, 14 rooms with minor damage 6 rooms with minor damage 3 totally damaged rooms, 1 room
	Tulunan National High School 125 Bacongco National High School Carpenter Hill Elementary School Chua Elementary School Concepcion National High School Esperanza National High School Koronadal Central II Elementary School		1 1 1 1 1 1	4 rooms with minor damage 2 rooms with minor damage 1 room with minor damage 6 rooms with minor damage 7 totally damaged rooms, 7 rooms with minor damage 14 totally damaged rooms, 14 rooms with minor damage 6 rooms with minor damage

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
	Marbel 5 Central Elementary School	-	1	20 rooms with minor damage
	Marbel 7 National High School	-	1	2 rooms with major damage, 5 rooms with minor damage
	Namnama Elementary School		1	1 totally damaged room, 1 room
Koronadal City	Osita Central Elementary School			with minor damage
	Sta Cruz Elementary School	-	1	3 rooms with minor damage 3 rooms with minor damage
	Salkan Elementary School	-	1	3 rooms with minor damage
	Saravia National High School		1	17 rooms with minor damage
	Supon Elementary School	-	1	2 totally damaged rooms, 2 rooms
	Lamba National High School - Banga National High School Annex	-	1	with minor damage 4 totally damaged rooms, 1 room with major damage, 12 rooms with
	Lamkot Elementary School	-	1	minor damage
	Lampitak Elementary School	-	1	3 rooms with minor damage 3 rooms with minor damage
	Upong Elementary School	•	1	3 rooms with minor damage
Banga	Little Baguio Elementary School	-	1	2 rooms with minor damage
	San Vicente Elementary School Kusan Elementary School	-	1	3 rooms with minor damage
	MENTAL MARKER MERSHAM ALOTA MI DIST TOST-DEEL PRODUCT OF		1	7 rooms with minor damage 4 totally damaged rooms, 4 room
	Malaya National High School - Banga National High School Annex		1	with minor damage
1	Ebenezer Elementary School	823	1	2 rooms with minor damage
	San Vicente National High School - Banga National High School Blit Elementary School	-	1	6 rooms with minor damage
1	Tafal Elementary School	-	1	Partially damaged Partially damaged
	Udos Angkoy Integrated School	1-1	1	Partially damaged Partially damaged
7.7.5.7	Diente Elementary School		1	Partially damaged; 8 rooms with
Lake Sebu	PONTO ATTENÇAÇÃO POTO SERVE PROSPONOMO	<i>(</i> 2)		minor damage
H	Bacdulong Elementary School	/e	11	Partially damaged
 	Luhid Elementary School Tacunel Elementary School	(E)	1	Partially damaged
	Lamfugon Elementary School	-	1	Partially damaged Partially damaged
	Thoyung Elementary School	4	1	Partially damaged
1	Lake Sebu National High School	(*)	1	Partially damaged
H	Lemlunay Elementary School SCMSI LemEhek High School and College Department	-	1	Partially damaged
1	SCMSI High School Dekolon	-	1	Partially damaged
Ī	S 10			Partially damaged Partially damaged, 6 rooms with
	Lake Sebu Central Elementary School	(2)	1	minor damage
	LemEhek Elementary School	-	1	Partially damaged
- t	Lamlahak Elementary School Klubi Elementary School	(=)	1	Partially damaged
t t	Tablo Elementary School	-	1	Partially damaged Partially damaged
	T'boli Sbu Integrated School	-	1	Partially damaged
Lake Sebu	Lamdalag Integrated School	-	1	Partially damaged
100000000000000000000000000000000000000	Lower Maculan Elementary School	(4)	1	Partially damaged
	Maculan National High School Upper Maculan Elementary School	-	1	Partially damaged
İ	Halilan Elementary School	-	1	Partially damaged Partially damaged
	Talisay Integrated School	-	1	Partially damaged
-	Lahit Elementary School		1	Partially damaged
F	Lamcade Elementary School Deniag Integrated School	-	1	Partially damaged
Ī	Talaytay Elementary School	-	1	Partially damaged Partially damaged
	Proper Ned Elementary School	-	1	1 room with minor damage
	Pulo Subong IS		1	2 rooms with minor damage
-	Ned National High School Seven Lakes Elementary School	-		15 rooms with minor damage
Marala	Norala National High School	-	1 1	5 rooms with minor damage
Norala -	Tomas V. Balayon Sr. Elementary School	1 - 0	i	4 rooms with minor damage 5 rooms with minor damage
	Bonifacio R Tagaban Sr Integrated School	<u>"</u> "	1	10 rooms with minor damage
	Bukay-Eel Elementary School	-	1	4 totally damaged rooms, 4 rooms
H	Crossing Palkan Elementary School		1	with minor damage 7 rooms with minor damage
	Dole Cannery Elementary School	*	1	5 rooms with minor damage
-	Dole Cannery Central Elementary School	2	1	33 rooms with minor damage
102.00000000000000000000000000000000000	Eugenio Llido Rañada Elementary School Eustacio Barcatan Elementary School	-	1	2 rooms with minor damage
Polomolok -	Nicolas B. Barreras National High School - Bentung Sulit National	-	1	6 rooms with minor damage
	High School Annex		1	8 rooms with minor damage
	Poblacion Polomolok National High School	-	1	1 room with minor damage
	Kalyong Integrated School	-	1	5 rooms with minor damage
F	Palkan National High School - Upper Klinan Annex Landan Elementary School	-	1	4 rooms with minor damage
F	WELFARD ON BETTER YOUR STATES OF THE STATES		1	31 rooms with major damage 2 rooms with major damage, 8
	Polomolok National High School		1	rooms with minor damage
	Cariaga-Mercado Elementary School	-	1	1 room with minor damage
	Danlag National High School - Tampakan National High School Annex	-	1	4 rooms with minor damage
	Danlag Elementary School		1	6 totally damaged rooms, 2 room with major damage
Tampakan	Datal Biao Integrated School		1	1 totally damaged room, 1 room with major damage, 3 rooms with
-	Escobillo Elementary School			minor damage
-	Escobillo Elementary School Sta. Cruz Elementary School		1	5 rooms with minor damage
	Tampakan Central Elementary School	-	1	2 rooms with minor damage 3 rooms with minor damage
	Josol Elementary School	-	1	3 rooms with minor damage
	Tampakan National High School	= = =	1	6 rooms with minor damage
-	Dumadalig Intergated School Magon Elementary School	-	1	1 room with minor damage
Tantangan	Magon Elementary School New Iloilo Elementary School	-	1	7 rooms with minor damage
				6 rooms with minor damage
	San Felipe Elementary School	-	1	11 rooms with minor damage

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
}	B. Castromayor Community Elementary School Cebuano National High School		1	1 room with major damage
 	Cebuano National riigh School Cebuano Elementary School	-	1 1	11 rooms with minor damage Partially damaged
Ī	Odal High School	7-	1	Partially damaged
	Palian Elementary School		1	Partially damaged; 13 totally
Tupi	AN TOTAL CONTROL OF THE CONTROL OF T	0.050		damaged rooms
F	Tupi National High School Teodoro P. Prudente National High School - Polonuling National High	V2	1	Partially damaged
	School Annex	1.4	1	12 rooms with minor damage
			100	
	Ricardo O. Avila Memorial Elementary School	(-)	1	4 rooms with minor damage
	Aflek Elementary School		1	2 rooms with minor damage
-	Aflek National High School - Edwards National High School Annex	-	1	7 rooms with minor damage
H	Edwards Elementary School		1	1 room with minor damage
H	Maan National High School - Tboli Annex Malugong Central Elementary School		1	1 room with minor damage
 	Sinolon Elementary School	-	1	2 totally damaged rooms
	Toril Elementary School		1	5 rooms with minor damage 3 rooms with minor damage
T'Boli	Basag National High School - Tboli Annex	-	1	4 rooms with minor damage
	Datal Dlanag Elementary School	-	1	5 rooms with minor damage
	Desawo Elementary School	-	1	1 room with major damage, 3 room
F	Edwards National High School		V8	with minor damage
-	Talufo IS	-	1 1	1 totally damaged room
	New Dumangas Elementary School		1	1 room with major damage 6 rooms with minor damage
	T'boli Elementary School		1	4 rooms with minor damage
	T'boli National High School	-	1	8 rooms with minor damage
-	Duengas Elementary School	•	1	2 rooms with minor damage
Surallah	Centrala Central Elementary School	-	1	12 rooms with minor damage
Suralian	Colongulo National High School Lambusong Elementary School	•	1	7 rooms with minor damage
-	Purok Sison Elementary School	-	1	6 rooms with minor damage
	Ambaigan Elementary School	-	1	2 totally damaged rooms 2 rooms with minor damage
	Guinsang-An Elementary School	121	1	5 rooms with minor damage
Sto Niño	L.T. Morales Elementary School	1170	1	5 rooms with minor damage
	New Sara Elementary School		1	5 rooms with minor damage
F	Panay Elementary School J. Blanco Elementary School		1	3 rooms with minor damage
General Santos City	New Society National High School	-	1	7 rooms with minor damage
ARMM	24	0	24	1 totally damaged room
anao del Norte	The state of the s	0	1	
Baloi	Abaga Elementary School	-	1	Classroom with cracks
aguindanao	23	0	23	是1975年,2012年10月1日日本第二日本
Kabuntalan	Balong Elementary School	-	1	
	Nuling National High School	-	1	
-	Amirol Elementary School Cotabato City National High School - Annex (Don E. Sero Site)	-	1	1 room with minor damage
F	Cotabato City National High School - Annex (Lr Sebastian Site)	-	1	2 rooms with minor damage 1 room with minor damage
T	Don E Sero Elementary School	_	i	1 room with minor damage
	L.R. Sebastian Elementary School	(=)	1	2 rooms with minor damage
_	Notre Dame Village Central Elementary School		1	4 rooms with minor damage
Cotabato City	Datu Ayunan National High School	(4)	1	1 room with major damage
F	Diocolano Elementary School	· ·	1	2 rooms with major damage
-	Muamad Elementary School P.C. Hill Elementary School	-	1	4 rooms with minor damage
-	J. Marquez National High School	-	1	1 room with major damage
-	Polytechnic College, Cotabato City		1	8 rooms with minor damage
	Tamontaka Central School	(- 3	i	5 rooms with minor damage
	Datu Arnel Datukon National High School	121	1	2 partially damaged classrooms
Datu Odin Sinsuat	Camp Ebrahim Sema Elementary School	140	1	6 totally damaged rooms, 4 room with major damage, 2 rooms with
Pandag	Kayupo Elementary School	-	1	minor damage
		7-1	1	Classroom with cracks
	Nuro Elementary School	(- C		
	Nuro Elementary School Katiguesen Elementary School	120	1	
Upi	Katiguesen Elementary School Gamek Elementary School			
Upi	Katiguesen Elementary School Gamek Elementary School Nangi National High School)2-1)2-1 (2-1	1 1 1	9 rooms with minor damage
Upi	Katiguesen Elementary School Gamek Elementary School	-	1 1	9 rooms with minor damage 5 partially damaged classrooms
Upi _	Katiguesen Elementary School Gamek Elementary School Nangi National High School Dr. Bernabe G. De La Fuente Sr. National High School	• •	1 1 1	
EALTH FACILITIES	Katiguesen Elementary School Gamek Elementary School Nangi National High School Dr. Bernabe G. De La Fuente Sr. National High School	0	1 1 1 1 37	
EALTH FACILITIES EGION X	Katiguesen Elementary School Gamek Elementary School Nangi National High School Dr. Bernabe G. De La Fuente Sr. National High School 37	0	1 1 1 1 37 6	
EALTH FACILITIES EGION X Isamis Oriental	Katiguesen Elementary School Gamek Elementary School Nangi National High School Dr. Bernabe G. De La Fuente Sr. National High School 37 6 5	0	1 1 1 1 37 6 5	5 partially damaged classrooms
EALTH FACILITIES EGION X	Katiguesen Elementary School Gamek Elementary School Nangi National High School Dr. Bernabe G. De La Fuente Sr. National High School 37 6 5 Northern Mindanao Medical Center	0	1 1 1 1 37 6 5	
EALTH FACILITIES EGION X Isamis Oriental	Katiguesen Elementary School Gamek Elementary School Nangi National High School Dr. Bernabe G. De La Fuente Sr. National High School 37 6 5 Northern Mindanao Medical Center J. R. Borja General Hospital	0	1 1 1 1 37 6 5 1	5 partially damaged classrooms Partially damaged
EALTH FACILITIES EGION X Isamis Oriental	Katiguesen Elementary School Gamek Elementary School Nangi National High School Dr. Bernabe G. De La Fuente Sr. National High School 37 6 5 Northern Mindanao Medical Center	0	1 1 1 1 37 6 5	5 partially damaged classrooms Partially damaged Partially damaged
EALTH FACILITIES EGION X Isamis Oriental Cagayan de Oro City Bukidnon	Katiguesen Elementary School Gamek Elementary School Nangi National High School Dr. Bernabe G. De La Fuente Sr. National High School 37 6 5 Northern Mindanao Medical Center J. R. Borja General Hospital Rural Health Unit Kibawe	0	1 1 1 1 37 6 5 1 1	5 partially damaged classrooms Partially damaged Partially damaged Partially damaged
EALTH FACILITIES EGION X Isamis Oriental Cagayan de Oro City Bukidnon Inao del Norte	Katiguesen Elementary School Gamek Elementary School Nangi National High School Dr. Bernabe G. De La Fuente Sr. National High School 37 6 5 Northern Mindanao Medical Center J. R. Borja General Hospital Rural Health Unit Kibawe Barangay Health Station - Sinuda HFEP (Kitaotao) Maria Reyna Xavier University Hospital	0	1 1 1 1 37 6 5 1 1 1 1	5 partially damaged classrooms Partially damaged Partially damaged
EALTH FACILITIES EGION X Isamis Oriental Cagayan de Oro City Bukidnon Inao del Norte Matungao	Katiguesen Elementary School Gamek Elementary School Nangi National High School Dr. Bernabe G. De La Fuente Sr. National High School 37 6 5 Northern Mindanao Medical Center J. R. Borja General Hospital Rural Health Unit Kibawe Barangay Health Station - Sinuda HFEP (Kitaotao) Maria Reyna Xavier University Hospital Rural Health Unit Matungao	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 37 6 5 1 1 1 1 1 1 1	5 partially damaged classrooms Partially damaged Partially damaged Partially damaged
EALTH FACILITIES EGION X Isamis Oriental Cagayan de Oro City Bukidnon Innao del Norte Matungao EGION XI	Katiguesen Elementary School Gamek Elementary School Nangi National High School Dr. Bernabe G. De La Fuente Sr. National High School 37 6 5 Northem Mindanao Medical Center J. R. Borja General Hospital Rural Health Unit Kibawe Barangay Health Station - Sinuda HFEP (Kitaotao) Maria Reyna Xavier University Hospital 1 Rural Health Unit Matungao	0	1 1 1 1 1 37 6 5 5 1 1 1 1 1 1 1 1 2 5	Partially damaged classrooms Partially damaged Partially damaged Partially damaged Partially damaged Partially damaged
EALTH FACILITIES EGION X Isamis Oriental Cagayan de Oro City Bukidnon Innao del Norte Matungao EGION XI Impostela Valley	Katiguesen Elementary School Gamek Elementary School Nangi National High School Dr. Bernabe G. De La Fuente Sr. National High School 37 6 5 Northerm Mindanao Medical Center J. R. Borja General Hospital Rural Health Unit Kibawe Barangay Health Station - Sinuda HFEP (Kitaotao) Maria Reyna Xavier University Hospital 1 Rural Health Unit Matungao 25	0 0 0 0 0 	1 1 1 1 1 37 6 5 1 1 1 1 1 1 1 1 1 1 1 1	Partially damaged classrooms Partially damaged Partially damaged Partially damaged Partially damaged Partially damaged Minor cracks
EALTH FACILITIES EGION X Isamis Oriental Cagayan de Oro City Bukidnon anao del Norte Matungao EGION XI ompostela Valley Monkayo	Katiguesen Elementary School Gamek Elementary School Nangi National High School Dr. Bernabe G. De La Fuente Sr. National High School 37 6 6 5 Northern Mindanao Medical Center J. R. Borja General Hospital Rural Health Unit Kibawe Barangay Health Station - Sinuda HFEP (Kitaotao) Maria Reyna Xavier University Hospital 1 Rural Health Unit Matungao 25 1 Compostela Valley Provincial Hospital		1 1 1 1 37 6 5 1 1 1 1 1 1 1 1 1 25	Partially damaged classrooms Partially damaged Partially damaged Partially damaged Partially damaged Partially damaged
EALTH FACILITIES EGION X Isamis Oriental Cagayan de Oro City Bukidnon anao del Norte Matungao EGION XI Dmpostela Valley Monkayo	Katiguesen Elementary School Gamek Elementary School Nangi National High School Dr. Bernabe G. De La Fuente Sr. National High School 37 6 5 Northern Mindanao Medical Center J. R. Borja General Hospital Rural Health Unit Kibawe Barangay Health Station - Sinuda HFEP (Kitaotao) Maria Reyna Xavier University Hospital 1 Rural Health Unit Matungao 25 1 1 Compostela Valley Provincial Hospital	0 0 0 0 0 	1 1 1 1 1 37 6 5 1 1 1 1 1 1 1 1 1 1 1 1	Partially damaged classrooms Partially damaged Partially damaged Partially damaged Partially damaged Partially damaged Minor cracks
EALTH FACILITIES EGION X Isamis Oriental Cagayan de Oro City Bukidnon Innao del Norte Matungao EGION XI Dompostela Valley Monkayo avao del Norte	Katiguesen Elementary School Gamek Elementary School Nangi National High School Dr. Bernabe G. De La Fuente Sr. National High School 37 6 6 5 Northern Mindanao Medical Center J. R. Borja General Hospital Rural Health Unit Kibawe Barangay Health Station - Sinuda HFEP (Kitaotao) Maria Reyna Xavier University Hospital 1 Rural Health Unit Matungao 25 1 Compostela Valley Provincial Hospital		1 1 1 1 37 6 5 1 1 1 1 1 1 1 1 1 25	Partially damaged Partially damaged Partially damaged Partially damaged Partially damaged Partially damaged Minor cracks Large cracks in the beam
EALTH FACILITIES EGION X Isamis Oriental Cagayan de Oro City Bukidnon anao del Norte Matungao EGION XI Dmpostela Valley Monkayo	Katiguesen Elementary School Gamek Elementary School Nangi National High School Dr. Bernabe G. De La Fuente Sr. National High School 37 6 6 5 Northern Mindanao Medical Center J. R. Borja General Hospital Rural Health Unit Kibawe Barangay Health Station - Sinuda HFEP (Kitaotao) Maria Reyna Xavier University Hospital 1 Rural Health Unit Matungao 25 1 1 Compostela Valley Provincial Hospital 3 Camansa Brgy. Health Station		1 1 1 1 37 6 5 5 1 1 1 1 1 1 1 1 25 1 1 3 1	Partially damaged Large cracks in the beam Cracks on walls and unlevel slabs
EALTH FACILITIES EGION X isamis Oriental Cagayan de Oro City Bukidnon anao del Norte Matungao EGION XI ompostela Valley Monkayo avao del Norte	Katiguesen Elementary School Gamek Elementary School Nangi National High School Dr. Bernabe G. De La Fuente Sr. National High School 37 6 5 Northern Mindanao Medical Center J. R. Borja General Hospital Rural Health Unit Kibawe Barangay Health Station - Sinuda HFEP (Kitaotao) Maria Reyna Xavier University Hospital 1 Rural Health Unit Matungao 25 1 1 Compostela Valley Provincial Hospital		1 1 1 1 37 6 5 1 1 1 1 1 1 1 1 1 1 1 2 5 1 1 1 1 1 1	Partially damaged Partially damaged Partially damaged Partially damaged Partially damaged Partially damaged Minor cracks Large cracks in the beam Cracks on walls and unlevel slabs Multiple cracks
EALTH FACILITIES EGION X Isamis Oriental Cagayan de Oro City Bukidnon anao del Norte Matungao EGION XI ompostela Valley Monkayo avao del Norte B. E. Dujali	Katiguesen Elementary School Gamek Elementary School Nangi National High School Dr. Bernabe G. De La Fuente Sr. National High School 37 6 6 5 Northern Mindanao Medical Center J. R. Borja General Hospital Rural Health Unit Kibawe Barangay Health Station - Sinuda HFEP (Kitaotao) Maria Reyna Xavier University Hospital 1 Rural Health Unit Matungao 25 1 Compostela Valley Provincial Hospital 3 Camansa Brgy. Health Station Rural Health Unit Kibaying		1 1 1 1 37 6 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Partially damaged Large cracks in the beam Cracks on walls and unlevel slabs

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
	Barangay Health Station - Eman Barangay Health Station - Alta Vista	-	1	Partially damaged
	Barangay Health Station - Bitaug		1	Partially damaged Partially damaged
	Barangay Health Station - Buenavista		1	Partially damaged
	Barangay Health Station - Darapuay	(*)	1	Severely damaged
_	Barangay Health Station - Dolo		1	Partially damaged
-	Barangay Health Station - Kinuskusan Barangay Health Station - Libertad	-	1	Partially damaged
	Barangay Health Station - Linawan		1	Partially damaged
Bansalan	Barangay Health Station - Marber		1	Partially damaged Partially damaged
	Barangay Health Station - New Clarin	(#)	1	Partially damaged
_	Barangay Health Station - Rizal	12	1	Partially damaged
-	Barangay Health Station - Sibayan	7.51	1	Partially damaged
<u> </u>	Barangay Health Station - Tinogtongan Barangay Health Station - Tubod		1	Partially damaged
	Barangay Health Station - DISA		1	Partially damaged Partially damaged
	DOLO - Mini Hospital		1	Partially damaged
2	POB Barangay Health Station - Uno 1		1	Partially damaged
DEGICAL WIL	Barangay Health Station - Sto Niño		1	Partially damaged
REGION XII Iorth Cotabato	6	0	6	THE TURNING STREET
President Roxas	4 Rural Health Unit	0	4	S. d. I. J.
(A) 101	Rural Health Unit	-	1	Partially damaged
Arakan —	Barangay Health Station - Binoongan		1	Partially damaged Partially damaged
Carmen	Carmen Municipal Hospital	-	1	Partially damaged
South Cotabato	2	0	2	
Lake Sebu	Brgy. Hano-on Health Center	12	1	Partially damaged
OTHER PUBLIC	Health Center, Barangay Kalkam	-	1	Partially damaged
STRUCTURES	30	4	26	
REGION XI Davao del Norte	21	3	18	
	14 New Bantayan Evacuation Center	0	14	Missell
Asuncion	New Santiago Brgy, Hall	-	1	Minor diagonal cracks Partially damaged
Island Garden City of Samal	DepEd Building		1	Minor cracks
Island Garden City of Samai	Penaplata Public Market		i	Minor cracks
water to read the second	Comelec Building	-	1	Cracks on walls
Kapalong	BFP Building - Maniki	-	1	Cracks on walls
	MDRRM Office - Maniki		1	Hairline cracks
	Panabo City Hall	-	1	Minor cracks
Panabo City	Panabo Premium Market Office	•	1	Recommended for non-occupance
	PNP Panabo	-	1	Minor cracks
Talaingod Davao Occidental	Sto. Niño Brgy. Hall	-	1	Minor cracks
	Municipal Hall		1	Minor cracks
	Palma Gil Brgy. Hall		1	Minor cracks
	Dagohoy Brgy. Hall	-	1	Minor cracks
Davao Occidental	4	0	4	Desting description
	DPWH Building	(70)	1	Partially damaged minor members the walls
Malita	DENR Building		1	Cracks in the stairs
Walla	New Davao Occidental PPO	-	1	1000 1900 1000 1000 Pd 10
<u> </u>		1.50		Multi-purpose building for closure
Davao del Sur	Landbank 3		11	Minor cracks
avao uci oui	Brgy. Altavista Gym	3	0	Totally days and
Bansalan	Brgy. Altavista Hall	1		Totally damaged Totally damaged
	Brgy. Altavista Coop Building	1		Totally damaged
REGION XII	7 10 10 10 10 10 10 10 10 10 10 10 10 10	1	6	
orth Cotabato		1	1	
Kidapawan City	Cotabato Provincial Capitol	-	1	Partially damaged
outh Cotabato Tulunan	Old Municipal Hall	1	-	Totally damaged
Jani Sombuto	Tupi Public Market	0 -	3 1	Portiolly demand
Tupi	Old Barangay Hall, Barangay Kalkam	-	1	Partially damaged Partially damaged
	New Barangay Hall, Barangay Kalkam	-	1	Partially damaged
ultan Kudarat		0		
Isulan	Brgy. Sampao Public Market	-	1	Partially damaged
arangani Maasim	Manager Musicipal Com	0	1	(1986年)
ARMM	Maasim Municipal Hall	-	1	Partially damaged
Maguindanao	2 2	0	2 2	
	SB Hall of Upi	-	1	The state of the s
Upi —	Municipal Gymnasium	-	1	
LACES OF WORSHIP	6	0	6	是法院的最大的各种基础。
EGION XI	A SECURE OF THE PROPERTY OF THE PARTY OF THE	was to the same of the same	AND THE PARTY OF T	。 中国企业部分中国公司的企业。
avao del Norte	1	0	1	
Talaingod	Sto. Niño Quasi Parish Church	0 -	1	Minor people format
EGION XII	1	0	1	Minor cracks found
orth Cotabato	1	0	1	
Matalam	Aglipay Church	-	1	Partially damaged
ARMM	5	0	5	,
aguindanao	5	0	5	
	Mosque in Brgy. Dimampao	-	2	
Datu Abdullah Sangki ——	Mosque in Broy, Madanding	-	1 1	
	Mosque in Brgy. Madanding Mosque in Brgy. Guinibon	-	1 1	
PRIVATE/COMMERCIAL	The second secon	4. 4	The state of the s	(20)大学的大学的
	26	1	25	
EGION XI	17	0	17	
STABLISHMENTS EGION XI Iavao del Norte		0	1	
EGION XI				Minor cracks

AREA	PARTICULARS	TOTALLY DAMAGED	PARTIALLY DAMAGED	REMARKS
Davao Occidental	3	0	3	
Malita	Trubank	-	1	Minor cracks
wante	LBC and Malita Agrivet USPD	-	1	Minor cracks
Davao del Sur	13	-	1	Minor cracks
	Felcris Centrale, Quimpo	0	13	
	Gaisano Grand, Toril		1	Major cracks Major cracks
	Oroderm City Complex. CM Recto St.	-	1	
	Ecoland 4000		1	Major cracks Major cracks
Davies Cit	Polmotto Pide 1 and 2 Press Man	-	1	Major cracks
Davao City	SM City Ecoland	2	1	Minor cracks
	Deco Arts, Ecoland	-	1	Minor cracks
	Abandones stalls at Toril Pubic Market	2	1	Minor cracks
	Lots for Less, Matina Aplaya	-	1	Minor cracks
	Metrobank, Uyanguren	-	1	Minor cracks
	Princess Drug Store	-	1	Partially damaged
Bansalan	Kates Motel	-	1	Partially damaged
	LCE Building	-	1	Partially damaged
REGION XII	9	1	8	aumaged
South Cotabato	5	0	5	William Committee out the second
Koronadal City	Gaisano Mall of Koronadal	-	1	Resumed operation on 30 Octobe
THE PERSON OF TH	KCC Mall of Koronadal		1	2019; Partially damaged
	G Skin and Domantay Jamora Dental Clinic	-	1	Damaged due to fire
General Santos City	SM Mall of Gensan	-	1	Partially damaged
	KCC Mall of Gensan	-	1	Resumed operation on 30 Octobe
North Cotabato	2 (COL) (SACO) (COL) (SACO) (COL) (SACO) (COL) (SACO) (COL)	1500		2019; Partially damaged
NORTH COTADATO		1	3	
Makilala	BDO	1	-	Totally damaged
iviakilala	- Commercial Ballang	-	1	Partially damaged
	Home of the Aged Kalinaw-Casa Misery Ricordia Foundation	-	1	Partially damaged
M'lang	Smart Tower, Brgy. Pagasa	140	1	Partially damaged, Damaged due to fire
ROADS AND BRIDGES	16	0	16	The Associate of the Control of the
REGION X	3	0	3	
Lanao del Norte	2	0	2	
	Sta. Felomina - Bonbonon - Digkilaan-Rogongon Road 1550+850 RS		-	
Iligan City		(#)	1	Road slip
iligan oxy	Sta. Felomina - Bonbonon - Digkilaan-Rogongon Road K1547+800 Right	-	1	0 15
	Side			Crack Pavements , due to Scouring
Bukidnon		0	1	and the set of setting it is not
	Sayre Highway, Lanapan Bridge, K1595+060 LS	-	1	Minor cracks on Lanapan Bridge Slope Protection; one lane passable
REGION XI	4	0	4	and the second second second second
Davao del Sur	3	0	3	
	Davao-Cotabato Road, K1589 +000 (Bansalan Section)	(4)	1	Cracks on joints between national roadway and private roadway
Bansalan	Marber Bridge 1, Brgy. Dolo, Bansalan, Davao del Sur, K1584+985	-	1	Faulting on slab at approach A, and damaged abutments "A" and "B";
	Matanao Bridge, Davao-Cotabato Road (Jct. Digos Section- Cotabato			not passable
Matanao	Section), K1589+100	0=0	1	Damaged approach; two lanes passable (inner) out of four lanes
Davao del Norte		0	4 1	passable (littler) out of four lattes
Tagum City	Pagsabangan Bridge 2 (K1463+407)	-	1	Settled Abutment B (Slope
REGION XII	9	0		Protection)
South Cotabato	2	0	9	
	Digos-Makar Road, K1634+700 - K1634+760	-	1	Gap on outer and inner lane pavements; passable to light
General Santos City	Buayan Bridge	-	1	vehicles only Series of cracks, inner lane of bridg
lorth Cotabato		0	7	not passable
Kidapawan City	Davao - Cotabato Road	-	1	Cracks on unpaved shoulder
	Davao-Cotabato Road, K1602+040 - K1603+070	(St	1	One lane passable due to shattered concrete slabs, depression of concrete slab
	Davao-Cotabato Road, K1601+920 - K1601+960	(74)	1	One lane passable due to shattered
	Davao-Cotabato Road, K1603+050 - K1603+150	920	1	One lane passable due to shattered
	Davao-Cotabato Road, Dalapuay Bridge	-	1	Slabs Damage slab (Bridge approach);
				passable with caution
	Matalam – Mlang – Bagontapay Road Km. 1655+920 – Km. 1655+980	-	1	Gap on outer and inner lane
M'lang	Matalam – Mlang – Bagontapay Road Km. 1655+920 – Km. 1655+980 Matalam – Mlang – Bagontapay Lika Bridge Km. 1651+384	-	1	Gap on outer and inner lane pavements Gap on outer and inner lane

Sources: OCDROs X, XI, XII, BARMM, DepEd, DOH, DSWD, and DPWH Note: Figures are still subject for validation and verification.

Effects of Magnitude 6.6 and 6.5 Earthquakes in Tulunan, North Cotabato SUSPENSION OF CLASSES As of 02 November 2019, 6:00 AM

Region/Province/City/Municipality	Remarks	Date of Suspension
Region IX		
Zamboanga del Sur		
Pagadian City	Sta. Lucia Elementary School	29 October 2019
Region X		
Bukidnon		
Malaybalay City	All levels (private and public)	29 October 2019
Valencia City	All levels (private and public)	29 October 2019
Impasugong	All levels (private and public)	29 October 2019
Kitaotao	All levels (private and public)	29 October 2019
Lantapan	All levels (private and public)	29 October 2019
Libona	All levels (private and public)	29 October 2019
Malitbog	All levels (private and public)	29 October 2019
Maramag	All levels (private and public)	29 October 2019
Manolo Fortich	All levels (private and public)	29 October 2019
Kadingilan	All levels (private and public)	29 October 2019
Kalilangan	All levels (private and public)	29 October 2019
Kibawe	All levels (private and public)	29 October 2019
San Fernando	All levels (private and public)	29 October 2019
Lanao del Norte		
Tubod	All levels (private and public)	29 October 2019
Sultan Naga Dimaporo	All levels (private and public)	29 October 2019
Misamis Oriental		
Cagayan de Oro City	All levels (private and public)	29 October 2019
Initao	All levels (private and public)	29 October 2019
Tagoloan	All levels (private and public)	29 October 2019
Misamis Occidental		
Jimenez	All levels (private and public)	29 October 2019
Oroquieta City	All levels (private and public)	29 October 2019
Tangub	Some school voluntearily suspended classes	29 October 2019
Region XI		
Compostela Valley	All levels (private and public)	29 October 2019
Davao del Norte	All levels (private and public)	29 October 2019
Talaingod	All levels (private and public)	29 October 2019
Davao del Sur	All levels (private and public)	29 October 2019
Davao City	All levels (private and public)	29 & 31 October 2019
Kiblawan	All levels (private and public)	29 October 2019
Davao Occidental	All levels (private and public)	29 October 2019
Region XII		
Cotabato		
Alamada	All levels (private and public)	29 October 2019 and 30 October 2019
		29 October 2019 and
Aleosan	All levels (private and public)	30 October 2019
2		29 October 2019 and
Arakan	All levels (private and public)	30 October 2019
8 7 7	AU1 - 1 2 2 2 2 2 2	29 October 2019 and
Banisilan	All levels (private and public)	30 October 2019
Carmen	All levels (private and public)	29 October 2019
Kabacan	All levels (private and public)	29 October 2019
Libungan	All levels (private and public)	29 October 2019
M'lang	All levels (private and public)	29 October 2019
	W /	29 October 2019 and
Magpet	All levels (private and public)	30 October 2019

Region/Province/City/Municipality	Remarks	Date of Suspension
Makilala	All levels (private and public)	30 October 2019
Matalam	All levels (private and public)	29 October 2019 and
	3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3	30 October 2019
Midsayap	All levels (private and public)	29 October 2019
Pigcawayan	All levels (private and public)	29 October 2019 and
Pikit	All levels (private and public)	30 October 2019 29 October 2019
	Vietocensos de vives de la usa de las destacos	29 October 2019 and
Pres. Roxas	All levels (private and public)	30 October 2019
Tulunan	All levels (private and public)	29 October 2019 and
Tulanan	7th levels (private and public)	30 October 2019
Kidapawan City	All levels (private and public)	29 October 2019 and
South Cotabato		30 October 2019
		29 October 2019 and
General Santos City	All levels (private and public)	30 October 2019
Banga	All levels (private and public)	29 October 2019
Lake Sebu	All levels (private and public)	29 October 2019 and
Zano cosa	7 th levels (private and public)	30 October 2019
Norala	All levels (private and public)	29 October 2019 and
	ter den Culti-Vermen de Scholle de Managerie de	30 October 2019 29 October 2019 and
Polomolok	All levels (private and public)	30 October 2019 and
Ot-AF	All	29 October 2019 and
Santo Nino	All levels (private and public)	30 October 2019
Surallah	All levels (private and public)	29 October 2019
T'boli	All levels (private and public)	29 October 2019
Tampakan	All levels (private and public)	29 October 2019
Tantangan	All levels (private and public)	29 October 2019
Tupi	All levels (private and public)	29 October 2019
Koronadal City	All levels (private and public)	29 October 2019 and 30 October 2019
Sarangani		30 October 2019
Alabel	All levels / which and a LP A	29 October 2019 and
Alabei	All levels (private and public)	30 October 2019
Glan	All levels (private and public)	29 October 2019 and
	W 944 20000000000000000000000000000000000	30 October 2019
Kiamba	All levels (private and public)	29 October 2019
Maasim	All levels (private and public)	29 October 2019 and
Maitum	All levels (private and public)	30 October 2019 29 October 2019
		29 October 2019 and
Malapatan	All levels (private and public)	30 October 2019
Malungon	All levels (private and public)	29 October 2019 and
(*)	All levels (private and public)	30 October 2019
Sultan Kudarat		
Bagumbayan	All levels (private and public)	29 October 2019 and
		30 October 2019
Columbio	All levels (private and public)	29 October 2019 and 30 October 2019
-	All Inc. 1. Z. T Z	29 October 2019 and
Esperanza	All levels (private and public)	30 October 2019
Isulan	All levels (private and public)	29 October 2019 and
DAMAN INVANSACIONI I		30 October 2019
Kulaman	All levels (private and public)	29 October 2019
Lambayong	All levels (private and public)	29 October 2019
Lebak	All levels (private and public)	29 October 2019 and
20. 70		30 October 2019 29 October 2019 and
Lutayan	All levels (private and public)	30 October 2019 and

Region/Province/City/Municipality	Remarks	Date of Suspension
Pres. Quirino	All levels (private and public)	29 October 2019 and 30 October 2019
Senator Ninoy Aquino	All levels (private and public)	29 October 2019 and 30 October 2019
Tacurong City	All levels (private and public)	29 October 2019 and 30 October 2019
BARMM		
Maguindanao		
Cotabato City	All levels (private and public)	29 October 2019
Datu Abdullah Sangki	All levels (private and public)	29 October 2019

Sources: OCDROs IX, X, XI, XII, BARMM, and DEPED