



REPUBLIC OF THE PHILIPPINES
NATIONAL DISASTER RISK REDUCTION AND MANAGEMENT COUNCIL

National Disaster Risk Reduction and Management Center, Camp Aguinaldo, Quezon City, Philippines

2021 Year-End Celebration and Monitoring

SitRep No. 9 for Year-End Celebration 2021

January 03, 2022 08:00 am

SPECIAL WEATHER OUTLOOK DURING THE CHRISTMAS HOLIDAYS (issued 21 December 2021)

(24 DECEMBER 2021 - 02 JANUARY 2022)

-The Northeast Monsoon, Tail-end of Cold Front (Shear Line), and the approach of a Low Pressure Area (LPA) will be the dominant weather systems to affect the entire archipelago this coming holiday season.

-On Friday, until Saturday (24-25 December): the eastern section of Luzon, Visayas and Mindanao will be mostly cloudy skies with scattered light rains while the rest of Luzon will be partly cloudy with isolated light rains.

-By Sunday until Tuesday (26-28 December): occasional rains are expected over the eastern section of Luzon and Mindanao and Eastern Visayas due to the southward migration of the Shear Line. The rest of the country will be cloudy with light rains.

-By Wednesday until Friday (29-31 December 2021): frequent rains over southern Luzon, Visayas, and Mindanao caused by the approach of Low Pressure Area (LPA). The rest of Luzon will have partly cloudy with isolated light rains, particularly the eastern section.

-On New Year's Day (Saturday) until Sunday (01-02 January): southern Luzon, Visayas and Mindanao will be cloudy with scattered rainshowers while the rest of Luzon will have fair weather conditions apart from isolated passing light rains.

-Flood and landslides are expected over prone areas of Visayas and Mindanao and the provinces over the eastern section of Luzon.

-Sea travelers over the seaboards of the country especially on the eastern section should exercise extra caution due to strong winds that could generate big waves.

PUBLIC WEATHER FORECAST as of 01 January 2022, 4:00 AM

SYNOPSIS: Shear Line affecting the eastern sections of Visayas and Mindanao. Northeast Monsoon affecting the rest of the country.

RELATED INCIDENTS

The following incidents were reported in some areas of Region 1, Region 2, CALABARZON, Region 12, NCR.

REGION	Fireworks Related Injuries	Structural Fire
Total	36	1
Region 1	29	0
Region 2	7	0
CALABARZON	0	1

AFFECTED POPULATION

Affected Barangays	1
Affected Families	47
Affected Persons	135
No. of ECs	2
Displaced Families inside ECs	29
Displaced Persons inside ECs	75
Displaced Families outside ECs	18
Displaced Persons outside ECs	60
Affected Regions	CALABARZON

CASUALTIES

REGION	CONFIRMED			FOR VALIDATION			TOTAL REPORTED		
	dead	injured	missing	dead	injured	missing	dead	injured	missing
TOTAL	0	60	0	0	0	0	0	60	0
Region 1	0	31	0	0	0	0	0	31	0
Region 2	0	29	0	0	0	0	0	29	0

ROADS AND BRIDGES

	NOT PASSABLE		PASSABLE (previously reported as not passable)	
	ROADS	BRIDGES	ROADS	BRIDGES
GRAND TOTAL	0	1	0	1
Region 2	0	1	0	1

POWER

A total of 2 cities/municipalities experienced power interruption/outage. Of which, power supply in 2 cities/municipalities were already restored.

RELATED INCIDENTS

REGION PROVINCE CITY/ MUNICIPALITY BARANGAY		TYPE OF INCIDENT	DATE OF OCCURENCE	TIME OF OCCURENCE	DESCRIPTION	ACTIONS TAKEN	REMARKS	STATUS (for flooded areas)
GRAND TOTAL	37							
REGION 1	29							
PANGASINAN	15							
Bayambang	1							
		Fireworks Related Injuries	22 December 2021	04:45 pm			1 Injured	
San Carlos	2							
		Fireworks Related Injuries	25 December 2021	06:00 am			1 Injured	
		Fireworks Related Injuries	01 January 2022				1 Injured	
Manaoag	1							
		Fireworks Related Injuries	25 December 2021	10:30 am			1 Injured	
Asingan	3							
		Fireworks Related Injuries	28 December 2021	05:15 pm			1 Injured	
		Fireworks Related Injuries	27 December 2021				1 Injured	
		Fireworks Related Injuries	31 December 2021				1 Injured	
Lingayen	1							
		Fireworks Related Injuries	30 December 2021				1 Injured	
Urdaneta	2							
		Fireworks Related Injuries	29 December 2021				1 Injured	
		Fireworks Related Injuries	30 December 2021				1 Injured	
Binmaley	1							
		Fireworks Related Injuries	30 December 2021				1 Injured	
Mangaldan	1							
		Fireworks Related Injuries	31 December 2021				1 Injured	
Rosales	1							
		Fireworks Related Injuries	31 December 2021				1 Injured	

REGION PROVINCE CITY/ MUNICIPALITY BARANGAY		TYPE OF INCIDENT	DATE OF OCCURENCE	TIME OF OCCURENCE	DESCRIPTION	ACTIONS TAKEN	REMARKS	STATUS (for flooded areas)
Mangatarem	1							
		Fireworks Related Injuries	01 January 2022				1 Injured	
Sison	1							
		Fireworks Related Injuries	01 January 2022				1 Injured	
ILOCOS SUR	2							
Magsingal	1							
		Fireworks Related Injuries	23 December 2021	12:00 am			1 Injured	
Santo Domingo	1							
		Fireworks Related Injuries	30 December 2021				1 Injured	
LA UNION	8							
San Gabriel	1							
		Fireworks Related Injuries	23 December 2021	01:35 pm			1 Injured	
Sudipen	1							
		Fireworks Related Injuries	24 December 2021	12:00 am			1 Injured	
Bacnotan	1							
		Fireworks Related Injuries	25 December 2021	06:00 pm			1 Injured	
Aringay	2							
		Fireworks Related Injuries	28 December 2021	05:30 pm			1 Injured	
		Fireworks Related Injuries	31 December 2021				1 Injured	
Agoo	1							
		Fireworks Related Injuries	30 December 2021				1 Injured	
Caba	1							
		Fireworks Related Injuries	31 December 2021				1 Injured	
San Fernando	1							
		Fireworks Related Injuries	01 January 2022				3 Injured	
DAGUPAN	2							
Dagupan	2							

REGION PROVINCE CITY/ MUNICIPALITY BARANGAY		TYPE OF INCIDENT	DATE OF OCCURENCE	TIME OF OCCURENCE	DESCRIPTION	ACTIONS TAKEN	REMARKS	STATUS (for flooded areas)
		Fireworks Related Injuries	25 December 2021	06:35 pm			1 Injured	
		Fireworks Related Injuries	31 December 2021				1 Injured	
ILOCOS NORTE	2							
Bacarra	1							
		Fireworks Related Injuries	01 January 2022				1 Injured	
Pinili	1							
		Fireworks Related Injuries	01 January 2022				1 Injured	
REGION 2	7							
CAGAYAN	2							
No breakdown	1							
		Fireworks Related Injuries	01 January 2022				9 injuries	
Tuguegarao	1							
		Fireworks Related Injuries	01 January 2022				4 injuries	
ISABELA	3							
No breakdown	1							
		Fireworks Related Injuries	01 January 2022				10 injuries	
Cauayan	1							
		Fireworks Related Injuries	01 January 2022				2 injuries	
Santiago	1							
		Fireworks Related Injuries	01 January 2022				2 injuries	
NUEVA VIZCAYA	1							
No breakdown	1							
		Fireworks Related Injuries	01 January 2022				1 injury	
QUIRINO	1							
No breakdown	1							
		Fireworks Related Injuries	02 January 2022				1 injury	
CALABARZON	1							
CAVITE	1							

REGION PROVINCE CITY/ MUNICIPALITY BARANGAY		TYPE OF INCIDENT	DATE OF OCCURENCE	TIME OF OCCURENCE	DESCRIPTION	ACTIONS TAKEN	REMARKS	STATUS (for flooded areas)
Bacoor	1							
Zapote V		Structural Fire	31 December 2021	05:26 pm	On 31 December 2021 at around 5:26 pm, a fire alarm call from Alert 161 was received by Bacoor City Fire informing that there is a residential fire that transpired at Sitio Thailand, Zapote V, Bacoor City Cavite. The fire reached 2nd alarm at 5:36 pm, and was declared fire out at 6:58 pm on the same day. The cause of the fire is still under investigation.	BFP Bacoor Immediately dispatched Fire engine 205 Charlie, Delta and 205 Echo headed by SFO3 Emmanuel C Arcallana		

AFFECTED POPULATION

REGION PROVINCE CITY/ MUNICIPALITY BARANGAY		NO. OF AFFECTED			No. of ECs		Inside Evacuation Centers				Outside Evacuation Centers				TOTAL SERVED (CURRENT)			
		Brgys.	Families	Persons	CUM	NOW	Families		Persons		Families		Persons		Families		Persons	
							CUM	NOW	CUM	NOW	CUM	NOW	CUM	NOW	CUM	NOW		
		(Inside + Outside)																
GRAND TOTAL	1	1	47	135	2	2	29	29	75	75	18	18	60	60	47	47	135	135
CALABARZON	1	1	47	135	2	2	29	29	75	75	18	18	60	60	47	47	135	135
CAVITE	1	1	47	135	2	2	29	29	75	75	18	18	60	60	47	47	135	135
Bacoor	1	1	47	135	2	2	29	29	75	75	18	18	60	60	47	47	135	135
Zapote V		1	47	135	2	2	29	29	75	75	18	18	60	60	47	47	135	135

CASUALTIES

PROVINCE CITY /MUNICIPALITY BARANGAY	QTY	SURNAME	FIRST NAME	MIDDLE NAME	AGE	SEX	ADDRESS	CAUSE	REMARKS	SOURCE OF DATA	VALIDATED
INJURED/ ILL	60										
REGION 1	31										

PROVINCE CITY /MUNICIPALITY BARANGAY	QTY	SURNAME	FIRST NAME	MIDDLE NAME	AGE	SEX	ADDRESS	CAUSE	REMARKS	SOURCE OF DATA	VALIDATED
PANGASINAN	15										
Bayambang	1										
					7	Male	Bayambang	Fireworks injury (Kwitis / sky rocket)	- Fire cracker injury, eye injury, burn (neck area), abrasions right thumb 2nd and 3rd finger, left thumb 3rd finger. - Treated and sent home,	DOH	Yes
San Carlos	2										
					11	Male	Santa Barbara	Fireworks injury (Boga)	- Blasting eye injury left. - Treated and sent home	DOH	Yes
					40	Male	San Carlos	Fireworks Injury (Others)	- Multiple Injury secondary to fireworks related injury (FWRI). - Treated and sent home.	DOH	Yes
Manaoag	1										
					7	Female	Manaoag	Fireworks injury (Five Star)	- Lacerated wound forearm region secondary to fireworks. - Treated and sent home	DOH	Yes
Asingan	3										
					6	Male	Asingan	Fireworks injury (Five Star)	- Lacerated wound left eyelid, abrasion face right periorbital area upper eyelid left. - Treated and sent home	DOH	Yes
					9	Male	Asingan	Fireworks injury- Luces (jumbo, regular, special)	- Firecracker injury periorbital area left. - Treated and sent home	DOH	Yes
					24	Male	Asingan	Fireworks injury (Luces (jumbo, regular, special))	- Firecracker injury, left finger - Treated and sent home.	DOH	Yes
Lingayen	1										

PROVINCE CITY /MUNICIPALITY BARANGAY	QTY	SURNAME	FIRST NAME	MIDDLE NAME	AGE	SEX	ADDRESS	CAUSE	REMARKS	SOURCE OF DATA	VALIDATED
					13	Male	Lingayen	Fireworks injury (Boga)	- Blast injury 'Boga' nasal and maxillary area. - Treated and sent home	DOH	Yes
Urdaneta	2										
					4	Male	Urdaneta City	Fireworks injury (Boga)	- Burn at face and neck area. - Refused admission. - Discharged.	DOH	Yes
					20	Male	Urdaneta City	Fireworks Injury (Mother Rocket)	- Treated and sent home.	DOH	Yes
Binmaley	1										
					15	Male	Binmaley	Fireworks injury (Boga)	- Chemical conjunctivitis right eye. - Treated and sent home	DOH	Yes
Mangaldan	1										
					9	Male	Mangaldan	Fireworks injury - Luces (jumbo, regular, special)	- Flash burn right eye secondary to fireworks related injury (FWRI). - Treated and sent home	DOH	Yes
Mangatarem	1										
					46	Male	Mangatarem	Fireworks injury (Kwitis (sky rocket))	- Multiple eye injury right eye secondary to fireworks related injury (FWRI). - Treated and sent home	DOH	Yes
Rosales	1										
					72	Male	Rosales	Fireworks injury (Labintador)	- Active bleeding of the right hand secondary to firecracker injury. - Treated and sent home.	DOH	Yes
Sison	1										

PROVINCE CITY /MUNICIPALITY BARANGAY	QTY	SURNAME	FIRST NAME	MIDDLE NAME	AGE	SEX	ADDRESS	CAUSE	REMARKS	SOURCE OF DATA	VALIDATED
					34	Male	Sison	Fireworks injury (Wistle Device)	- Contusion eyeball secondary to firecracker incident; abrasion upper and lower eyelid left; subconjunctival hemorrhage left eye (OS); hyphema grade 1 left eye (OS); corneal abrasion left eye (OS). - Treated and sent home	DOH	Yes
DAGUPAN	2										
Dagupan	2										
					13	Male	Dagupan	Fireworks injury (Boga)	- Acute otitis externa, right ear secondary to fireworks related to injury. - Treated and sent home	DOH	Yes
					22	Male	Dagupan	Fireworks injury (Fountain)	Flash Burn right lateral leg left medial leg secondary to fireworks related Injury (FWRI). -Treated and sent home	DOH	Yes
LA UNION	10										
San Gabriel	1										
					11	Male	San Gabriel	Fireworks Injury (Sonay)	- Rule Out (R/O) corneal laceration both eyes. - Transferred / referred to Ilocos Training and Regional Medical Center.	DOH	Yes
Sudipen	1										

PROVINCE CITY /MUNICIPALITY BARANGAY	QTY	SURNAME	FIRST NAME	MIDDLE NAME	AGE	SEX	ADDRESS	CAUSE	REMARKS	SOURCE OF DATA	VALIDATED
					16	Male	Sudipen	Fireworks injury (Boga)	- Traumatic amputation thumb right, avulsed wound index finger right with transected Flexor Digitorum Profundus (FDP) second degree blasting injury. - Admitted to Ilocos Training and Regional Medical Center	DOH	Yes
Bacnotan	1										
					39	Male	Bacnotan	Fireworks Injury (whistle Bomb)	- Burn left hand. - Treated and sent home	DOH	Yes
Aringay	2										
					11	Male	Aringay	Fireworks Injury (Boga)	- Fireworks related injury, left eyebrow, eye. - Treated and sent home	DOH	Yes
					34	Male	Aringay	Fireworks Injury (Wistle Device)	- Avulsion of 1st and 3rd finger of left hand. - Transferred to Ilocos Training and Regional Medical Center	DOH	Yes
Agoo	1										
					10	Male	Agoo	Fireworks injury (Five Star)	- Blast Injury Left Eye. - Admitted to Ilocos Training and Regional Medical Center	DOH	Yes
San Fernando	3										
					3	Female	San Fernando	Fireworks injury (Kwitis/ Sky Rocket)	- Abrasion right flank area secondary to fireworks related injury (FWRI). - Treated and sent home	DOH	Yes
					40	Male	San Fernando	Fireworks injury (Wistle Device))	- Fingertip injury (left ring finger). - Refused admission.	DOH	Yes

PROVINCE CITY /MUNICIPALITY BARANGAY	QTY	SURNAME	FIRST NAME	MIDDLE NAME	AGE	SEX	ADDRESS	CAUSE	REMARKS	SOURCE OF DATA	VALIDATED
					23	Female	San Fernando	Fireworks injury (Kwitis (sky rocket))	- Burn injury on the left leg. - Treated and sent home.	DOH	Yes
Caba	1										
					14	Male	Caba	Fireworks injury (Kwitis / sky rocket)	- Wound in right thigh and right index finger secondary to fireworks related injury (FWRI). - Treated and sent home.	DOH	Yes
ILOCOS SUR	2										
Magsingal	1										
					34	Male	Magsingal	Fireworks Injury (tiger Firework Sunset glow)	- Multiple facial injury secondary to firework explosion. - Admitted	DOH	Yes
Santo Domingo	1										
					81	Female	Santo Domingo	Fireworks ingestion (Five Star)	- Fireworks black powder ingestion. - Refused admission	DOH	Yes
ILOCOS NORTE	2										
Bacarra	1										
					27	Male	Bacarra	Fireworks injury (Fountain)	- Corneal abrasion, OS First degree infraorbital area left. - Treated and sent home	DOH	Yes
Pinili	1										
					17	Male	Pinili	Fireworks injury (Wistle Device)	- Fireworks Related Injury (FWRI), blasting injury on the right hand. - Treated and sent home	DOH	Yes
REGION 2	29										
CAGAYAN	13										
Tuguegarao	4										
						Male		Fireworks		DOH	Yes

PROVINCE CITY /MUNICIPALITY BARANGAY	QTY	SURNAME	FIRST NAME	MIDDLE NAME	AGE	SEX	ADDRESS	CAUSE	REMARKS	SOURCE OF DATA	VALIDATED
						Unidentified		Fireworks		DOH	Yes
						Unidentified		Fireworks		DOH	Yes
						Unidentified				DOH	Yes
No breakdown	9										
						Male		Fireworks		DOH	Yes
						Male		Fireworks		DOH	Yes
						Male		Fireworks		DOH	Yes
						Unidentified		Fireworks		DOH	Yes
						Unidentified		Fireworks		DOH	Yes
						Unidentified		Fireworks		DOH	Yes
						Unidentified		Fireworks		DOH	Yes
						Unidentified		Fireworks		DOH	Yes
						Unidentified		Fireworks		DOH	Yes
ISABELA	14										
No breakdown	10										
						Male		Fireworks		DOH	Yes
						Male		Fireworks		DOH	Yes
						Unidentified		Fireworks		DOH	Yes
						Unidentified		Fireworks		DOH	Yes
						Unidentified		Fireworks		DOH	Yes
						Unidentified		Fireworks		DOH	Yes
						Unidentified		Fireworks		DOH	Yes
						Unidentified		Fireworks		DOH	Yes
						Unidentified		Fireworks		DOH	Yes
						Unidentified		Fireworks		DOH	Yes
						Unidentified		Fireworks		DOH	Yes
Cauayan	2										
						Unidentified		Fireworks		DOH	Yes
						Unidentified		Fireworks		DOH	Yes
Santiago	2										
						Unidentified		Fireworks		DOH	Yes
						Unidentified		Fireworks		DOH	Yes
NUEVA VIZCAYA	1										
No breakdown	1										
						Male		Fireworks		DOH	Yes
QUIRINO	1										

PROVINCE CITY /MUNICIPALITY BARANGAY	QTY	SURNAME	FIRST NAME	MIDDLE NAME	AGE	SEX	ADDRESS	CAUSE	REMARKS	SOURCE OF DATA	VALIDATED
No breakdown	1										
						Unidentified				DOH	Yes

ROADS AND BRIDGES

REGION PROVINCE CITY /MUNICIPALITY BARANGAY		TYPE	CLASSIFICATION	ROAD SECTION/BRIDGE	STATUS	DATE REPORTED (passable)	TIME REPORTED (passable)	DATE REPORTED (not passable)	TIME REPORTED (not passable)	REMARKS
GRAND TOTAL	2									
REGION 2	2									
ISABELA	2									
Ilagan	1									
Baculud		Bridge	City/Municipality (secondary)	Baculud Overflow Bridge	PATV - PASSABLE ALL TYPES VEHICLES	28 December 2021	07:00 am	20 December 2021	12:00 pm	Due to swollen river
Reina Mercedes	1									
Banquero		Bridge	City/Municipality (secondary)	Turod Banquero Overflow Bridge	NPATV - NOT PASSABLE ALL TYPES VEHICLES			01 October 2021		Damaged from previous typhoon

POWER

REGION PROVINCE CITY /MUNICIPALITY BARANGAY		TYPE	SERVICE PROVIDER	DATE OF INTERRUPTION/ OUTAGE	TIME OF INTERRUPTION/ OUTAGE	DATE RESTORED	TIME RESTORED	REMARKS
GRAND TOTAL	2							
REGION 12	2							
SARANGANI	2							
Kiamba	1							
		Interruption	SOCOTECO II	25 December 2021	18:45	25 December 2021	20:00	
Maitum	1							
		Interruption	SOCOTECO II	25 December 2021	18:30	25 December 2021	20:00	

