



# SitRep No. 16 for the Magnitude 6.8 Earthquake in Sarangani (Davao Occidental)

08 Dec 2023 08:00

## AFTERSHOCKS



## PRE-EMPTIVE EVACUATION




## AFFECTED POPULATION



## STATUS OF EVACUATION




## DISPLACEMENT TREND




## CASUALTIES




## BREAKDOWN OF CASUALTIES PER SEX AND AGE GROUP




## RELATED INCIDENTS




## DAMAGED HOUSES



## DAMAGE TO INFRASTRUCTURE




## DAMAGE TO AGRICULTURE




## OTHER DAMAGED ASSETS



## STATE OF CALAMITY



## STATUS OF LIFELINES



## Power




## Water Supply




## Communication Lines



## SUSPENSION OF CLASS AND WORK



## ASSISTANCE PROVIDED





## **Magnitude 6.8 Earthquake in Sarangani (Davao Occidental)**

### **SitRep No. 16 for the Magnitude 6.8 Earthquake in Sarangani (Davao Occidental)**

**December 08, 2023 08:00 am**

On 17 November 2023, 4:14 PM, a magnitude Mw 6.8 earthquake occurred at 05.38°N, 125.24°E - 028 km S 68° W of Sarangani Island (Municipality Of Sarangani) (Davao Occidental) with a 63-km depth of focus and tectonic origin.

Below are the reported intensities:

Intensity VII - Glan, SARANGANI

Intensity VI - City of Koronadal and Polomolok, SOUTH COTABATO; CITY OF GENERAL SANTOS

Intensity V - Pantukan, DAVAO DE ORO; City of Tagum, DAVAO DEL NORTE; Jose Abad Santos, DAVAO OCCIDENTAL; Alabel, Kiamba, Maitum, Maasim, and Malungon, SARANGANI; Banga, Lake Sebu, Tampakan, and Tupi, SOUTH COTABATO; City of Tacurong, SULTAN KUDARAT

Intensity IV - CITY OF ZAMBOANGA; Magsaysay, DAVAO DEL SUR;

CITY OF DAVAO; Banisilan, Matalam, Kabacan, and City of Kidapawan, COTABATO; Malapatan, SARANGANI; Norala, Tantangan, Santo Niño, and T'Boli, SOUTH COTABATO;

Bagumbayan, Kalamansig, Lebak, Lutayan, Palimbang, President Quirino, and Senator Ninoy

Aquino, SULTAN KUDARAT; City of Bislig, and Hinatuan, SURIGAO DEL SUR; Datu Odin Sinsuat, MAGUINDANAO;

CITY OF COTABATO; City of Bayugan, AGUSAN DEL SUR

Intensity III - Kalilangan, BUKIDNON; Laak, and Nabunturan, DAVAO DE ORO; Aleosan, Antipas,

M'lang, Magpet, and Pigkawayan, COTABATO; Surallah, SOUTH COTABATO;

CITY OF BUTUAN; City of Isabel, BASILAN; Jolo, SULU

Intensity II - Don Carlos, and San Fernando, BUKIDNON; Maco, and New Bataan, DAVAO DE ORO; Carmen, COTABATO

Intensity I - Cabanglasan, Danggagan, Libona, Malitbog, Manolo Fortich, Maramag, Talakag, and City of Valencia, BUKIDNON; Mambajao, CAMIGUIN; Balingasag, and Villanueva, MISAMIS ORIENTAL

Aftershocks and damage were reported. Per PHIVOLCS Tsunami Information, there was no destructive tsunami threat based on available sea-level data. However, the earthquake generated unusual sea level disturbances along coasts near the epicenter.

## RELATED INCIDENTS

The following incidents were reported in some areas of Region 11.

| REGION    | Landslide (Earthquake-Induced) |
|-----------|--------------------------------|
| Total     | 1                              |
| Region 11 | 1                              |

## AFFECTED POPULATION

A total of 20,575 families or 99,541 persons were affected. Of which, 0 families or 0 persons were served inside 0 ECs and 0 families or 0 persons were served outside ECs:

| Affected Regions | AFFECTED |          |         | INSIDE ECs |          |         | OUTSIDE ECs |         |
|------------------|----------|----------|---------|------------|----------|---------|-------------|---------|
|                  | Brgy     | Families | Persons | No. of ECs | Families | Persons | Families    | Persons |
| <b>TOTAL</b>     | 126      | 20,575   | 99,541  | 0          | 0        | 0       | 0           | 0       |
| Region 11        | 38       | 356      | 1,470   | 0          | 0        | 0       | 0           | 0       |
| Region 12        | 88       | 20,219   | 98,071  | 0          | 0        | 0       | 0           | 0       |

## CASUALTIES

A total of 11 dead, 37 injured, and 0 missing persons were reported:

| REGION       | VALIDATED |         |         | FOR VALIDATION |         |         | TOTAL REPORTED |         |         |
|--------------|-----------|---------|---------|----------------|---------|---------|----------------|---------|---------|
|              | dead      | injured | missing | dead           | injured | missing | dead           | injured | missing |
| <b>TOTAL</b> | 1         | 4       | 0       | 10             | 33      | 0       | 11             | 37      | 0       |
| Region 11    | 1         | 4       | 0       | 0              | 2       | 0       | 1              | 6       | 0       |
| Region 12    | 0         | 0       | 0       | 10             | 31      | 0       | 10             | 31      | 0       |

## ROADS AND BRIDGES

A total of 20 road sections and 5 bridges were affected. Below is the current status of affected road sections and bridges:

|             | NOT PASSABLE |         | PASSABLE (previously reported as not passable and/or one lane passable) |         |
|-------------|--------------|---------|---|---------|
|             | ROADS        | BRIDGES | ROADS   | BRIDGES |
| GRAND TOTAL | 0            | 0       | 20  | 5       |
| Region 11   | 0            | 0       | 4   | 0       |
| Region 12   | 0            | 0       | 16  | 5       |

## POWER

A total of 21 cities/municipalities were affected. Below is the current status of power supply:

| REGION      | NO. OF CITIES/ MUNICIPALITIES |          |
|-------------|-------------------------------|----------|
|             | INTERRUPTED                   | RESTORED |
| GRAND TOTAL | 0                             | 21       |
| Region 11   | 0                             | 7        |
| Region 12   | 0                             | 14       |

## STRANDED PASSENGERS, ROLLING CARGOES, VESSELS, MBCAS

Below is the current number of stranded passengers, rolling cargoes, vessels, and motorbancas:

| REGION      | NO. OF STRANDED |                 |         |             |
|-------------|-----------------|-----------------|---------|-------------|
|             | PASSENGER       | ROLLING CARGOES | VESSELS | MOTORBANCAS |
| GRAND TOTAL | 0               | 0               | 0       | 0           |

## DAMAGED HOUSES

A total of 6,585 damaged houses are reported in Region 11, Region 12.

| REGION      | PARTIALLY | TOTALLY | TOTAL | AMOUNT (PHP)   |
|-------------|-----------|---------|-------|----------------|
| GRAND TOTAL | 5,983     | 602     | 6,585 | 202,663,671.64 |
| Region 11   | 307       | 25      | 332   | 0              |
| Region 12   | 5,676     | 577     | 6,253 | 202,663,671.64 |

## DAMAGE TO INFRASTRUCTURE

The estimated cost of damage to infrastructure amounting to Php 1,422,471,456.87 was reported in Region 11, Region 12.

| REGION      | NUMBER OF DAMAGED INFRASTRUCTURE | COST OF DAMAGE (PHP) |
|-------------|----------------------------------|----------------------|
| GRAND TOTAL | 535                              | 1,422,471,456.87     |
| Region 11   | 184                              | 56,200,000           |
| Region 12   | 351                              | 1,366,271,456.87     |

## OTHER DAMAGED ASSETS

The estimated cost of damage to other assets amounting to Php 357,000 was reported in Region 11.

| REGION      | CLASSIFICATION        | COST OF DAMAGE (PHP) |
|-------------|-----------------------|----------------------|
| GRAND TOTAL |                       | 357,000              |
| Region 11   | WATER REFILLING TANKS | 200,000              |
|             | DRY GOODS             | 7,000                |
|             | DRY GOODS & EQUIPMENT | 100,000              |
|             | Furniture             | 50,000               |

## CLASS SUSPENSION

Classes and work were suspended in the following regions:

| REGION      | No of cities/municipalities |  |
|-------------|-----------------------------|--|
|             | CLASSES                     |  |
| GRAND TOTAL | 18                          |  |
| Region 11   | 6                           |  |
| Region 12   | 12                          |  |

## WORK SUSPENSION

Classes and work were suspended in the following regions:

| REGION      | No of cities/municipalities |  |
|-------------|-----------------------------|--|
|             | WORK                        |  |
| GRAND TOTAL | 5                           |  |
| Region 11   | 5                           |  |

## DECLARATION OF STATE OF CALAMITY

A total of 3 cities/municipalities were declared under the State of Calamity. Below is the number of SOCs issued:

| REGION      | NO. OF SOCs ISSUED |            |                    |          |
|-------------|--------------------|------------|--------------------|----------|
|             | REGIONAL           | PROVINCIAL | CITY/ MUNICIPALITY | BARANGAY |
| GRAND TOTAL | 0                  | 0          | 3                  | 0        |
| Region 12   | 0                  | 0          | 3                  | 0        |

## ASSISTANCE PROVIDED

The following assistance were provided to Region 11, Region 12.

|   | QTY    | UNIT          | AMOUNT (PHP)  |
|---|--------|---------------|---------------|
| GRAND TOTAL   | 69,677 |               | 86,117,342.84 |
| AICS  | 96     |               | 264,000       |
| Blanket   | 272    | piece         | 131,817.28    |
| Cash Assistance   | 12,593 | beneficiaries | 37,921,000    |
| Family Food Pack  | 919    |               | 621,430.62    |
| Family Food Pack  | 48,816 | pack          | 35,073,385.64 |
| Family Food Pack  | 1,000  | peso          | 765,000       |
| Family Food Pack  | 143    | piece         | 95,794.27     |
| Family Kit  | 22     | pack          | 61,600        |
| Family Pack   | 11     | piece         | 107,352.3     |
| Family Tent   | 5      | set           | 98,325        |
| Hygiene Kit-Pail  | 11     | piece         | 9,066.42      |
| Hygiene kit   | 13     | piece         | 19,474        |
| Jerry Can   | 150    | piece         | 32,400        |
| Malong  | 200    | piece         | 48,472        |
| NFIs (Kitchen Kit, Sleeping Kit, Family Kit)                                    | 3,927  | pack          | 6,393,855     |
| NFIs (Kitchen Kit, Sleeping Kit, Family pack, tarpaulin and shelter repair kit) | 653    | pack          | 3,302,259.31  |
| NFIs (Shelter grade tarpaulin)  | 632    |               | 526,110       |
| NFIs (Shelter grade tarpaulin)  | 18     | unit          | 14,985        |
| Shelter Repair Kit  | 22     | piece         | 418,783.5     |
| Sleeping Kit  | 13     | piece         | 18,434        |
| Tarpaulin   | 161    | piece         | 193,798.5     |

# NDRRMC Response Cluster EEI | Magnitude Mw 6.8 Earthquake in Sarangani (Davao Occidental)

As of November 30, 2023 | 8:00 pm



## FOOD AND NON-FOOD ITEMS (F/NFIS)

ASSISTANCE PROVIDED

**Php71,375,811.5**

worth of assistance was provided by DSWD and OCD to the affected families

FAMILY FOOD PACKS (FFPs) PROVIDED

**41,378**

families received FFPs in Regions XI and XII.

FNFIS PROVIDED

**3,958**

families received various NFIs items in Regions XI and XII



## HEALTH

Prepositioned Logistics

**Php 1,864,394.75**

worth of health commodities are prepositioned in the provinces of Regions X, XI, XII, XIII, and BARMM

Logistics Available at the Central Office and CHDs

**Php 151,466,577.08**

worth of health commodities are available at the DOH Central Office and Centers for Health Development of Regions X, XI, XII, XIII and BARMM



## LOGISTICS

DEPLOYED ASSETS

**18**

assets were deployed to South Cotabato and Davao to deliver FFPs.

STANDBY EQUIPMENT AND RESOURCES

**829**

equipment and resources for air, land, and sea are on standby from AFP, PCG, WFP and OCD



## EMERGENCY TELECOMMUNICATIONS

Emergency ICT Equipment

**391**

emergency ICT equipment/resources are available and ready for deployment



## SHELTER

Special Shelter Assistance

**1,167**

Shelter Grade Tarpaulins provided to Region XI and XII

Rental Subsidy and Financial Assistance Program (RSFAP)

**Php 16,005,683.00**

ready for downloading, subject to validated number of totally damaged housing units per region



## SEARCH, RESCUE AND RETRIEVAL

Teams Deployed

**9**

by AFP and BFP to General Santos City and Koronadal and Region XII.

**RELATED INCIDENTS as of (December 08, 2023 08:00)**

| REGION   PROVINCE   CITY/ MUNICIPALITY   BARANGAY |   | TYPE OF INCIDENT               | DATE OF OCCURENCE | TIME OF OCCURENCE | DESCRIPTION                             | ACTIONS TAKEN        | REMARKS        | STATUS (for flooded areas) |
|---|---|--------------------------------|-------------------|-------------------|---|----------------------|----------------|----------------------------|
| <b>GRAND TOTAL</b>                                | 1 |                                |                   |                   |   |                      |                |                            |
| <b>REGION 11</b>                                  | 1 |                                |                   |                   |   |                      |                |                            |
| <b>DAVAO OCCIDENTAL</b>                           | 1 |                                |                   |                   |   |                      |                |                            |
| Jose Abad Santos (Trinidad)                       | 1 |                                |                   |                   |   |                      |                |                            |
| Sugal   |   | Landslide (Earthquake-Induced) | 17 November 2023  |                   | Rockslide on road with nearby community | Conducted evacuation | Near community |                            |

**AFFECTED POPULATION as of (December 08, 2023 08:00)**

| REGION   PROVINCE   CITY/ MUNICIPALITY   BARANGAY |    | NO. OF AFFECTED |          |         | No. of ECs |     | Inside Evacuation Centers |     |         |     | Outside Evacuation Centers |     |         |     | TOTAL SERVED (CURRENT) |     |          |     |         |     |
|---|----|-----------------|----------|---------|------------|-----|---------------------------|-----|---------|-----|----------------------------|-----|---------|-----|------------------------|-----|----------|-----|---------|-----|
|   |    | Brgys.          | Families | Persons | CUM        | NOW | Families                  |     | Persons |     | Families                   |     | Persons |     | (Inside + Outside)     |     | Families |     | Persons |     |
|   |    |                 |          |         |            |     | CUM                       | NOW | CUM     | NOW | CUM                        | NOW | CUM     | NOW | CUM                    | NOW | CUM      | NOW | CUM     | NOW |
|   |    |                 |          |         |            |     |                           |     |         |     |                            |     |         |     |                        |     |          |     |         |     |
| <b>GRAND TOTAL</b>                                | 54 | 126             | 20,575   | 99,541  | 0          | 0   | 0                         | 0   | 0       | 0   | 2                          | 0   | 0       | 0   | 2                      | 0   | 0        | 0   |         |     |
| <b>REGION 11</b>                                  | 38 | 38              | 356      | 1,470   | 0          | 0   | 0                         | 0   | 0       | 0   | 2                          | 0   | 0       | 0   | 2                      | 0   | 0        | 0   |         |     |
| <b>DAVAO OCCIDENTAL</b>                           | 37 | 37              | 355      | 1,463   | 0          | 0   | 0                         | 0   | 0       | 0   | 2                          | 0   | 0       | 0   | 2                      | 0   | 0        | 0   |         |     |
| Jose Abad Santos                                  | 19 | 19              | 140      | 700     | 0          | 0   | 0                         | 0   | 0       | 0   | 0                          | 0   | 0       | 0   | 0                      | 0   | 0        | 0   |         |     |
| Caburan Small                                     |    | 1               | 14       | 70      | 0          | 0   | 0                         | 0   | 0       | 0   | 0                          | 0   | 0       | 0   | 0                      | 0   | 0        | 0   |         |     |
| Balanganon  |    | 1               | 2        | 10      | 0          | 0   | 0                         | 0   | 0       | 0   | 0                          | 0   | 0       | 0   | 0                      | 0   | 0        | 0   |         |     |
| Bukid   |    | 1               | 9        | 45      | 0          | 0   | 0                         | 0   | 0       | 0   | 0                          | 0   | 0       | 0   | 0                      | 0   | 0        | 0   |         |     |
| Butuan  |    | 1               | 13       | 65      | 0          | 0   | 0                         | 0   | 0       | 0   | 0                          | 0   | 0       | 0   | 0                      | 0   | 0        | 0   |         |     |
| Butulan   |    | 1               | 23       | 115     | 0          | 0   | 0                         | 0   | 0       | 0   | 0                          | 0   | 0       | 0   | 0                      | 0   | 0        | 0   |         |     |
| Camalian  |    | 1               | 6        | 30      | 0          | 0   | 0                         | 0   | 0       | 0   | 0                          | 0   | 0       | 0   | 0                      | 0   | 0        | 0   |         |     |
| Culaman   |    | 1               | 1        | 5       | 0          | 0   | 0                         | 0   | 0       | 0   | 0                          | 0   | 0       | 0   | 0                      | 0   | 0        | 0   |         |     |
| Kalibay   |    | 1               | 11       | 55      | 0          | 0   | 0                         | 0   | 0       | 0   | 0                          | 0   | 0       | 0   | 0                      | 0   | 0        | 0   |         |     |
| Kitayo  |    | 1               | 4        | 20      | 0          | 0   | 0                         | 0   | 0       | 0   | 0                          | 0   | 0       | 0   | 0                      | 0   | 0        | 0   |         |     |
| Magubilas   |    | 1               | 3        | 15      | 0          | 0   | 0                         | 0   | 0       | 0   | 0                          | 0   | 0       | 0   | 0                      | 0   | 0        | 0   |         |     |
| Malalan   |    | 1               | 5        | 25      | 0          | 0   | 0                         | 0   | 0       | 0   | 0                          | 0   | 0       | 0   | 0                      | 0   | 0        | 0   |         |     |
| Meybio  |    | 1               | 9        | 45      | 0          | 0   | 0                         | 0   | 0       | 0   | 0                          | 0   | 0       | 0   | 0                      | 0   | 0        | 0   |         |     |
| Nuing   |    | 1               | 8        | 40      | 0          | 0   | 0                         | 0   | 0       | 0   | 0                          | 0   | 0       | 0   | 0                      | 0   | 0        | 0   |         |     |
| Patulang  |    | 1               | 1        | 5       | 0          | 0   | 0                         | 0   | 0       | 0   | 0                          | 0   | 0       | 0   | 0                      | 0   | 0        | 0   |         |     |

| REGION   PROVINCE   CITY/<br>MUNICIPALITY   BARANGAY |           | NO. OF AFFECTED |               |               | No. of ECs |          | Inside Evacuation Centers |          |          |          | Outside Evacuation Centers |          |          |          | TOTAL SERVED (CURRENT) |          |          |          |
|--|-----------|-----------------|---------------|---------------|------------|----------|---------------------------|----------|----------|----------|----------------------------|----------|----------|----------|------------------------|----------|----------|----------|
|  |           | Brgys.          | Families      | Persons       | CUM        | NOW      | Families                  |          | Persons  |          | Families                   |          | Persons  |          | (Inside + Outside)     |          |          |          |
|  |           |                 |               |               |            |          | CUM                       | NOW      | CUM      | NOW      | CUM                        | NOW      | CUM      | NOW      | CUM                    | NOW      | CUM      | NOW      |
|  |           |                 |               |               |            |          |                           |          |          |          |                            |          |          |          |                        |          |          |          |
| Quiapo   |           | 1               | 1             | 5             | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| San Isidro   |           | 1               | 8             | 40            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Sugal  |           | 1               | 17            | 85            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Tabayon  |           | 1               | 2             | 10            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Tanuman  |           | 1               | 3             | 15            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Don Marcelino  | 5         | 5               | 93            | 334           | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Lapuan   |           | 1               | 44            | 157           | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| South Lamidan  |           | 1               | 1             | 2             | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Kiobog   |           | 1               | 2             | 10            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Kinanga  |           | 1               | 27            | 95            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Lawa   |           | 1               | 19            | 70            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Sarangani  | 8         | 8               | 111           | 374           | 0          | 0        | 0                         | 0        | 0        | 0        | 2                          | 0        | 0        | 0        | 2                      | 0        | 0        | 0        |
| Batuganding  |           | 1               | 2             | 10            | 0          | 0        | 0                         | 0        | 0        | 0        | 2                          | 0        | 0        | 0        | 2                      | 0        | 0        | 0        |
| Camalig  |           | 1               | 1             | 3             | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Camahual   |           | 1               | 31            | 76            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Konel  |           | 1               | 36            | 144           | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Lipol  |           | 1               | 3             | 11            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Mabila   |           | 1               | 6             | 25            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Patuco   |           | 1               | 21            | 84            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Tagen  |           | 1               | 11            | 21            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Malita   | 5         | 5               | 11            | 55            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Lagumit  |           | 1               | 7             | 35            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Bolila   |           | 1               | 1             | 5             | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Demoloc  |           | 1               | 1             | 5             | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Kidalapong   |           | 1               | 1             | 5             | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Mana   |           | 1               | 1             | 5             | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| <b>DAVAO ORIENTAL</b>                                | <b>1</b>  | <b>1</b>        | <b>1</b>      | <b>7</b>      | <b>0</b>   | <b>0</b> | <b>0</b>                  | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>                   | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>               | <b>0</b> | <b>0</b> | <b>0</b> |
| Lupon  | 1         | 1               | 1             | 7             | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Ilangay  |           | 1               | 1             | 7             | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| <b>REGION 12</b>                                     | <b>16</b> | <b>88</b>       | <b>20,219</b> | <b>98,071</b> | <b>0</b>   | <b>0</b> | <b>0</b>                  | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>                   | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>               | <b>0</b> | <b>0</b> | <b>0</b> |
| <b>SARANGANI</b>                                     | <b>7</b>  | <b>51</b>       | <b>7,428</b>  | <b>36,340</b> | <b>0</b>   | <b>0</b> | <b>0</b>                  | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>                   | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>               | <b>0</b> | <b>0</b> | <b>0</b> |
| Kiamba   | 1         | 0               | 75            | 75            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |



| REGION   PROVINCE   CITY/<br>MUNICIPALITY   BARANGAY |          | NO. OF AFFECTED |               |               | No. of ECs |          | Inside Evacuation Centers |          |          |          | Outside Evacuation Centers |          |          |          | TOTAL SERVED (CURRENT) |          |          |          |
|--|----------|-----------------|---------------|---------------|------------|----------|---------------------------|----------|----------|----------|----------------------------|----------|----------|----------|------------------------|----------|----------|----------|
|  |          | Brgys.          | Families      | Persons       | CUM        | NOW      | Families                  |          | Persons  |          | Families                   |          | Persons  |          | Families               |          | Persons  |          |
|  |          |                 |               |               |            |          | CUM                       | NOW      | CUM      | NOW      | CUM                        | NOW      | CUM      | NOW      | CUM                    | NOW      | CUM      | NOW      |
|  |          |                 |               |               |            |          | (Inside + Outside)        |          | Families |          | Persons                    |          | Families |          | Persons                |          | Families |          |
|  |          | 0               | 75            | 75            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Maasim   | 1        | 5               | 99            | 495           | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
|  |          | 5               | 99            | 495           | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Maitum   | 1        | 0               | 5             | 5             | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
|  |          | 0               | 5             | 5             | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Alabel   | 1        | 8               | 205           | 953           | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
|  |          | 8               | 205           | 953           | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Glan   | 1        | 26              | 3,750         | 18,506        | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
|  |          | 26              | 3,750         | 18,506        | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Malapatan  | 1        | 12              | 3,285         | 16,297        | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
|  |          | 12              | 3,285         | 16,297        | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Malungon   | 1        | 0               | 9             | 9             | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
|  |          | 0               | 9             | 9             | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| <b>SOUTH COTABATO</b>                                | <b>9</b> | <b>37</b>       | <b>12,791</b> | <b>61,731</b> | <b>0</b>   | <b>0</b> | <b>0</b>                  | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>                   | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>               | <b>0</b> | <b>0</b> | <b>0</b> |
| Banga  | 1        | 0               | 10            | 10            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
|  |          | 0               | 10            | 10            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| General Santos (Dadiangas)                           | 1        | 18              | 10,717        | 52,861        | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
|  |          | 18              | 10,717        | 52,861        | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Koronadal  | 1        | 1               | 571           | 2,367         | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
|  |          | 1               | 571           | 2,367         | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Polomolok  | 1        | 13              | 1,288         | 6,004         | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
|  |          | 13              | 1,288         | 6,004         | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Surallah   | 1        | 1               | 32            | 36            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
|  |          | 1               | 32            | 36            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Tampakan   | 1        | 1               | 18            | 22            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
|  |          | 1               | 18            | 22            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Tantangan  | 1        | 0               | 2             | 2             | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
|  |          | 0               | 2             | 2             | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| TBoli  | 1        | 0               | 65            | 65            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
|  |          | 0               | 65            | 65            | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
| Tupi   | 1        | 3               | 88            | 364           | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |
|  |          | 3               | 88            | 364           | 0          | 0        | 0                         | 0        | 0        | 0        | 0                          | 0        | 0        | 0        | 0                      | 0        | 0        | 0        |

**CASUALTIES as of (December 08, 2023 08:00)**

| PROVINCE   CITY /MUNICIPALITY   BARANGAY | QTY | SURNAME | FIRST NAME | MIDDLE NAME | AGE | SEX  | ADDRESS                                    | CAUSE  | REMARKS        | SOURCE OF DATA                                     | VALIDATED |
|--|-----|---------|------------|-------------|-----|------|--|--|----------------|--|-----------|
| <b>DEAD</b>                              | 1   |         |            |             |     |      |  |  |                |  |           |
| <b>REGION 11</b>                         | 1   |         |            |             |     |      |  |  |                |  |           |
| <b>DAVAO OCCIDENTAL</b>                  | 1   |         |            |             |     |      |  |  |                |  |           |
| Jose Abad Santos (Trinidad)              | 1   |         |            |             |     |      |  |  |                |  |           |
|  |     |         |            |             | 78  | Male | Butuan, Jose Abad Santos, Davao Occidental | Hit by a falling boulder coming from a cliff while he was resting on his hammock |                | PNP XI - Davao Occidental Police Provincial Office | Yes       |
| <b>INJURED/ ILL</b>                      | 4   |         |            |             |     |      |  |  |                |  |           |
| <b>REGION 11</b>                         | 4   |         |            |             |     |      |  |  |                |  |           |
| <b>DAVAO OCCIDENTAL</b>                  | 4   |         |            |             |     |      |  |  |                |  |           |
| Jose Abad Santos (Trinidad)              | 2   |         |            |             |     |      |  |  |                |  |           |
|  |     |         |            |             | 9   | Male | Brgy. Nuing                                | Hit by a fallen debris from a damaged wall                                       |                | PDRRMO Davao Occidental                            | Yes       |
|  |     |         |            |             | 68  | Male | Brgy. Culman                               | Injury to Fallen Wall  |                | PDRRMO Davao Occidentaal                           | Yes       |
| Don Marcelino                            | 1   |         |            |             |     |      |  |  |                |  |           |
|  |     |         |            |             | 31  | Male | Brgy. Lawa                                 | Lacerated wound due to fallen store cabinet                                      | Treated at MHO | PDRRMO Davao Occidental                            | Yes       |
| Sarangani                                | 1   |         |            |             |     |      |  |  |                |  |           |
|  |     |         |            |             | 70  | Male | Sitio Perly Shell, Brgy. Camahual          | Collapsing of Wall   |                | PDRRMO Davao Occidental                            | Yes       |

**ROADS AND BRIDGES as of (December 08, 2023 08:00)**

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |    | TYPE | CLASSIFICATION     | ROAD SECTION/BRIDGE        | STATUS                             | DATE REPORTED (passable) | TIME REPORTED (passable) | DATE REPORTED (not passable) | TIME REPORTED (not passable) | REMARKS  |
|---|----|------|--------------------|----------------------------|------------------------------------|--------------------------|--------------------------|------------------------------|------------------------------|--|
| <b>GRAND TOTAL</b>                                | 25 |      |                    |                            |                                    |                          |                          |                              |                              |  |
| <b>REGION 11</b>                                  | 4  |      |                    |                            |                                    |                          |                          |                              |                              |  |
| <b>DAVAO OCCIDENTAL</b>                           | 4  |      |                    |                            |                                    |                          |                          |                              |                              |  |
| Jose Abad Santos (Trinidad)                       | 3  |      |                    |                            |                                    |                          |                          |                              |                              |  |
| Nuing   |    | Road | National (primary) |                            | PATV - PASSABLE ALL TYPES VEHICLES | 18 November 2023         |                          |                              |                              | Affected by the rockslide, previously OLP For validation of DPWH |
| Patulang  |    | Road | National (primary) |                            | OLP - ONE LANE PASSABLE            | 17 November 2023         |                          |                              |                              | Affected by the rockslide For validation of DPWH                 |
| Sugal   |    | Road | National (primary) |                            | PATV - PASSABLE ALL TYPES VEHICLES | 18 November 2023         |                          |                              |                              | Affected by the rockslide, previously OLP For validation of DPWH |
| Sarangani   | 1  |      |                    |                            |                                    |                          |                          |                              |                              |  |
| Lipol   |    | Road | City/Municipality  | Brgy. Lucal to Brgy. Lipol | PTLV - PASSABLE TO LIGHT VEHICLES  | 18 November 2023         | 06:10 am                 | 17 November 2023             | 04:20 pm                     | roadcut/sinking/colapsed pavement, previously OLP                |
| <b>REGION 12</b>                                  | 21 |      |                    |                            |                                    |                          |                          |                              |                              |  |
| <b>SARANGANI</b>                                  | 16 |      |                    |                            |                                    |                          |                          |                              |                              |  |
| Glan  | 7  |      |                    |                            |                                    |                          |                          |                              |                              |  |
| Kapatan   |    | Road |                    | K1682+150 to K1682+0170    | PTLV - PASSABLE TO LIGHT VEHICLES  | 17 November 2023         |                          | 17 November 2023             |                              | Road blockage due to landslide                                   |
| Baliton   |    | Road |                    | K1715+0050 to K1715+0055   | PATV - PASSABLE ALL TYPES VEHICLES | 17 November 2023         |                          | 17 November 2023             |                              | Road blockage due to landslide                                   |
| Burias  |    | Road |                    | K1720+0920 to K1718+0935   | PATV - PASSABLE ALL TYPES VEHICLES | 17 November 2023         |                          | 17 November 2023             |                              | Road blockage due to landslide                                   |
| Glan Padidu                                       |    | Road |                    | K1695+0340 to K1695+0365   | PATV - PASSABLE ALL TYPES VEHICLES | 17 November 2023         |                          | 17 November 2023             |                              | Road blockage due to landslide                                   |
| Mudan   |    | Road |                    |                            | PATV - PASSABLE ALL TYPES VEHICLES | 17 November 2023         |                          | 17 November 2023             |                              | Road blockage due to landslide                                   |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |   | TYPE   | CLASSIFICATION | ROAD SECTION/BRIDGE | STATUS                             | DATE REPORTED (passable) | TIME REPORTED (passable) | DATE REPORTED (not passable) | TIME REPORTED (not passable) | REMARKS   |
|---|---|--------|----------------|---------------------|------------------------------------|--------------------------|--------------------------|------------------------------|------------------------------|---|
| Tapon   |   | Bridge |                |                     | PATV - PASSABLE ALL TYPES VEHICLES | 17 November 2023         |                          | 17 November 2023             |                              | Road blockage due to landslide. Cleared as of reporting |
| Glan Padidu                                       |   | Bridge |                |                     | PATV - PASSABLE ALL TYPES VEHICLES | 17 November 2023         |                          | 17 November 2023             |                              | Road blockage due to landslide. Cleared as of reporting |
| Alabel  | 1 |        |                |                     |                                    |                          |                          |                              |                              |   |
| Paraiso Road                                      |   | Road   |                |                     | PATV - PASSABLE ALL TYPES VEHICLES | 17 November 2023         |                          | 17 November 2023             |                              | Road blockage due to landslide                          |
| Malapatan   | 5 |        |                |                     |                                    |                          |                          |                              |                              |   |
| Sapu Masla  |   | Road   |                |                     | PATV - PASSABLE ALL TYPES VEHICLES | 17 November 2023         |                          | 17 November 2023             |                              | Damaged of concrete pavement road                       |
| Lun Masla   |   | Road   |                |                     | PATV - PASSABLE ALL TYPES VEHICLES | 17 November 2023         |                          | 17 November 2023             |                              | Road blockage due to landslide                          |
| Sapu Padidu                                       |   | Road   |                |                     | OLP - ONE LANE PASSABLE            | 17 November 2023         |                          | 17 November 2023             |                              | 10 meters damage of concrete pavement road              |
| Sapu Padidu                                       |   | Bridge |                |                     | PATV - PASSABLE ALL TYPES VEHICLES | 17 November 2023         |                          | 17 November 2023             |                              | Concrete Bridge (crack lines in bridge edges)           |
| Lun Padidu  |   | Bridge |                |                     | PATV - PASSABLE ALL TYPES VEHICLES | 17 November 2023         |                          | 17 November 2023             |                              | Road blockage due to landslide. Cleared as of reporting |
| Malungon  | 3 |        |                |                     |                                    |                          |                          |                              |                              |   |
| Crossing Langit                                   |   | Road   |                |                     | PTLV - PASSABLE TO LIGHT VEHICLES  | 18 November 2023         |                          | 18 November 2023             |                              | Crossing Langit, connecting Brgy. Datal Bila-Alkikan'   |
| Nagpan  |   | Road   |                |                     | PATV - PASSABLE ALL TYPES VEHICLES | 23 November 2023         |                          | 17 November 2023             |                              | NHW Nagpan - Ampon - Tamban Provincial Road'            |
| Poblacion   |   | Road   |                |                     | PATV - PASSABLE ALL TYPES VEHICLES | 23 November 2023         |                          | 17 November 2023             |                              | NHW Poblacion - Sta. Maria Provincial Road'             |
| <b>SOUTH COTABATO</b>                             | 5 |        |                |                     |                                    |                          |                          |                              |                              |   |
| TBoli   | 2 |        |                |                     |                                    |                          |                          |                              |                              |   |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |   | TYPE   | CLASSIFICATION | ROAD SECTION/BRIDGE | STATUS                             | DATE REPORTED (passable) | TIME REPORTED (passable) | DATE REPORTED (not passable) | TIME REPORTED (not passable) | REMARKS   |
|---|---|--------|----------------|---------------------|------------------------------------|--------------------------|--------------------------|------------------------------|------------------------------|---|
| Poblacion   |   | Road   |                |                     | PTLV - PASSABLE TO LIGHT VEHICLES  |                          |                          | 17 November 2023             |                              | Damage due to landslide, passable motorcycles only            |
| New Dumangas                                      |   | Road   |                |                     | PATV - PASSABLE ALL TYPES VEHICLES | 17 November 2023         |                          | 17 November 2023             |                              | damage to Ladipak Road due to landslide                       |
| Tampakan  | 1 |        |                |                     |                                    |                          |                          |                              |                              |   |
|   |   | Road   |                |                     | PATV - PASSABLE ALL TYPES VEHICLES | 19 November 2023         |                          | 17 November 2023             |                              | Road blockage due to landslide                                |
| General Santos (Dadiangas)                        | 1 |        |                |                     |                                    |                          |                          |                              |                              |   |
| Buayan  |   | Bridge |                |                     | PATV - PASSABLE ALL TYPES VEHICLES | 17 November 2023         |                          | 17 November 2023             |                              | 2 out of 4 lanes passable                                     |
| Tupi  | 1 |        |                |                     |                                    |                          |                          |                              |                              |   |
| Kablon  |   | Road   |                |                     | PTLV - PASSABLE TO LIGHT VEHICLES  | 17 November 2023         |                          | 17 November 2023             |                              | Portion of uncemented FMR due to Earthquake Induced Landslide |

**POWER as of (December 08, 2023 08:00)**

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |    | TYPE         | SERVICE PROVIDER | DATE OF INTERRUPTION/ OUTAGE | TIME OF INTERRUPTION/ OUTAGE | DATE RESTORED    | TIME RESTORED | REMARKS |
|---|----|--------------|------------------|------------------------------|------------------------------|------------------|---------------|---------|
| <b>GRAND TOTAL</b>                                | 21 |              |                  |                              |                              |                  |               |         |
| <b>REGION 11</b>                                  | 7  |              |                  |                              |                              |                  |               |         |
| <b>DAVAO OCCIDENTAL</b>                           | 5  |              |                  |                              |                              |                  |               |         |
| Province-Wide                                     | 5  |              |                  |                              |                              |                  |               |         |
|   |    | Interruption | DASURECO         | 17 November 2023             | 16:14                        | 17 November 2023 | 16:43         |         |
| <b>DAVAO DEL NORTE</b>                            | 1  |              |                  |                              |                              |                  |               |         |
| Panabo  | 1  |              |                  |                              |                              |                  |               |         |
|   |    | Interruption | Davao Light      | 17 November 2023             | 16:14                        | 17 November 2023 | 17:43         |         |
| <b>DAVAO DEL SUR</b>                              | 1  |              |                  |                              |                              |                  |               |         |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |           | TYPE         | SERVICE PROVIDER | DATE OF INTERRUPTION/ OUTAGE | TIME OF INTERRUPTION/ OUTAGE | DATE RESTORED    | TIME RESTORED | REMARKS  |
|---|-----------|--------------|------------------|------------------------------|------------------------------|------------------|---------------|--|
| Hagonoy   | 1         |              |                  |                              |                              |                  |               |  |
|   |           | Interruption | DASURECO         | 17 November 2023             | 16:30                        | 17 November 2023 | 17:25         |  |
| <b>REGION 12</b>                                  | <b>14</b> |              |                  |                              |                              |                  |               |  |
| <b>SULTAN KUDARAT</b>                             | <b>2</b>  |              |                  |                              |                              |                  |               |  |
| Lebak   | 1         |              |                  |                              |                              |                  |               |  |
|   |           | Interruption |                  | 17 November 2023             |                              | 17 November 2023 |               | Connection has been restored                           |
| Bagumbayan  | 1         |              |                  |                              |                              |                  |               |  |
|   |           | Interruption |                  | 17 November 2023             |                              | 17 November 2023 |               |  |
| <b>SOUTH COTABATO</b>                             | <b>6</b>  |              |                  |                              |                              |                  |               |  |
| General Santos (Dadiangas)                        | 1         |              |                  |                              |                              |                  |               |  |
|   |           | Interruption |                  | 17 November 2023             |                              | 17 November 2023 |               | Power already restored                                 |
| Polomolok   | 1         |              |                  |                              |                              |                  |               |  |
|   |           | Interruption |                  | 17 November 2023             |                              | 17 November 2023 |               |  |
| Tantangan   | 1         |              |                  |                              |                              |                  |               |  |
|   |           | Interruption |                  | 17 November 2023             |                              | 17 November 2023 |               | Short power interruption, connection has been restored |
| Tampakan  | 1         |              |                  |                              |                              |                  |               |  |
|   |           | Interruption |                  | 17 November 2023             |                              | 17 November 2023 |               | Short power interruption                               |
| Koronadal   | 1         |              |                  |                              |                              |                  |               |  |
|   |           | Interruption |                  | 17 November 2023             |                              | 17 November 2023 |               | Short power interruption, connection has been restored |
| Banga   | 1         |              |                  |                              |                              |                  |               |  |
|   |           | Interruption |                  | 17 November 2023             |                              | 17 November 2023 |               | Short power interruption                               |
| <b>SARANGANI</b>                                  | <b>6</b>  |              |                  |                              |                              |                  |               |  |
| Alabel  | 1         |              |                  |                              |                              |                  |               |  |
|   |           | Interruption |                  | 17 November 2023             |                              | 17 November 2023 |               | Short power interruption                               |
| Glan  | 1         |              |                  |                              |                              |                  |               |  |
|   |           | Interruption |                  | 17 November 2023             |                              | 17 November 2023 |               | Short power interruption                               |
| Maasim  | 1         |              |                  |                              |                              |                  |               |  |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |   | TYPE         | SERVICE PROVIDER | DATE OF INTERRUPTION/ OUTAGE | TIME OF INTERRUPTION/ OUTAGE | DATE RESTORED    | TIME RESTORED | REMARKS                  |
|---|---|--------------|------------------|------------------------------|------------------------------|------------------|---------------|--------------------------|
|   |   | Interruption |                  | 17 November 2023             |                              | 17 November 2023 |               | Short power interruption |
| Maitum  | 1 |              |                  |                              |                              |                  |               |                          |
|   |   | Interruption |                  | 17 November 2023             |                              | 17 November 2023 |               | Short power interruption |
| Kiamba  | 1 |              |                  |                              |                              |                  |               |                          |
|   |   | Interruption |                  | 17 November 2023             |                              | 17 November 2023 |               | Short power interruption |
| Malapatan   | 1 |              |                  |                              |                              |                  |               |                          |
|   |   | Interruption |                  | 17 November 2023             |                              | 17 November 2023 |               | Short power interruption |

**STRANDED PASSENGERS, ROLLING CARGOES, VESSELS, MBCAS as of (December 08, 2023 08:00)**

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |   | DISTRICT | STATION                         | SUBSTATION | PORT/TERMINAL | PASSENGER | ROLLING CARGOES | VESSELS/BUS LINER | MBCA (MOTOR BANCA) | REMARKS  |
|---|---|----------|---------------------------------|------------|---------------|-----------|-----------------|-------------------|--------------------|--|
| <b>GRAND TOTAL</b>                                | 1 |          |                                 |            |               | 0         | 0               | 0                 | 0                  |  |
| <b>REGION 12</b>                                  | 1 |          |                                 |            |               | 0         | 0               | 0                 | 0                  |  |
| <b>SOUTH COTABATO</b>                             | 1 |          |                                 |            |               | 0         | 0               | 0                 | 0                  |  |
| General Santos (Dadiangas)                        | 1 |          |                                 |            |               | 0         | 0               | 0                 | 0                  |  |
| Labangal  |   |          | General Santos City Makar Wharf |            |               | 0         | 0               | 0                 | 0                  | 25 passengers and 1 motorbanca were previously stranded. The vessel and the passengers departed on November 18, 2023 |

**DAMAGED HOUSES as of (December 08, 2023 08:00)**

| REGION   PROVINCE   CITY/ MUNICIPALITY   BARANGAY | NO. OF DAMAGED HOUSES |           |             | AMOUNT (PHP)   | REMARKS |
|---|-----------------------|-----------|-------------|----------------|---------|
|   | TOTALLY               | PARTIALLY | GRAND TOTAL |                |         |
| <b>GRAND TOTAL</b>                                | 602                   | 5,983     | 6,585       | 202,663,671.64 |         |

| REGION   PROVINCE   CITY/ MUNICIPALITY   BARANGAY | NO. OF DAMAGED HOUSES |            |             | AMOUNT (PHP) | REMARKS  |
|---|-----------------------|------------|-------------|--------------|--|
|   | TOTALLY               | PARTIALLY  | GRAND TOTAL |              |  |
| <b>REGION 11</b>                                  | <b>25</b>             | <b>307</b> | <b>332</b>  | <b>0</b>     |  |
| <b>DAVAO OCCIDENTAL</b>                           | <b>25</b>             | <b>306</b> | <b>331</b>  | <b>0</b>     |  |
| Jose Abad Santos                                  | 11                    | 129        | 140         | 0            |  |
| Caburan Small                                     | 0                     | 14         | 14          | 0            |  |
| Balangonan  | 0                     | 2          | 2           | 0            |  |
| Bukid   | 0                     | 9          | 9           | 0            |  |
| Butuan  | 0                     | 13         | 13          | 0            |  |
| Butulan   | 0                     | 23         | 23          | 0            |  |
| Camalian  | 1                     | 5          | 6           | 0            |  |
| Culaman   | 1                     | 0          | 1           | 0            |  |
| Kalibay   | 2                     | 9          | 11          | 0            |  |
| Kitayo  | 0                     | 4          | 4           | 0            |  |
| Magubilas   | 0                     | 3          | 3           | 0            |  |
| Malalan   | 1                     | 4          | 5           | 0            |  |
| Meybio  | 0                     | 9          | 9           | 0            |  |
| Nuing   | 1                     | 7          | 8           | 0            |  |
| Patulang  | 0                     | 1          | 1           | 0            |  |
| Quiapo  | 0                     | 1          | 1           | 0            |  |
| San Isidro  | 0                     | 8          | 8           | 0            |  |
| Sugal   | 2                     | 15         | 17          | 0            |  |
| Tabayon   | 0                     | 2          | 2           | 0            |  |
| Tanuman   | 3                     | 0          | 3           | 0            | houses need to be relocated due to landslide hazard/threat in sitio koliko |
| Don Marcelino                                     | 11                    | 68         | 79          | 0            |  |
| Kinanga   | 3                     | 21         | 24          | 0            |  |
| Lawa  | 4                     | 14         | 18          | 0            |  |
| Lapuan  | 4                     | 31         | 35          | 0            |  |
| South Lamidan                                     | 0                     | 1          | 1           | 0            |  |
| Kiobog  | 0                     | 1          | 1           | 0            |  |
| Sarangani   | 0                     | 101        | 101         | 0            |  |
| Batuganding                                       | 0                     | 2          | 2           | 0            | concrete walls/ceiling damages   |
| Camalig   | 0                     | 1          | 1           | 0            | concrete walls/ceiling damages   |
| Camahual  | 0                     | 31         | 31          | 0            | concrete walls/ceiling damages   |
| Konel   | 0                     | 35         | 35          | 0            | concrete walls/ceiling damages   |
| Lipol   | 0                     | 3          | 3           | 0            | concrete walls/ceiling damages   |



| REGION   PROVINCE   CITY/ MUNICIPALITY   BARANGAY | NO. OF DAMAGED HOUSES |              |              | AMOUNT (PHP)          | REMARKS                        |
|---|-----------------------|--------------|--------------|-----------------------|--------------------------------|
|   | TOTALLY               | PARTIALLY    | GRAND TOTAL  |                       |                                |
| Mabila  | 0                     | 3            | 3            | 0                     | concrete walls/ceiling damages |
| Patuco  | 0                     | 17           | 17           | 0                     | concrete walls/ceiling damages |
| Tagen   | 0                     | 9            | 9            | 0                     | concrete walls/ceiling damages |
| Malita  | 3                     | 8            | 11           | 0                     |                                |
| Bolila  | 0                     | 1            | 1            | 0                     |                                |
| Demoloc   | 0                     | 1            | 1            | 0                     |                                |
| Kidalapong  | 0                     | 1            | 1            | 0                     |                                |
| Lagumit   | 3                     | 4            | 7            | 0                     |                                |
| Mana  | 0                     | 1            | 1            | 0                     |                                |
| <b>DAVAO ORIENTAL</b>                             | <b>0</b>              | <b>1</b>     | <b>1</b>     | <b>0</b>              |                                |
| Lupon   | 0                     | 1            | 1            | 0                     |                                |
| Ilangay   | 0                     | 1            | 1            | 0                     |                                |
| <b>REGION 12</b>                                  | <b>577</b>            | <b>5,676</b> | <b>6,253</b> | <b>202,663,671.64</b> |                                |
| <b>SOUTH COTABATO</b>                             | <b>61</b>             | <b>362</b>   | <b>423</b>   | <b>19,791,800.24</b>  |                                |
| Polomolok   | 43                    | 142          | 185          | 12,899,143.31         |                                |
|   | 43                    | 142          | 185          | 12,899,143.31         |                                |
| Tupi  | 1                     | 68           | 69           | 823,582.71            |                                |
|   | 1                     | 68           | 69           | 823,582.71            |                                |
| General Santos (Dadiangas)                        | 16                    | 150          | 166          | 5,825,090.8           |                                |
|   | 16                    | 150          | 166          | 5,825,090.8           |                                |
| Tampakan  | 1                     | 0            | 1            | 220,000               |                                |
|   | 1                     | 0            | 1            | 220,000               |                                |
| Koronadal   | 0                     | 1            | 1            | 11,991.71             |                                |
|   | 0                     | 1            | 1            | 11,991.71             |                                |
| Surallah  | 0                     | 1            | 1            | 11,991.71             |                                |
|   | 0                     | 1            | 1            | 11,991.71             |                                |
| <b>SARANGANI</b>                                  | <b>516</b>            | <b>5,314</b> | <b>5,830</b> | <b>182,871,871.4</b>  |                                |
| Glan  | 362                   | 2,408        | 2,770        | 116,427,441.81        |                                |
|   | 362                   | 2,408        | 2,770        | 116,427,441.81        |                                |
| Maasim  | 0                     | 99           | 99           | 867,400.32            |                                |
|   | 0                     | 99           | 99           | 867,400.32            |                                |
| Malapatan   | 129                   | 2,645        | 2,774        | 57,220,015.84         |                                |
|   | 129                   | 2,645        | 2,774        | 57,220,015.84         |                                |
| Alabel  | 25                    | 162          | 187          | 8,357,013.43          |                                |

| REGION   PROVINCE   CITY/ MUNICIPALITY   BARANGAY | NO. OF DAMAGED HOUSES |           |             | AMOUNT (PHP) | REMARKS |
|---|-----------------------|-----------|-------------|--------------|---------|
|   | TOTALLY               | PARTIALLY | GRAND TOTAL |              |         |
|   | 25                    | 162       | 187         | 8,357,013.43 |         |

**DAMAGE TO INFRASTRUCTURE as of (December 08, 2023 08:00)**

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |     | TYPE    | CLASSIFICATION | INFRASTRUCTURE                  | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP)        | REMARKS                         |
|---|-----|---------|----------------|---------------------------------|-------------------|------|----------|--------|------------------|---------------------------------|
| <b>GRAND TOTAL</b>                                | 503 |         |                |                                 | 535               |      |          |        | 1,422,471,456.87 |                                 |
| <b>REGION 11</b>                                  | 152 |         |                |                                 | 184               |      |          |        | 56,200,000       |                                 |
| <b>DAVAO OCCIDENTAL</b>                           | 118 |         |                |                                 | 129               |      |          |        | 56,200,000       |                                 |
| Sarangani   | 22  |         |                |                                 | 22                |      |          |        | 13,200,000       |                                 |
| Camalig   |     | Schools | National       | Mangahos Elementary School      | 1                 |      |          |        | 600,000          | ceiling totally damaged         |
| Camalig   |     | Schools | National       | Camalig Elementary School       | 1                 |      |          |        | 300,000          | concrete wall partially damaged |
| Batuganding                                       |     | Schools | National       | Angel Olarte Elem School        | 1                 |      |          |        | 3,000,000        | Observed cracks on the bldg.    |
| Mabila  |     | Schools | National       | Mabila Elem School              | 1                 |      |          |        | 3,000,000        | Observed cracks on the bldg.    |
| Mabila  |     | Schools | National       | Alberto Olarte Natl High School | 1                 |      |          |        | 3,000,000        | Observed cracks on the bldg.    |
| Gomtago   |     | Schools | National       | Gomtago Elem School             | 1                 |      |          |        | 0                | Observed cracks on the bldg.    |
| Gomtago   |     | Schools | National       | Guillerma Elem School           | 1                 |      |          |        | 0                | Observed cracks on the bldg.    |
| Tagen   |     | Schools | National       | Tagen Elem School               | 1                 |      |          |        | 0                | Observed cracks on the bldg.    |
| Tinina  |     | Schools | National       | Tinina Elem School              | 1                 |      |          |        | 300,000          | Observed cracks on the bldg.    |
| Tucal   |     | Schools | National       | Tucal Elem School               | 1                 |      |          |        | 0                | Observed cracks on the bldg.    |
| Konel   |     | Schools | National       | Kababa Elem School              | 1                 |      |          |        | 0                | Observed cracks on the bldg.    |
| Konel   |     | Schools | National       | Konel Elem School               | 1                 |      |          |        | 0                | Observed cracks on the bldg.    |
| Lipol   |     | Schools | National       | Pulabato Elem School            | 1                 |      |          |        | 0                | Observed cracks on the bldg.    |
| Camahual  |     | Schools | National       | Camahual Elem School            | 1                 |      |          |        | 0                | Observed cracks on the bldg.    |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |    | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                         | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS                      | COST(PHP)  | REMARKS                                   |
|---|----|-----------------------|----------------|--|-------------------|------|----------|-----------------------------|------------|---|
| Laker   |    | Schools               | National       | Jose de Arce Memorial Natl High School | 1                 |      |          |                             | 3,000,000  | Observed cracks on the bldg.              |
| Laker   |    | Schools               | National       | Sangkokdatal Elem School               | 1                 |      |          |                             | 0          | Observed cracks on the bldg.              |
| Laker   |    | Schools               | National       | Laker Elem School                      | 1                 |      |          |                             | 0          | Observed cracks on the bldg.              |
| Patuco  |    | Government Facilities | Local          | Patuco Seaport                         | 1                 |      |          | damaged flooring and riprap | 0          | partially damaged on side beam and riprap |
| Mabila  |    | Government Facilities | Local          | Mabila Seaport                         | 1                 |      |          | damaged sidebeam and riprap | 0          | partially damaged on side beam and riprap |
| Laker   |    | Church                | Local          | Alliance Church                        | 1                 |      |          | damaged sidebeam and riprap | 0          | Observed cracks on the bldg.              |
| Lipol   |    | Roads                 | Local          |  | 1                 |      |          |                             | 0          | Roadcut/sinking/colapsed pavement         |
| Lipol   |    | Church                | Local          | Lipol Alliance Church                  | 1                 |      |          |                             | 0          | Observed cracks on the building           |
| Jose Abad Santos                                  | 39 |                       |                |  | 47                |      |          |                             | 43,000,000 |   |
| Caburan Small                                     |    | Government Facilities | Local          | Pigbaluyan Solar Dryer                 | 1                 |      |          | partially damaged           | 0          | partially damaged                         |
| Caburan Small                                     |    | Church                | Local          | Old Jehovah witness Church             | 1                 |      |          | partially damaged           | 0          | partially damaged                         |
| Caburan Small                                     |    | Church                | Local          | GKK Santo Nino Upper victory           | 1                 |      |          | partially damaged           | 0          | partially damaged                         |
| Caburan Big                                       |    | schools               | Local          | Holy Cross of Caburan                  | 1                 |      |          | Minor cracks                | 0          | partially damaged                         |
| Caburan Big                                       |    | Government Facilities | Local          | Caburan Brgy Hall                      | 1                 |      |          | partially damaged           | 0          | partially damaged                         |
| Caburan Big                                       |    | Church                | Local          | Southern Baptist Church                | 1                 |      |          | Minor cracks                | 0          | partially damaged                         |
| Caburan Big                                       |    | Schools               | National       | SPAMAST                                | 1                 |      |          | partially damaged           | 0          | with minor cracks                         |
| Caburan Big                                       |    | Government Facilities | Local          | Caburan Big Health Center              | 2                 |      |          | Minor cracks                | 0          | partially damaged                         |
| Caburan Big                                       |    | Schools               | National       | JAS National High School               | 2                 |      |          | partially damaged           | 50,000     | partially damaged                         |
| Balangonan  |    | Schools               | Local          | Dionesio Leong Elementary School       | 1                 |      |          | partially damaged           | 150,000    | partially damaged                         |
| Balangonan  |    | Schools               | National       | Balangonan High School                 | 1                 |      |          | partially damaged           | 0          | partially damaged                         |
| Buguis  |    | school                | National       | Monroe Joyce ES                        | 1                 |      |          | partially damaged           | 0          | minor cracks                              |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |  | TYPE                  | CLASSIFICATION | INFRASTRUCTURE  | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS                | COST(PHP)  | REMARKS   |
|---|--|-----------------------|----------------|---|-------------------|------|----------|-----------------------|------------|---|
| Bukid   |  | Church                | Local          | Riverside Alliance Church (CAMACOP)                           | 1                 |      |          | partially damaged     | 0          | partially damaged   |
| Bukid   |  | Church                | Local          | Zion Church   | 1                 |      |          | partially damaged     | 0          | partially damaged   |
| Bukid   |  | Church                | Local          | Word Bible Church   | 1                 |      |          | partially damaged     | 0          | partially damaged   |
| Butuan  |  | Government Facilities | Local          | Butuan Gymnasium  | 1                 |      |          | partially damaged     | 0          | partially damaged   |
| Butulan   |  | Church                | Local          | ECOFI Church  | 1                 |      |          | partially damaged     | 0          | partially damaged   |
| Butulan   |  | Church                | Local          | PhilCam Church  | 1                 |      |          | totally damaged       | 0          | totally damaged   |
| Camalian  |  | School                |                | Madrasato Sangilia Al-Islamie                                 | 1                 |      |          | major damage on posts | 0          | partially damaged   |
| Culaman   |  | School                | National       | Harden Joyce ES   | 1                 |      |          |                       | 0          | with minor cracks   |
| Culaman   |  | Church                | Local          | Woodburn Central Baptist Church                               | 1                 |      |          |                       | 0          |   |
| Kalbay  |  | Schools               | National       | Kalbay National High School                                   | 2                 |      |          | major damages         | 42,750,000 | Totally damaged = 12 classrooms (3 storey bldg); Partially Damaged classrooms = 8 (2 storey); Partially damaged Admin Bldg = 8 rooms with 1 totally damaged |
| Magulibas   |  | Schools               | National       | Andres Yacon ES   | 1                 |      |          | major damages         | 0          | with minor cracks   |
| Malalan   |  | Government Facilities | Local          | Malalan Barangay Hall   | 1                 |      |          | major damages         | 0          | major damage  |
| Malalan   |  | Church                | Local          | One Missionary Baptist Church                                 | 1                 |      |          | partially damaged     | 0          |   |
| Mangile   |  | School                | National       | Mangile Elementary School                                     | 1                 |      |          | minor damage          | 0          | partially damaged   |
| Mangile   |  | School                | National       | Mangile National High School                                  | 1                 |      |          | partially damaged     | 0          | damaged ceilings and walls  |
| Meybio  |  | School                |                | Aldo Pagagao Integrated School                                | 1                 |      |          | partially damaged     | 0          | minor cracks  |
| Nuing   |  | Government Facilities | Local          | Nuing Barangay Hall   | 1                 |      |          | partially damaged     | 0          | partially damaged   |
| Nuing   |  | Church                | Local          | Christian Faith International; Zion Church; Foursquare Church | 3                 |      |          | partially damaged     | 0          | partially damaged   |
| Nuing   |  | School                |                | Edna Guillermo Memorial National High School                  | 3                 |      |          | partially damaged     | 50,000     | partially damaged   |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |    | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                                 | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS  | COST(PHP) | REMARKS   |
|---|----|-----------------------|----------------|--|-------------------|------|----------|---|-----------|---|
| Patulang  |    | Church                | Local          | Faith Gospel Church; GKK San Pedro Calungsod   | 2                 |      |          | partially damaged   | 0         | partially damaged   |
| Quiapo  |    | Church                | Local          | Quiapo Alliance Church (CAMACOP)               | 1                 |      |          | partially damaged   | 0         | partially damaged   |
| Sugal   |    | Government Facilities | Local          | Barangay Evacuation Center                     | 1                 |      |          | partially damaged   | 0         | partially damaged   |
| Sugal   |    | Church                | Local          | Foursquare Church                              | 1                 |      |          | partially damaged   | 0         | partially damaged   |
| Sugal   |    | Church                | Local          | CAMACOP Church                                 | 1                 |      |          | partially damaged   | 0         | partially damaged   |
| Tanuman   |    | Government Structure  |                | Tanuman Barangay Hall                          | 1                 |      |          | partially damaged   | 0         | partially damaged   |
| Carahayan   |    | Bridges               | National       |  | 1                 |      |          |   | 0         | with cracks   |
| Tanuman   |    | Bridges               | National       |  | 1                 |      |          |   | 0         | with cracks   |
| Don Marcelino                                     | 26 |                       |                |  | 28                |      |          |   | 0         |   |
| Lawa  |    | Schools               | Local          | Kasidsid Child Development Center              | 1                 |      |          | Minor damages   | 0         | still safe to operate   |
| Lawa  |    | Schools               | Local          | Lawa, Fishing Village Child Development Center | 1                 |      |          | Minor damages   | 0         | still safe to operate   |
| Kinanga   |    | Government Facilities | Local          | Old Public Market                              | 1                 |      |          | Minor damages   | 0         | minor cracks  |
| Kinanga   |    | Health facilities     | Local          | RHU  | 1                 |      |          | Minor damages   | 0         | Collapsed Ceilings at MedTech and TB DOTS Rooms                           |
| Kinanga   |    | Private               | Local          | RAP Trading                                    | 1                 |      |          | Minor damages   | 0         | Collapsed ceiling and major cracks; advised for rehab - unsafe to operate |
| Kinanga   |    | Multi-Purpose Gym     |                | Benjamin Bautista Gymnasium                    | 1                 |      |          | Collapsed Ceilings at the Stage Area, Major Cracks in Walls, Damages at the Entrance Beam | 0         | Advised for Rehabilitation Unsafe to Operate                              |
| Talaguton   |    | Brgy. Hall            |                | Talaguton Brgy. Hall                           | 1                 |      |          | Hairline/ Minor Cracks  | 0         | Minor cracks  |
| Talaguton   |    | School                | National       | Don Marcelino Elem. School                     | 1                 |      |          | Minor Cracks  | 0         | SBM Room  |
| Baluntaya   |    | Brgy. Hall            |                | Baluntaya Brgy. Hall                           | 1                 |      |          | Hairline/ Minor Cracks  | 0         |   |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |    | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                              | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS                                       | COST(PHP) | REMARKS  |
|---|----|-----------------------|----------------|---|-------------------|------|----------|--|-----------|--|
| Baluntaya   |    | School                | National       | Baluntaya Elem.School                       | 1                 |      |          | Hairline/ Minor Cracks                       | 0         |  |
| Nueva Villa                                       |    | Barangay Hall         |                | Nueva Villa Barangay Hall                   | 1                 |      |          | minor cracks/hairline cracks                 | 0         |  |
| Nueva Villa                                       |    | School                | National       | Jose Villanueva Elem.School                 | 1                 |      |          | wall cracks, beam cracks and damage ceilings | 0         |  |
| Dalupan   |    | Barangay Hall         |                | Dalupan Brgy. Hall                          | 1                 |      |          | minor cracks/hairline cracks                 | 0         |  |
| Dalupan   |    | School                | National       | Ernesto Balindan Sumbo National High School | 1                 |      |          | minor cracks/hairline cracks                 | 0         |  |
| Dalupan   |    | School                | National       | Dalupan Elem. School                        | 1                 |      |          | damage of ceilings                           | 0         |  |
| Lanao   |    | Brgy. Hall            |                | Lanao Brgy. Hall                            | 1                 |      |          | minor cracks/hairline cracks                 | 0         |  |
| Lapuan  |    | Brgy. Health Station  |                | Lapuan Brgy. Health Station                 | 1                 |      |          | minor cracks in walls and ceilings           | 0         |  |
| Kinanga   |    | Government Facilities | Local          | Old Public Market                           | 1                 |      |          | partially damaged                            | 0         | Collapsed Ceilings and majot cracks, advise for rehabilitation and unsafe to operate |
| Kinanga   |    | Church                | Local          | CAMACOP Church                              | 1                 |      |          |  | 0         | Totally Damaged  |
| Kinanga   |    | Church                | Local          | JIL Church & San Lorenzo Ruiz Parish        | 2                 |      |          |  | 0         | Partially Damaged  |
| Kinanga   |    | Government Facilities | National       | PCG Sub-Station                             | 1                 |      |          |  | 0         | Hairline/Minor Cracks  |
| Calian  |    | Brgy. Hall            | Local          | Calian Brgy. Hall                           | 1                 |      |          | Totally Damaged                              | 0         |  |
| South Lamidan                                     |    | School                | National       | Fred Johnson Elementary School              | 2                 |      |          | Totally Damaged                              | 0         | 2 rooms of Grade 1   |
| South Lamidan                                     |    | School                | Local          | South Lamidan Day Care Center               | 1                 |      |          | Totally Damaged                              | 0         |  |
| South Lamidan                                     |    | Brgy. Health Station  | Local          | South Lamidan Brgy. Health Station          | 1                 |      |          | Partially Damaged                            | 0         | Cracked ceilings at the receiving area, advised for rehabilitation                   |
| Linadasan   |    | School                | National       | Antonio Doromal National Highschool         | 1                 |      |          | Totally Damaged                              | 0         | Grade 9 room   |
| Santa Maria                                       | 16 |                       |                |   | 17                |      |          |  | 0         |  |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |    | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                               | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS       | COST(PHP) | REMARKS   |
|---|----|-----------------------|----------------|--|-------------------|------|----------|--------------|-----------|---|
|   |    | Schools               | National       | Heracleo Casco memorial National High School | 1                 |      |          | major damage | 0         | with 4 totally damaged classrooms, 4 classrooms with major damage, 4 damaged toilets, 4 damaged hand-washing facilities |
| San Isidro  |    | School                | National       | Pedro Mariscal NHS                           | 1                 |      |          |              | 0         | Damaged flooring (bldg 4, room 6)   |
| Kidadan   |    | School                | National       | Kidadan Elem School                          | 1                 |      |          |              | 0         | Minor cracks  |
| Poblacion   |    | Schools               | National       | Jose Timbol Sr. Elem School                  | 1                 |      |          |              | 0         | Minor cracks  |
| Poblacion   |    | Government Facilities | Local          | LGU Motorpool                                | 1                 |      |          |              | 0         | Stock Room; wall severely damaged; not safe for occupancy   |
| Malalag Tubig                                     |    | School                | National       | Malalag Tubig Elem School                    | 1                 |      |          |              | 0         | Two Storey Bldg, Wall and ceiling severely damaged (recom for abandonment)  |
| Basiawan  |    | School                | Local          | Basiawan NHS (Old Gym)                       | 1                 |      |          |              | 0         | Ongoing repair  |
| Basiawan  |    | Government Facilities | Local          | Basiawan Brgy Hall                           | 1                 |      |          |              | 0         | Minor cracks  |
| Pongpong  |    | Government Facilities | Local          | Pongpong Brgy Hall                           | 1                 |      |          |              | 0         | Ruptured Tiles  |
| Daligasao   |    | Government Facilities | Local          | Datu Daligasao Brgy Hall                     | 1                 |      |          |              | 0         | Minor cracks on walls   |
| San Antonio                                       |    | Government Facilities | Local          | San Antonio Brgy Hall                        | 1                 |      |          |              | 0         | Ruptured Tiles and crack walls  |
| Tanglad   |    | School                | National       | Tanglad Elem School                          | 1                 |      |          |              | 0         | Minor cracks on walls   |
| Tanglad   |    | School                | National       | Colagsing Elem School                        | 1                 |      |          |              | 0         | 1 room with minor cracks  |
| Mamacao   |    | School                | National       | Mamacao Elem School                          | 1                 |      |          |              | 0         | 1 room with minor cracks  |
| San Juan  |    | Government Facilities | Local          | San Juan Brgy Hall                           | 1                 |      |          |              | 0         | Severely damaged (recom for abandonment)  |
| Cadaatan  |    | School                | National       | Cadaatan Elem School (Grade 3 & 5)           | 2                 |      |          |              | 0         | Wall severely damaged (recom for abandonment)   |
| Malita  | 15 |                       |                |  | 15                |      |          |              | 0         |   |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |  | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                                 | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP) | REMARKS   |
|---|--|-----------------------|----------------|--|-------------------|------|----------|--------|-----------|---|
| Poblacion   |  | Hospital              | Local          | Malita District Hospital                       | 1                 |      |          |        | 0         | Cracks on beams/columns, minor hairline cracks on plaster, damaged ceiling at hallway with high vulnerability to collapse, hairline cracks on walls |
| Poblacion   |  | Commercial Building   | Local          | Citistar                                       | 1                 |      |          |        | 0         | Minor cracks on wall observed, hairline cracks to beam and columns (plaster only)   |
| Poblacion   |  | Government Facilities | National       | Land Transportation Office                     | 1                 |      |          |        | 0         | Hairline cracks in walls and jambs normal, safe for occupancy   |
| Poblacion   |  | Government Facilities | Local          | Municipal Health Office                        | 1                 |      |          |        | 0         | Hairline/Minor Cracks, Floor tiles damaged/cracks, damaged ceiling at nurse station/office with vulnerability to collapse                           |
| Poblacion   |  | Commercial Building   | Local          | LBC Building                                   | 1                 |      |          |        | 0         | Severe cracks on walls (Ground Floor & Extension walls) with high vulnerability to collapse   |
| Poblacion   |  | Government Facilities | National       | Philippine Statistic Authority                 | 1                 |      |          |        | 0         | Observed minor/hairline cracks on beams, columns and ceiling  |
| Poblacion   |  | Government Facilities | Local          | Poblacion Brgy. Hall                           | 1                 |      |          |        | 0         | Minor/Hairline cracks are observed  |
| Poblacion   |  | Government Facilities | Local          | Barangay Isolation Unit, KALAHI CIDSS NCDDP AF | 1                 |      |          |        | 0         | Minor/Hairline cracks are observed  |
| Kidalapong  |  | School                | National       | Kidalapong Elementary School                   | 1                 |      |          |        | 0         | Severely damage to walls that cause to collapse, cracks on wall joints, jambs and surface notices   |
| Lacaron   |  | School                | National       | Lacaron National School                        | 1                 |      |          |        | 0         | Cracks on beams and columns with flacking on wall plaster   |



| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |          | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                         | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS  | COST(PHP) | REMARKS  |
|---|----------|-----------------------|----------------|--|-------------------|------|----------|---|-----------|--|
| Lacaron   |          | Hospital              | Local          | Davao Occidental General Hospital      | 1                 |      |          |   | 0         | Hairline/Minor cracks  |
| Fishing Village                                   |          | School                | National       | Fishing Village Comprehensive NHS      | 1                 |      |          |   | 0         | Severe wall cracks, deflected slab, exposed steel reinforced unsafe for any use or habitation  |
| Demoloc   |          | School                | National       | Demoloc Valley NHS                     | 1                 |      |          |   | 0         | Structurally dilapidated and not safe for occupancy, isolate the building for safety purposes, structure is subject for closure due to severe damage |
| Datu Danwata                                      |          | School                | Local          | Datu Danwata Brgy. Hall (New Building) | 1                 |      |          | partially damaged   | 0         | not fit for occupancy & considered unsafe until repaired, rectified, and retrofitted   |
| Datu Danwata                                      |          | School                | Local          | Datu Danwata ES                        | 1                 |      |          | partially damaged   | 0         | considered unsafe with major issues (deflected slab); subject for retrofitting   |
| <b>DAVAO CITY</b>                                 | <b>7</b> |                       |                |  | <b>8</b>          |      |          |   | <b>0</b>  |  |
| No breakdown                                      | 7        |                       |                |  | 8                 |      |          |   | 0         |  |
| Bucana  |          | Private               | Local          | Paragon Tower                          | 1                 |      |          | A crane arm collapsed from the ongoing construction of Paragon Tower. No casualties reported. | 0         | A crane arm collapsed from the ongoing construction of Paragon Tower. No casualties reported.  |
| Toril   |          | Government Facilities | Local          | Lingap Building                        | 1                 |      |          | Minor damages   | 0         | Minor damages  |
| Matina Crossing                                   |          | Government Facilities | Local          | Overpass                               | 1                 |      |          | Cordoned for pedestrian use-For further assessment to Davao CEO                               | 0         | Additional cracks observed   |
| Langub  |          | Schools               | National       | Public Elementary and High Schools     | 2                 |      |          | Minor damages   | 0         | minor cracks   |
| Maa   |          | Private               | Local          | Rosario Building                       | 1                 |      |          | Minor damages   | 0         | Minor Cracks in Walls and Ceilings   |
| Tagluno   |          | Government Facilities | Local          | Brgy. Hall                             | 1                 |      |          | Minor damages   | 0         | Minor cracks to walls  |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |    | TYPE                  | CLASSIFICATION | INFRASTRUCTURE              | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS                                | COST(PHP) | REMARKS  |
|---|----|-----------------------|----------------|-----------------------------|-------------------|------|----------|---------------------------------------|-----------|--|
| Ilang   |    | Bridges               | Local          | Bridge near Amparo Homes    | 1                 |      |          | For further assessment with Davao CEO | 0         | Observed cracks underneath portions.                         |
| <b>DAVAO DEL SUR</b>                              | 18 |                       |                |                             | 19                |      |          |                                       | 0         |  |
| Digos   | 15 |                       |                |                             | 15                |      |          |                                       | 0         |  |
| Zone 1  |    | Private               | Local          | Gaisano Grand Mall          | 1                 |      |          | Minor damages                         | 0         | cracks to walls  |
| Tres de Mayo                                      |    | Private               | Local          | G-Mall of Digos             | 1                 |      |          | Minor damages                         | 0         | minor cracks on concrete plasters; some parts are restricted |
| Zone 3  |    | Private               | Local          | Puregold Grocery            | 1                 |      |          |                                       | 0         | minor cracks on concrete plasters                            |
| Zone 3  |    | Government Facilities | Local          | Digos City Hall             | 1                 |      |          |                                       | 0         | minor cracks on concrete plasters                            |
| Zone 2  |    | School                | National       | Digos City NHS              | 1                 |      |          |                                       | 0         | minor cracks on concrete plasters                            |
| Zone 2  |    | Private               | Local          | Market Place Mall           | 1                 |      |          |                                       | 0         | minor cracks on concrete plasters; some parts are restricted |
| Zone 2  |    | Private               | Local          | Uni City Gen Merch          | 1                 |      |          |                                       | 0         | minor cracks on concrete plasters                            |
| Zone 1  |    | Private               | Local          | Big 8 Hotel                 | 1                 |      |          |                                       | 0         | minor cracks on concrete plasters                            |
| Zone 1  |    | Private               | Local          | Dominican Hospital          | 1                 |      |          |                                       | 0         | minor cracks on concrete plasters                            |
| Tres de Mayo                                      |    | Private               | Local          | MCDC Hospital               | 1                 |      |          |                                       | 0         | minor cracks on concrete plasters                            |
| Tres de Mayo                                      |    | Schools               | Local          | Pedro Basalan Elem School   | 1                 |      |          |                                       | 0         | minor cracks on concrete plasters                            |
| Cogon   |    | Private               | Local          | Citi Hardware               | 1                 |      |          |                                       | 0         | minor cracks on concrete plasters                            |
| Cogon   |    | Private               | Local          | DASURECO Cooperative        | 1                 |      |          |                                       | 0         | minor cracks on concrete plasters                            |
| San Jose  |    | Private               | Local          | Davao Central Warehouse     | 1                 |      |          |                                       | 0         | minor cracks on concrete plasters                            |
| Igpit   |    | Government Facilities |                | Davao Central Warehouse     | 1                 |      |          |                                       | 0         | Broken glass in the restroom area and clinic area            |
| Magsaysay   | 3  |                       |                |                             | 4                 |      |          |                                       | 0         |  |
|   |    | Schools               | National       | Public National High School | 2                 |      |          |                                       | 0         |  |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |          | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                       | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS                               | COST(PHP) | REMARKS  |
|---|----------|-----------------------|----------------|--------------------------------------|-------------------|------|----------|--------------------------------------|-----------|--|
|   |          | School                | National       | Barayong National High School        | 1                 |      |          |                                      | 0         | 5 buildings are unsafe; major cracks at walls; collapsed concrete gutters; partially collapsed ceilings' major cracks on beams and columns; partially collapsed partition walls; minor cracks on suspended slabs |
|   |          | School                | National       | Bala National High School            | 1                 |      |          |                                      | 0         | 2 buildings have major cracks on beams and columns; applied pressurized epoxy to previous cracks incurred during 2019 EQ; damages incurred on the 2019 EQ worsen and extremely hazardous to learners and mentors |
| <b>DAVAO DEL NORTE</b>                            | <b>3</b> |                       |                |                                      | <b>22</b>         |      |          |                                      | <b>0</b>  |  |
| Tagum   | 2        |                       |                |                                      | 21                |      |          |                                      | 0         |  |
| Libuganon   |          | Schools               | National       | Libuganon Integrated School          | 1                 |      |          | Minor damages                        | 0         | 1 classroom with minor damages   |
| Mankilam  |          | Government Facilities | Local          | Facilities inside Provincial Capitol | 20                |      |          | Minor damages                        | 0         | minor cracks - wall, floor, door, window, column, ceiling, bleacher seats  |
| Panabo City                                       | 1        |                       |                |                                      | 1                 |      |          |                                      | 0         |  |
|   |          | School                | National       | Davao del Norte State College        | 1                 |      |          | Minor damage                         | 0         | loose floor tile and walls <2 sq. m  |
| <b>DAVAO ORIENTAL</b>                             | <b>6</b> |                       |                |                                      | <b>6</b>          |      |          |                                      | <b>0</b>  |  |
| Lupon   | 1        |                       |                |                                      | 1                 |      |          |                                      | 0         |  |
| Ilangay   |          | School                | National       | National Comprehensive High School   | 1                 |      |          | Partially damaged classrooms (Major) | 0         | 4 toilets, 2 handwashing facility also damaged; 2 rooms for further assessment of DepEd Structural engineering   |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |            | TYPE    | CLASSIFICATION | INFRASTRUCTURE                | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS  | COST(PHP)               | REMARKS   |
|---|------------|---------|----------------|-------------------------------|-------------------|------|----------|---|-------------------------|---|
| San Isidro  | 2          |         |                |                               | 2                 |      |          |   | 0                       |   |
| Bitaoagan   |            | School  | National       | Bitaoagan National Highschool | 1                 |      |          | Partially damaged   | 0                       |   |
| Maag  |            | School  | Local          | Maag Elementary School        | 1                 |      |          | Partially damaged   | 0                       |   |
| Governor Generoso                                 | 1          |         |                |                               | 1                 |      |          |   | 0                       |   |
| Nangan  |            | School  | National       | Nangan National Highschool    | 1                 |      |          | 7 Partially damaged classrooms and 3 toilets                          | 0                       |   |
| Tarragona   | 1          |         |                |                               | 1                 |      |          |   | 0                       |   |
| Central   |            | School  | National       | Central National Highschool   | 1                 |      |          | Partially damaged classrooms  | 0                       |   |
| Boston  | 1          |         |                |                               | 1                 |      |          |   | 0                       |   |
| Poblacion   |            | School  | National       | Poblacion National Highschool | 1                 |      |          | Partially damaged classrooms (3 Major, 6 minor) and 2 damaged toilets | 0                       |   |
| <b>REGION 12</b>                                  | <b>351</b> |         |                |                               | <b>351</b>        |      |          |   | <b>1,366,271,456.87</b> |   |
| <b>SOUTH COTABATO</b>                             | <b>126</b> |         |                |                               | <b>126</b>        |      |          |   | <b>860,600,000</b>      |   |
| General Santos (Dadiangas)                        | 59         |         |                |                               | 59                |      |          |   | 806,100,000             |   |
|   |            | Private | Local          | Building                      | 1                 |      |          |   | 0                       | SM Mall Building Ceiling- After assessment mall supermarket opened 11/18/2023 -01:00PM          |
|   |            | Private | Local          | Building                      | 1                 |      |          |   | 0                       | Robinsons Mall collapsed ceiling - After assessment mall supermarket opened 11/18/2023 -11:00AM |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |  | TYPE                  | CLASSIFICATION | INFRASTRUCTURE | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP)   | REMARKS   |
|---|--|-----------------------|----------------|----------------|-------------------|------|----------|--------|-------------|---|
|   |  | Government Facilities | National       | Seaport        | 1                 |      |          |        | 518,100,000 | Makar Wharf -Major cracks at the Port Operations Building/ Minor cracks at Passenger terminal building, main gate, water tank - P100,000 Visible Movements on Construction Joints and depressed concrete pavement at newly constructed wharf - P518,000,000 |
|   |  | Private               | Local          | Building       | 1                 |      |          |        | 0           | Gaisano Mall - Minor damage. - After assessment mall resumed operation 11/18/2023 -09:00AM  |
|   |  | Private               | Local          | Building       | 1                 |      |          |        | 0           | KCC Mall - Minor damage. - After assessment mall opened 11/19/2023 -10:00AM   |
|   |  | Private               | Local          | Building       | 1                 |      |          |        | 0           | Veranza Mall - Minor damage. - After assessment mall opened selected number of stores 11/19/2023 -10:00AM   |
|   |  | Government Facilities | Local          | Building       | 1                 |      |          |        | 0           | Minor Damage - General Santos City Hall   |
|   |  | Government Facilities | Local          | Building       | 1                 |      |          |        | 0           | Minor Damage - General Santos City Legislative Bldg.  |
|   |  | Government Facilities | Local          | Building       | 1                 |      |          |        | 0           | Minor Damage - General Santos City City Agriculturist Bldg  |
|   |  | Government Facilities | Local          | Building       | 1                 |      |          |        | 0           | Minor Damage - General Santos City Public Market  |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |  | TYPE                  | CLASSIFICATION | INFRASTRUCTURE  | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP) | REMARKS  |
|---|--|-----------------------|----------------|-----------------|-------------------|------|----------|--------|-----------|--|
|   |  | Government Facilities | Local          | Building        | 1                 |      |          |        | 0         | Minor Damage - Local Registration Authority  |
|   |  | Government Facilities | Local          | Building        | 1                 |      |          |        | 0         | Unsafe - Concrete Water Reservoir in LGU Grounds   |
|   |  | Protection Dike       | Local          | Concrete Dike   | 1                 |      |          |        | 0         | Brgy Apopong, Concrete Protection Dike of Middke ring - portion of the dike damaged  |
|   |  | Schools               | Local          | School Building | 1                 |      |          |        | 0         | 2 Storey BLdg. of Buayan National High School, Brgy Buayan with damage - For further evaluation and repair. Repaired (re assessed by the DepEd engineers dated 11/28/2023)                                     |
|   |  | Schools               | Local          | School Building | 1                 |      |          |        | 0         | 4 Storey BLdg. of Dadiangas North National. High School, Dadiangas North with damage - For further evaluation and repair. 10 classrooms-Wall cracks 7.0m (re assessed by the DepEd Engineers dated 11/28/2023) |
|   |  | Schools               | Local          | School Building | 1                 |      |          |        | 0         | 2 Storey BLdg. of Baluan National High School, Brgy Baluan with damage - For further evaluation and repair. 2 classroom-Floor cracks-partially damaged (re assessed by the DepEd Engineers dated 11/28/2023)   |

| REGION   PROVINCE   CITY<br>/MUNICIPALITY   BARANGAY |  | TYPE    | CLASSIFICATION | INFRASTRUCTURE                     | NUMBER OF<br>DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP) | REMARKS  |
|--|--|---------|----------------|------------------------------------|----------------------|------|----------|--------|-----------|--|
|  |  | Schools | Local          | School Building                    | 1                    |      |          |        | 0         | 3 Storey Bldg. of Datu Dumangkal Elementary School, Brgy Tinagacan with damage - For further evaluation and repair . Partially damaged ceiling, minor cracks on walls (Inspected by DepEd Engineers) |
|  |  | Schools | Local          | New Society Central ES             | 1                    |      |          |        | 0         | Beam Plaster Cracks  |
|  |  | Schools | Local          | E.L. Valdomar National HS          | 1                    |      |          |        | 0         | Restricted 3 classrooms with detached/hanging ceilings along corridor. Repaired (re assessed by the DepEd Engineers dated 11/18/2023   |
|  |  | Schools | Local          | GSC Elementary School for the Arts | 1                    |      |          |        | 0         | Plaster detached, minor hairline cracked   |
|  |  | Schools | Local          | Banisil Central Elementary School  | 1                    |      |          |        | 0         | Sag on truss of 3 classrooms may cause falling hazard  |
|  |  | Schools | Local          | Irineo Santiago Elementary School  | 1                    |      |          |        | 0         | Plastered detached, minor cracks to old classrooms building. 4 Classrooms - plastered detached, minor cracks to old classrooms building (Inspected by DRRM Team).                                    |

| REGION   PROVINCE   CITY<br>/MUNICIPALITY   BARANGAY |  | TYPE    | CLASSIFICATION | INFRASTRUCTURE                            | NUMBER OF<br>DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP) | REMARKS   |
|--|--|---------|----------------|---|----------------------|------|----------|--------|-----------|---|
|  |  | Schools | Local          | Fatima Central<br>Elementary School       | 1                    |      |          |        | 0         | Minor damage on hardiflex ceiling along the hallway. 2 classrooms - minor damage on hardiflex ceiling along the hallway (Inspected by Division DRRM Team and City Engineering Office)   |
|  |  | Schools | Local          | Datu Andiam<br>Manza Nat'l High<br>School | 1                    |      |          |        | 5,000,000 | The 4th floor of the SHS Building has been designated as a restricted area, currently occupied by two computer laboratories. Additionally, the left-wing stair of the building is not advisable for use. (Inspected by the City Engineering Office, DPWH and Division DRRM Team). 3 classrooms - wall cracks 60.0 m, joint cracks between beam & wall at left side stair, and joint crack at Concrete Ramp (re assessed by the DepEd Engineers dated 11/28/2023). |
|  |  | Schools | Local          | Ignacio Solis Sr.<br>Elementary School    | 1                    |      |          |        | 0         | Restricted 1-KD classroom; with detached hardiflex ceiling panels. 2 Classrooms - safe for occupancy, minor damaged are already repaired (Inspected by School DRRM Team)  |
|  |  | Schools | Local          | Jose P. Laurel<br>Elementary School       | 1                    |      |          |        | 0         | Minor cracks on non-structural member   |



| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |  | TYPE    | CLASSIFICATION | INFRASTRUCTURE                   | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP) | REMARKS   |
|---|--|---------|----------------|----------------------------------|-------------------|------|----------|--------|-----------|---|
|   |  | Schools | Local          | Calumpang High School            | 1                 |      |          |        | 0         | Minor cracks on wall  |
|   |  | Schools | Local          | Labangal National High School    | 1                 |      |          |        | 0         | 4 story building restricted 17 Classroom affected and 3 laboratories facilities. 2 Classrooms with partially damaged wall cracks 7.0m (re assessed by the DepEd Engineers dated 11/28/2023)                         |
|   |  | Schools | Local          | Romana Acharon Central ES        | 1                 |      |          |        | 0         | Restricted 20 classrooms-4 storey PAGCOR building. PAGCOR building -Stair right side partially damaged inclined, wall cracked partially damaged comfort rooms (re assessed by the DepEd Engineers dated 11/28/2023) |
|   |  | Schools | Local          | Pedro Acharon Central ES         | 1                 |      |          |        | 0         | Masonry cracks, with plaster wall damaged, Column and rebar corroded. 4 classrooms - Wall cracks 20.0m & 10.0m, corrosion cracks at 3 columns (re assessed by the DepEd Engineers dated 11/28/2023)                 |
|   |  | Schools | Local          | Bula Central Elementary School   | 1                 |      |          |        | 0         | Masonry cracked, plaster detached, Rebar corroded   |
|   |  | Schools | Local          | Alagao National HS of GSC        | 1                 |      |          |        | 0         |   |
|   |  | Schools | Local          | GSCNSS of Arts and Trades        | 1                 |      |          |        | 0         |   |
|   |  | Schools | Local          | Dadiangas East Elementary School | 1                 |      |          |        | 0         |   |

| REGION   PROVINCE   CITY<br>/MUNICIPALITY   BARANGAY |  | TYPE              | CLASSIFICATION | INFRASTRUCTURE                                 | NUMBER OF<br>DAMAGED | UNIT | QUANTITY | STATUS            | COST(PHP)   | REMARKS  |
|--|--|-------------------|----------------|--|----------------------|------|----------|-------------------|-------------|--|
|  |  | Schools           | Local          | Jose R. Lansang<br>Elementary School           | 1                    |      |          |                   | 0           | 8 classrooms-<br>Cracks on finishing<br>of column at<br>Covered Court,<br>minor cracks on<br>ceiling, ceiling to<br>be rectified<br>between column 1<br>& column 2 2nd<br>Floor in front of<br>staircase, 2nd floor<br>stair case right<br>side (Inspected by<br>City Engineering<br>Office and Division<br>DRRM Team) |
|  |  | Bridges           | National       | B01041MN<br>Buayan Bridge<br>120 Ln. M.        | 1                    |      |          | Totally Damaged   | 150,000,000 | Settlement<br>occured on<br>Approach A of Old<br>Buayan Bridge<br>Shattered/Rupture<br>d Girder 1,2,3<br>spanning<br>abuttment A and<br>pier 1, girder 2<br>spanning pier 7<br>and abuttment B   |
|  |  | Bridges           | National       | B1022MN Makar<br>Bridge 1 44.5 Ln.<br>M.       | 1                    |      |          | Partially Damaged | 30,000,000  | Shattered Slab Chi<br>pping/delamination<br>of concrete,<br>exposed rebars at<br>bottom bridge<br>deck   |
|  |  | Bridges           | National       | B01885MN Lower<br>Apopong Bridge<br>120 Ln. M. | 1                    |      |          | Partially Damaged | 80,000,000  | Massive cracks at<br>girder and cracks<br>on deck slab   |
|  |  | Bridges           | National       | Silway River<br>Revetment 30 Ln.<br>M.         | 1                    |      |          | Partially Damaged | 10,000,000  | Damaged/Collaps<br>ed Revetment  |
|  |  | Evacuation Center | Local          | General Santos<br>City Evacuation<br>Site      | 1                    |      |          | Partially Damaged | 5,000,000   | Walls showing<br>signs of separation<br>from the structural<br>frames. Cracks on<br>walls. Detachment<br>of ceilings.  |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |  | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                        | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS            | COST(PHP) | REMARKS  |
|---|--|-----------------------|----------------|---------------------------------------|-------------------|------|----------|-------------------|-----------|--|
|   |  | Government Facilities | National       | General Santos City Fish Port Complex | 1                 |      |          | Partially Damaged | 8,000,000 | Chipping off the concrete cover, exposing the underlying structure. Exposed rebars. notable cracks were observed at the edge of the corbel carrying the truss. The parapet wall exhibits cracks, indicating a potential separation linked beam |
|   |  | Schools               | Local          | A. Biscayda Elementary School         | 1                 |      |          | Partially Damaged | 0         | Joint Crack between column & wall, hanging ceiling, wall crack (re assessed by the DepEd Engineers dated 11/28/2023)   |
|   |  | Schools               | Local          | E. Buscano Elementary School          | 1                 |      |          | Partially Damaged | 0         | 1 classroom-Joint crack between walls & hallway foundation, differential settlement of hallway foundation (re assessed by the DepEd Engineers dated 11/28/2023)  |
|   |  | Schools               | Local          | Balite Elementary School              | 1                 |      |          | Partially Damaged | 0         | Inclined Parapet walls (re assessed by the DepEd Engineers dated 11/28/2023)   |
|   |  | Schools               | Local          | New Society National High School      | 1                 |      |          | Partially Damaged | 0         | 14 classroom -Wall cracks 10.0m & 35.0m, Hanging Ceiling (re assessed by the DepEd Engineers dated 11/28/2023)   |
|   |  | Schools               | Local          | General Santos City Nat'l High School | 1                 |      |          | Partially Damaged | 0         | Wall cracks 15.0m (re assessed by the DepEd Engineers dated 11/28/2023)  |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |  | TYPE    | CLASSIFICATION | INFRASTRUCTURE                    | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS            | COST(PHP) | REMARKS  |
|---|--|---------|----------------|-----------------------------------|-------------------|------|----------|-------------------|-----------|--|
|   |  | Schools | Local          | Samboang Ngilay High School       | 1                 |      |          | Partially Damaged | 0         | 3 classrooms - Hanging Ceiling (re assessed by the DepEd Engineers dated 11/28/2023)   |
|   |  | Schools | Local          | Labangal Elementary School        | 1                 |      |          | Partially Damaged | 0         | 4 classrooms -For replacement: Cracks at walls, sagging of purlins, hanging of ceiling. It has been Forty (40) years since the structures was built (re assessed by the DepEd Engineers dated 11/28/2023)                          |
|   |  | Schools | Local          | Dadiangas North Elementary School | 1                 |      |          | Partially Damaged | 0         | 10 classrooms-For replacement: cracks at walls, sagging purlins, hanging of ceiling, wooden columns are deteriorated. It has been fifty years since the structures was built (re assessed by the DepEd Engineers dated 11/28/2023) |
|   |  | Schools | Local          | Mabuhay Elementary School         | 1                 |      |          | Partially Damaged | 0         | 1 classroom-The school is safe for Face to Face classes (Inspected by Division DRRM Team)  |
|   |  | Schools | Local          | Fatima National High School       | 1                 |      |          | Partially Damaged | 0         | 5 classrooms-Minor cracks on walls/plaster, ceiling matting (Inspected by Division DRRM Team)  |
|   |  | Schools | Local          | Banisil National High School      | 1                 |      |          | Partially Damaged | 0         | 4 classrooms-Safe for F2F Classes, Minor cracks on walling (Inspected by Division DRRM Team and City Engineering Office)   |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |    | TYPE    | CLASSIFICATION | INFRASTRUCTURE                            | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS            | COST(PHP)  | REMARKS  |
|---|----|---------|----------------|---|-------------------|------|----------|-------------------|------------|--|
|   |    | Schools | Local          | Arizala Elementary School                 | 1                 |      |          | Partially Damaged | 0          | 2 classrooms- Minor cracks on walls (Inspected by DRRM Teams)  |
|   |    | Schools | Local          | Udagri Elementary School                  | 1                 |      |          | Partially Damaged | 0          | 2 classrooms with minor cracks on walls and ceiling gaps. Visible cracks on stage columns (Inspected by Division DRRM Team)            |
|   |    | Schools | Local          | Pao Pao High School                       | 1                 |      |          | Partially Damaged | 0          | 2 classrooms- Minor cracks on beam near steel stairs, damage ceiling (Inspected by Division DRRM Team)                                 |
|   |    | Schools | Local          | Changco Elementary School                 | 1                 |      |          | Partially Damaged | 0          | 2 classrooms need minor repair on steel truss (re assessed by the DepEd Engineers dated 11/28/2023)                                    |
| Brgy. Apopong                                     |    | Schools | Local          | Lanton HS                                 | 1                 |      |          | Partially Damaged | 0          | Floor Crack, 3Sty6CL   |
| Brgy. Olympog                                     |    | Schools | Local          | Elias Buscano Sr. High School             | 1                 |      |          | Partially Damaged | 0          | Joint Crack between wall & hallway-major differential settlement of hallway foundation (re assessed by DepEd Engineers dated 11.28.23) |
| Brgy. Labangal                                    |    | Schools | Local          | Saavedra Saaway Central Elementary School | 1                 |      |          | Partially Damaged | 0          | 3 makeshift classrooms building partially damaged (re assessed by DepEd Engineers dated 11.28.23)                                      |
| Koronadal   | 21 |         |                |   | 21                |      |          |                   | 31,500,000 |  |
|   |    | Private | Local          | Church Building                           | 1                 |      |          |                   | 0          | Baptist Church Wall Extension  |
|   |    | Private | Local          | Building                                  | 1                 |      |          |                   | 0          | Citi Hardware minor damage   |
|   |    | Private | Local          | Building                                  | 1                 |      |          |                   | 0          | Villa Amor Hotel with minor damage   |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |  | TYPE                  | CLASSIFICATION | INFRASTRUCTURE | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP) | REMARKS  |
|---|--|-----------------------|----------------|----------------|-------------------|------|----------|--------|-----------|--|
|   |  | Private               | Local          | Building       | 1                 |      |          |        | 0         | Socomedics with cracks   |
|   |  | Government Facilities | Local          | Building       | 1                 |      |          |        | 0         | South Cotabato Provincial Hospital with minor damage   |
|   |  | Private               | Local          | Building       | 1                 |      |          |        | 0         | Mall of Ace Centerpoint -damaged floor concrete and tiles, collapsed ceilings and lightings , chipping of concrete wall plaster                        |
|   |  | Private               | Local          | Building       | 1                 |      |          |        | 0         | Maunlad General Merchandise - columns with penetrated cracks and chipping of concrete plaster wall   |
|   |  | Government Facilities | Local          | Building       | 1                 |      |          |        | 0         | BIR, RDO III - Admin / pantry column significantly crack,minor cracks on plastered wall at rear elevation of building and minorcracks on stairway wall |
|   |  | Government Facilities | Local          | Building       | 1                 |      |          |        | 0         | BIR, Regional Office 12 - minor cracks on concrete wall 2nd flor and cracks in wall and flooring of 3rd floor  |
|   |  | Health facilities     | Local          | Building       | 1                 |      |          |        | 0         | Allah Valley Medical Specialist Center Inc.- crack found in laboratory room; and column and beam of operating room                                     |
|   |  | Health facilities     | Local          | Building       | 1                 |      |          |        | 0         | Dr. Arturo P. Pingoy Hospital - Minor cracks on dry wall partitions and ramp wall; minor cracks in 2 column at 3rd floor                               |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |   | TYPE                  | CLASSIFICATION | INFRASTRUCTURE   | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS            | COST(PHP)  | REMARKS   |
|---|---|-----------------------|----------------|--|-------------------|------|----------|-------------------|------------|---|
|   |   | Schools               | Local          | Building   | 1                 |      |          |                   | 0          | St. Alexis College- minor cracks (hair line) at some offices  |
|   |   | Schools               | Local          | Building   | 1                 |      |          |                   | 0          | Green Valley Folundation College - Minor hairline cracks on wall  |
|   |   | Schools               | Local          | Building   | 1                 |      |          |                   | 0          | Dolore Peneza Montesori Academy - minor hailine cracks on walls   |
|   |   | Schools               | Local          | Building   | 1                 |      |          |                   | 0          | STI College - Minor hair line cracks on walls and penetrated cracks on penetrated joints  |
|   |   | Government Facilities | National       | Environment Management Bureau XII Building                         | 1                 |      |          | Partially Damaged | 500,000    | Cracks on walls, vertical cracks observed on columns  |
|   |   | Government Facilities | National       | NEDA Regional Office XII, Main Building                            | 1                 |      |          | Partially Damaged | 500,000    | Damaged ceilings, cracks on door header and walls   |
|   |   | Government Facilities | National       | DOJ Regional Prosecution Office XII Building                       | 1                 |      |          | Partially Damaged | 500,000    | Cracks on walls and finishing of beams  |
|   |   | Government Facilities | National       | Department of Agriculture Region XII Building                      | 1                 |      |          | Partially Damaged | 10,000,000 | Six (6) inch depth chip off cracks on columns   |
|   |   | Government Facilities | National       | Commission on Human Rights, Regional Office XII                    | 1                 |      |          | Partially Damaged | 10,000,000 | Cracks on beams, minor cracks on walls, windows and doors.  |
|   |   | Government Facilities | Local          | Provincial Environment and Natural Resources Office Koronadal City | 1                 |      |          | Partially Damaged | 10,000,000 | Major cracks on slabs (portruding RSB), vertical cracks on beams, back-to-back wall cracks, corner cracks on windows, doors and walls |
| Tupi  | 7 |                       |                |  | 7                 |      |          |                   | 0          |   |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |    | TYPE                  | CLASSIFICATION | INFRASTRUCTURE               | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS            | COST(PHP)  | REMARKS  |
|---|----|-----------------------|----------------|------------------------------|-------------------|------|----------|-------------------|------------|--|
|   |    | Private               | Local          | Church building              | 1                 |      |          |                   | 0          | SDA Church - Portion of concrete wall damaged  |
|   |    | Schools               | Local          | Classroom                    | 1                 |      |          |                   | 0          | 2 rooms have cracks in the portion of concrete wall Acmonan ES   |
|   |    | Schools               | Local          | Classroom                    | 1                 |      |          |                   | 0          | Cracks in the portion of concrete wall Polonuling CES  |
|   |    | Government Facilities | Local          | Building                     | 1                 |      |          |                   | 0          | Cracks in the portion of building stairs and building walls of a Public Market Terminal and Market Supervisor Building |
|   |    | Schools               | Local          | Tupi National High School    | 1                 |      |          |                   | 0          | 15 Minor Damages   |
|   |    | Schools               | Local          | Acamonan ES-Kapok Extension  | 1                 |      |          |                   | 0          | Tension cracks in the surrounding of schools and landslide beside the portion of building                              |
|   |    | Schools               | Local          | Cebuano National High School | 1                 |      |          | Partially damaged | 0          | damaged on ceilings and cracks on walls, for further structural investigation of DPWH                                  |
| Polomolok   | 12 |                       |                |                              | 12                |      |          |                   | 20,000,000 |  |
|   |    | Private Schools       | Local          | NDDU Building                | 1                 |      |          |                   | 0          | Notre Dame of Dadiangas University Building Partially damaged  |
|   |    | Private Schools       | Local          | Mt. Matutum Christian School | 1                 |      |          |                   | 0          | Mt. Matutum Christian School   |
|   |    | Private Schools       | Local          | Catholic School              | 1                 |      |          |                   | 0          | Catholic School Partially damaged  |
|   |    | Private               | Local          | Church Building              | 1                 |      |          |                   | 0          | Alliance Church Building Partially damaged   |
|   |    | Private               | Local          | Church Building              | 1                 |      |          |                   | 0          | Seventh Day Adventist Church Partially damaged   |



| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |   | TYPE    | CLASSIFICATION | INFRASTRUCTURE                     | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS            | COST(PHP)  | REMARKS   |
|---|---|---------|----------------|------------------------------------|-------------------|------|----------|-------------------|------------|---|
|   |   | Schools | Local          | Silway-8 National High School      | 1                 |      |          |                   | 0          | 5 Minor Damage  |
|   |   | Schools | Local          | Polomolok National High School     | 1                 |      |          |                   | 10,000,000 | 'cracks at 1st floor 3rd room at beam of 4 storey 20CL 3 Minor Damage, 2 Major Damaged' |
|   |   | Schools | Local          | Eugenio L. Ranada ES               | 1                 |      |          |                   | 10,000,000 | Hairline Cracks on Beam   |
| Brgy. Upper Klinan                                |   | Schools | Local          | Upper Klinan NHS                   | 1                 |      |          | Partially damaged | 0          | Damage ceiling of SH workshop and 45 meters fence                                       |
| Brgy. Landan                                      |   | Schools | Local          | Landan National High School        | 1                 |      |          | Partially damaged | 0          | Replacement of 2CL further structural investigation of DPWH                             |
| Brgy. Landan                                      |   | Schools | Local          | Landan Elementary School           | 1                 |      |          | Partially damaged | 0          | Damage roofing of 1 CL, damage beams for 1 CL   |
| Brgy. Polo  |   | Schools | Local          | Polo Integrated School             | 1                 |      |          | Partially damaged | 0          | Replacement of old building   |
| Tampakan  | 4 |         |                |                                    | 4                 |      |          |                   | 0          |   |
|   |   | Private | Local          | Building                           | 1                 |      |          |                   | 0          | Collado Funeral Home  |
|   |   | Schools | Local          | Lampitak Elementary School         | 1                 |      |          |                   | 0          | 4 Major Damaged   |
|   |   | Schools | Local          | Cariaga-Mercado Elementary School  | 1                 |      |          |                   | 0          | 3 Minor Damaged, 4 Major Damaged  |
|   |   | Schools | Local          | Tampakan Central Elementary School | 1                 |      |          |                   | 0          | 4 Major Damaged   |
| Surallah  | 6 |         |                |                                    | 6                 |      |          |                   | 1,500,000  |   |
|   |   | Private | Local          | Building                           | 1                 |      |          |                   | 0          | ShirtShop Shoooping Center cracks on beams and walls                                    |
|   |   | Private | Local          | Building                           | 1                 |      |          |                   | 0          | Matinong Building cracks on beams and walls   |
|   |   | Private | Local          | Building                           | 1                 |      |          |                   | 0          | Friendly Mart Surallah cracks on beams and walls  |
|   |   | Private | Local          | Building                           | 1                 |      |          |                   | 0          | CAMSUR General Merchandise damaged ceilings   |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |   | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS            | COST(PHP) | REMARKS  |
|---|---|-----------------------|----------------|-------------------------------|-------------------|------|----------|-------------------|-----------|--|
|   |   | Schools               | Local          | Shri-Visaya Elementary School | 1                 |      |          |                   | 0         |  |
|   |   | Schools               | Local          | Colongulo Elementary School   | 1                 |      |          | Partially Damaged | 1,500,000 |  |
| Banga   | 7 |                       |                |                               | 7                 |      |          |                   | 0         |  |
|   |   | Government Facilities | Local          | Building                      | 1                 |      |          |                   | 0         | Corrosion on roofing, deatched & leaking flashing/gutter, warping on portion of ceilings of Banga Municipal Hall Building  |
|   |   | Schools               | Local          | Building                      | 1                 |      |          |                   | 0         | 'SAN VICENTE NATIONAL HIGH SCHOOL<br><br>Vertical/Horizontal cracks on interior & exterior of walls, diagonal cracks on window & door openings<br>Minimal cracks/ fissures on concrete flooring/ground due to settlements'                                   |
|   |   | Schools               | Local          | Building                      | 1                 |      |          |                   | 0         | 'LIWANAY ELEMENTARY SCHOOL<br>Diagonal Cracks on walls (Door & window opening)<br>- Hairline cracks(Vertically & horizontally) on interior and exterior walls<br>-Leakage on plumbing lines & fixtures<br>Separation between wide flange columns & CHB walls |
|   |   | Schools               | Local          | Building                      | 1                 |      |          |                   | 0         | 'EL-NONOK INTEGRATED SCHOOL<br>-Minimal Cracks/ Fissures on ceiling boards'  |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |   | TYPE    | CLASSIFICATION | INFRASTRUCTURE                 | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP) | REMARKS  |
|---|---|---------|----------------|--------------------------------|-------------------|------|----------|--------|-----------|--|
|   |   | Schools | Local          | Building                       | 1                 |      |          |        | 0         | 'RANG-AY INTEGRATED SCHOOL 9 CLASSROOM BUILDING (IDENTICAL BUILDING)<br><br>Diagonal cracks on walls (Doors & window opening)<br>- Hairline cracks (vertically and horizontally) on interior walls<br>-Vertical & Horizontal cracks on exterior & interior face of wallings<br>- Diagonal cracks on door & window openings<br>- Minimal separation on CHB walls from columns & beams due to displacement<br>- Spalling of reinforcing bars on some parts of walls & columns.<br>- Warping on ceiling<br>- Fissures on concrete flooring' |
|   |   | Schools | Local          | Cinco Integrated School        | 1                 |      |          |        | 0         |  |
|   |   | Schools | Local          | Lambukay Integrated School     | 1                 |      |          |        | 0         |  |
| TBoli   | 1 |         |                |                                | 1                 |      |          |        | 0         |  |
|   |   | Schools | Local          | New Dumangas Elementary School | 1                 |      |          |        | 0         | 9 Major Damaged  |
| Lake Sebu   | 5 |         |                |                                | 5                 |      |          |        | 0         |  |
|   |   | Schools | Local          | Diente Integrated School       | 1                 |      |          |        | 0         | 2 Minor damage   |
|   |   | Schools | Local          | Talisay Integrated School      | 1                 |      |          |        | 0         | 4 Minor damage   |
|   |   | Schools | Local          | Odos Ankoy IS                  | 1                 |      |          |        | 0         | 2 Minor damage, Cracks on beam and column  |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |            | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                      | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS            | COST(PHP)             | REMARKS  |
|---|------------|-----------------------|----------------|-------------------------------------|-------------------|------|----------|-------------------|-----------------------|--|
|   |            | Schools               | Local          | Lake Sebu Central Elementary School | 1                 |      |          | Partially damaged | 0                     | major repair of old building   |
|   |            | Schools               | Local          | Demamis Integrated School           | 1                 |      |          | Partially damaged | 0                     | 2 major damage inspected by municipal engineer   |
| Norala  | 1          |                       |                |                                     | 1                 |      |          |                   | 0                     |  |
|   |            | Schools               | Local          | Lopez Jaena Elem. School            | 1                 |      |          |                   | 0                     | 5 Minor Damaged  |
| Tantangan   | 3          |                       |                |                                     | 3                 |      |          |                   | 1,500,000             |  |
|   |            | Schools               | National       | Dumadalig Integrated School         | 1                 |      |          | Partially Damaged | 1,500,000             | Cracks on walls, columns and damaged flooring  |
|   |            | Schools               | Local          | Magon Elementary School             | 1                 |      |          |                   | 0                     | 2 Minor Damage, 4 Damaged  |
|   |            | Schools               | Local          | Bukay Pait Elementary School        | 1                 |      |          |                   | 0                     | 6 Major Damaged  |
| <b>SARANGANI</b>                                  | <b>222</b> |                       |                |                                     | <b>222</b>        |      |          |                   | <b>504,171,456.87</b> |  |
| Alabel  | 56         |                       |                |                                     | 56                |      |          |                   | 0                     |  |
|   |            | Government Facilities | Local          | Water tank                          | 1                 |      |          |                   | 0                     | Collapsed water tank   |
|   |            | Government Facilities | Local          | Waiting Shed                        | 1                 |      |          |                   | 0                     | Brgy Alegria   |
|   |            | Government Facilities | Local          | Alabel SB Building                  | 1                 |      |          |                   | 0                     | 'In ground floor hairline cracks in concrete walls, columns / 2nd floor hairline cracks on concrete walls (on-going construction)' |
|   |            | Schools               | Local          | Kibac Integrated School             | 1                 |      |          |                   | 0                     | 7 Buildings, minimal hairline cracks ( Kinder, Grade 1-6 buildings)  |
|   |            | Schools               | Local          | New Canaan Integrated School        | 1                 |      |          |                   | 0                     | 4 buildings (Brgy. New Canaan)   |
|   |            | Schools               | Local          | Pag-asa Integrated School           | 1                 |      |          |                   | 0                     | 9 buildings, minimal hairline cracks (Grade 1-9)   |
|   |            | Schools               | Local          | Paco Primary School                 | 1                 |      |          |                   | 0                     | Brgy. Pag-Asa (1 building)   |
|   |            | Schools               | Local          | Sofan Integrated School             | 1                 |      |          |                   | 0                     | Brgy. Pag-Asa (1 building)   |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |  | TYPE    | CLASSIFICATION | INFRASTRUCTURE                   | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP) | REMARKS   |
|---|--|---------|----------------|----------------------------------|-------------------|------|----------|--------|-----------|---|
|   |  | Schools | Local          | Alabel Central Integrated School | 1                 |      |          |        | 0         | 10 buildings -Alabel Sarangani Province   |
|   |  | Schools | Local          | Alegria Elem School              | 1                 |      |          |        | 0         | Brgy. Alegria (11 buildings)  |
|   |  | Schools | Local          | Datal Anggas Integrated School   | 1                 |      |          |        | 0         | Brgy. Datal Anggas (7 buildings)  |
|   |  | Schools | Local          | Pait Integrated School           | 1                 |      |          |        | 0         | Brgy. Alegria (2 buildings)   |
|   |  | Schools | Local          | Tagaytay Integrated School       | 1                 |      |          |        | 0         | Brgy. Datal Anggas (2 buildings)  |
|   |  | Schools | Local          | Takligo Day Care Center          | 1                 |      |          |        | 0         | Brgy. Datal Anggas (separation of the CHB, partial collapse on the portion of the CHB wall in the DCC comfort room) |
|   |  | Schools | Local          | Glamang Integrated School        | 1                 |      |          |        | 0         | Brgy. Datal Anggas (2 buildings)  |
|   |  | Schools | Local          | Kawas Elem School                | 1                 |      |          |        | 0         | Brgy. Kawas (14 buildings)  |
|   |  | Schools | Local          | Kawas National High School       | 1                 |      |          |        | 0         | Brgy. Kawas (6 buildings)   |
|   |  | Schools | Local          | Ladol Elem School                | 1                 |      |          |        | 0         | Brgy. Ladol (6 buildings)   |
|   |  | Schools | Local          | Francisco t. Laiz Elem School    | 1                 |      |          |        | 0         | Brgy. Maribulan (6 building)  |
|   |  | Schools | Local          | Nop Elem School                  | 1                 |      |          |        | 0         | Brgy. Spring (5 buildings)  |
|   |  | Schools | Local          | Pongoleel Elem School            | 1                 |      |          |        | 0         | Brgy. Alegria (2 buildings)   |
|   |  | Schools | Local          | Salimama Integrated School       | 1                 |      |          |        | 0         | Brgy. Datal Anggas (4 buildings)  |
|   |  | Schools | Local          | Spring Integrated School         | 1                 |      |          |        | 0         | Brgy. Spring (4 buildings)  |
|   |  | Schools | Local          | Tokawal Elem School              | 1                 |      |          |        | 0         | Brgy. Tokawal (10 buildings)  |
|   |  | Schools | Local          | Tokawal National HS              | 1                 |      |          |        | 0         | Brgy. Tokawal (9 buildings)   |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |  | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                                | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP) | REMARKS  |
|---|--|-----------------------|----------------|---|-------------------|------|----------|--------|-----------|--|
|   |  | Schools               | Local          | Upper Alabel Elem School                      | 1                 |      |          |        | 0         | Brgy. Poblacion (9 buildings)  |
|   |  | Schools               | Local          | Vicente Fuentes Elem School                   | 1                 |      |          |        | 0         | Brgy. Bagacay (2 buildings)  |
|   |  | Schools               | Local          | Banlibato Integrated School                   | 1                 |      |          |        | 0         | Brgy. Pag-Asa (1 building)   |
|   |  | Schools               | Local          | Dacera Integrated School                      | 1                 |      |          |        | 0         | Brgy. Domolok (11 building)  |
|   |  | Schools               | Local          | Famorcan Elem School                          | 1                 |      |          |        | 0         | Brgy. Pag-asa (13 buildings)   |
|   |  | Schools               | Local          | Kiangkos Integrated School                    | 1                 |      |          |        | 0         | Brgy. Pag-asa (5 buildings)  |
|   |  | Schools               | Local          | Paraiso Integrated School                     | 1                 |      |          |        | 0         | Brgy. Paraiso (8 buildings)  |
|   |  | Government Facilities | Local          | Municipal health Office                       | 1                 |      |          |        | 0         | Brgy. Datal Anggas (Datal Anggas Birthing Home Pantry)                                   |
|   |  | Government Facilities | National       | PNP Alabel Building                           | 1                 |      |          |        | 0         | Brgy. Poblacion (wall cracks)  |
|   |  | Government Facilities | National       | TESDA Provincial Office Sarangani             | 1                 |      |          |        | 0         | Brgy. Spring (cracks on main office and comfort room)                                    |
|   |  | Private School        | Local          | Alabel Alliance School Inc.                   | 1                 |      |          |        | 0         | Brgy. Poblacion (separation gap on walls, 3 buildings)                                   |
|   |  | Schools               | Local          | Alabel National Science High School           | 1                 |      |          |        | 0         | Hairline cracks (8 rooms)  |
|   |  | Private School        | Local          | ANTS Academy of the South Inc.                | 1                 |      |          |        | 0         | Diagonal Cracks  |
|   |  | Private School        | Local          | Sarangani Adventist Academy for the Arts Inc. | 1                 |      |          |        | 0         | Hairline cracks (7 rooms)  |
|   |  | Private               | Local          | Alaba Building                                | 1                 |      |          |        | 0         | Leased offices   |
|   |  | Private               | Local          | East Star Enterprises                         | 1                 |      |          |        | 0         | Partial collapse of wall, on going repair (MYC stall, Davao A+ credit corp, DOLE Office) |
|   |  | Private               | Local          | VL Alolor Real Estate Lessor Building         | 1                 |      |          |        | 0         | Hairline cracks (Dunkin Donuts Office, MBE Driving Academy)                              |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |    | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                                      | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS            | COST(PHP) | REMARKS  |
|---|----|-----------------------|----------------|---|-------------------|------|----------|-------------------|-----------|--|
|   |    | Government Facilities | Local          | Alabel District Jail                                | 1                 |      |          |                   | 0         | Hairline cracks  |
|   |    | Private               | Local          | CLT building  | 1                 |      |          |                   | 0         | Hairline cracks (PAG-IBIG Office)  |
|   |    | Government Facilities | Local          | Landbank Alabel                                     | 1                 |      |          |                   | 0         | vertical cracks  |
|   |    | Government Facilities | Local          | New Alegria Brgy. Hall                              | 1                 |      |          |                   | 0         | crack walls along window   |
|   |    | Government Facilities | Local          | Datal Anggas Brgy. Hall                             | 1                 |      |          |                   | 0         | crack walls along stage area   |
|   |    | Private               | Local          | JWT Building  | 1                 |      |          |                   | 0         | Hairline cracks (Malaya Office)  |
|   |    | Private               | Local          | CAM Building  | 1                 |      |          |                   | 0         | hairline cracks  |
|   |    | Schools               | Local          | Alegria NHS   | 1                 |      |          |                   | 0         | Brgy. Alegria (17 buildings)   |
|   |    | Schools               | Local          | Building  | 1                 |      |          |                   | 0         | Alabel National High School -Minor Damages (24 buildings)  |
|   |    | Schools               | Local          | Saliluk L. Macantol Elementary School               | 1                 |      |          |                   | 0         | 2 Minor Damages  |
|   |    | Schools               | Local          | Upper Domolok Elementary School                     | 1                 |      |          |                   | 0         | 3 Minor Damages  |
|   |    | Schools               | Local          | Likon Elementary School                             | 1                 |      |          |                   | 0         | 2 Minor Damages  |
|   |    | Schools               | Local          | Datal Conde Elementary School                       | 1                 |      |          |                   | 0         | 1 Minor Damage   |
|   |    | Government Facilities | National       | Provincial Environment and Natural Resources Office | 1                 |      |          | Partially Damaged | 0         | Existing cracks on wall were observed to have expanded and diagonal cracks on opening of doors and windows |
| Malapatan   | 49 |                       |                |   | 49                |      |          |                   | 3,500,000 |  |
|   |    | Government Facilities | Local          | Fish landing  | 1                 |      |          |                   | 0         | Brgy. Poblacion (on going assessment)  |
|   |    | Schools               | Local          | Lun Padidu Central ES                               | 1                 |      |          |                   | 0         | Concrete Perimeter fence   |
|   |    | Government Facilities | Local          | Building  | 1                 |      |          |                   | 0         | Old structure public market (Lun Masla)  |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |  | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                        | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP) | REMARKS   |
|---|--|-----------------------|----------------|---------------------------------------|-------------------|------|----------|--------|-----------|---|
|   |  | Private               | Local          | Church building                       | 1                 |      |          |        | 0         | Partially damaged (Faith Gospel Church)   |
|   |  | Schools               | Local          | Malapatan NHS                         | 1                 |      |          |        | 0         | Parapet damage, ceiling of senior high building (Temporarily closed the buildings until clearing is done)   |
|   |  | Government Facilities | Local          | SB Building                           | 1                 |      |          |        | 0         | Inground floor and 2nd floor hairline cracks in concrete walls, columns   |
|   |  | Schools               | Local          | Amado Quirit NHS                      | 1                 |      |          |        | 0         | Parapet damage  |
|   |  | Schools               | Local          | Datu Pangolima IS                     | 1                 |      |          |        | 0         | '(Reconstruction of concrete fence, subject for demolition per Engineering advice)"Damaged of concrete fence (6 span)/ School covered court tilted" -2 structures were damaged' |
|   |  | Schools               | Local          | Lun Padidu NHS                        | 1                 |      |          |        | 0         | Hairline cracks in senior high school building  |
|   |  | Bridges               | Local          | Sapu Masla Concrete Bridge            | 1                 |      |          |        | 0         | Cracks on the edges of the bridge and damage on 10 meters concrete pavement of road   |
|   |  | Bridges               | National       | B01046MN Lun Padidu Bridge 30.15 Ln.M | 1                 |      |          |        | 2,000,000 | Minor Bridge Damaged (Cracks on Bridge Abutment) Brgy. Lun Padidu, MALAPATAN, Sarangani   |
|   |  | Schools               | Local          | Pitak elementary School               | 1                 |      |          |        | 0         | Brgy. Daan Suyan  |
|   |  | Schools               | Local          | Niyas P. Mental IP School             | 1                 |      |          |        | 0         | Brgy. Daan Suyan  |
|   |  | Schools               | Local          | Kinam Elem School (Covered Court)     | 1                 |      |          |        | 0         | Brgy. Kinam   |



| REGION   PROVINCE   CITY<br>/MUNICIPALITY   BARANGAY |  | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                        | NUMBER OF<br>DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP) | REMARKS                                 |
|--|--|-----------------------|----------------|---------------------------------------|----------------------|------|----------|--------|-----------|---|
|  |  | Schools               | Local          | Mama Nawa Elem School                 | 1                    |      |          |        | 0         | Brgy. Sapu Masla                        |
|  |  | Schools               | Local          | Alyeng IP School                      | 1                    |      |          |        | 0         | Brgy. Sapu Padidu                       |
|  |  | Schools               | Local          | Tuyan Integrated School               | 1                    |      |          |        | 0         | Brgy. Tuyan<br>(Makeshift Building)     |
|  |  | Schools               | Local          | Millona Upper Suyan Integrated School | 1                    |      |          |        | 0         | Brgy. Upper Suyan                       |
|  |  | Schools               | Local          | Kiahe Integrated School               | 1                    |      |          |        | 0         | Brgy. Kinam                             |
|  |  | Schools               | Local          | Daan Suyan Integrated School          | 1                    |      |          |        | 0         | Brgy. Daan Suyan                        |
|  |  | Government Facilities | Local          | Brgy. Hall                            | 1                    |      |          |        | 0         | Brgy. Kinam                             |
|  |  | Government Facilities | Local          | Brgy. Covered Court                   | 1                    |      |          |        | 0         | Brgy. Kinam                             |
|  |  | Government Facilities | Local          | Kinam Day Care Center                 | 1                    |      |          |        | 0         | Brgy. Kinam                             |
|  |  | Government Facilities | Local          | Brgy. Hall                            | 1                    |      |          |        | 0         | Brgy. Patag                             |
|  |  | Government Facilities | Local          | Brgy. Health Center                   | 1                    |      |          |        | 0         | Brgy. Patag                             |
|  |  | Government Facilities | Local          | Sea wall                              | 1                    |      |          |        | 0         | Brgy. Sapu Masla                        |
|  |  | Government Facilities | Local          | Brgy. Hall                            | 1                    |      |          |        | 0         | Brgy. Upper Suyan                       |
|  |  | Government Facilities | Local          | River Control                         | 1                    |      |          |        | 0         | Brgy. Sapu Masla                        |
|  |  | Government Facilities | Local          | Brgy. Hall                            | 1                    |      |          |        | 0         | Poblacion                               |
|  |  | Government Facilities | Local          | Daan Suyan Day Care Center            | 1                    |      |          |        | 0         | partially damaged<br>(Brgy. Daan Suyan) |
|  |  | Private               | Local          | Apostolic Church                      | 1                    |      |          |        | 0         | Brgy. Daan Suyan                        |
|  |  | Private               | Local          | Pattern SBC                           | 1                    |      |          |        | 0         | Brgy. Daan Suyan                        |
|  |  | Private               | Local          | Mosque                                | 1                    |      |          |        | 0         | Brgy. Sapu Masla                        |
|  |  | Private               | Local          | Mosque                                | 1                    |      |          |        | 0         | Brgy. Sapu Padidu                       |
|  |  | Private               | Local          | Balungis Weaving Center               | 1                    |      |          |        | 0         | Brgy. Tuyan                             |
|  |  | Private               | Local          | Dike (Western Seas Dev. Corp)         | 1                    |      |          |        | 0         | Brgy. Tuyan                             |
|  |  | Private               | Local          | UCCP Church                           | 1                    |      |          |        | 0         | Brgy. Upper Suyan                       |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |    | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                        | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP)      | REMARKS   |
|---|----|-----------------------|----------------|---------------------------------------|-------------------|------|----------|--------|----------------|---|
|   |    | Private               | Local          | Mosque                                | 1                 |      |          |        | 0              | Brgy. Tuyan   |
|   |    | Roads                 | Local          | K1680+0600 to K1680+0650              | 1                 |      |          |        | 1,500,000      | 211.05 sq.m Road Depression (Raptured Pavement) Brgy. Sapu Padidu, MALAPATAN, Sarangani |
|   |    | Schools               | Local          | Aspang Elementary School              | 1                 |      |          |        | 0              | 3 Minor Damages   |
|   |    | Schools               | Local          | LIBI INTEGRATED SCHOOL                | 1                 |      |          |        | 0              | 2 Minor Damages   |
|   |    | Schools               | Local          | Malapatan Central Elementary School   | 1                 |      |          |        | 0              | 3 Minor Damages   |
|   |    | Schools               | Local          | NAIDAS T. OPONG ELEMNTARY SCHOOL      | 1                 |      |          |        | 0              | 11 Minor Damages  |
|   |    | Schools               | Local          | H. DIAMALOD EBRAHIM ELEMENTARY SCHOOL | 1                 |      |          |        | 0              | 1 Minor Damage, 1 Major Damage  |
|   |    | Schools               | Local          | Kinam National High School            | 1                 |      |          |        | 0              | 3 Minor Damages, 4 Major Damages  |
|   |    | Schools               | Local          | Calay IP School                       | 1                 |      |          |        | 0              | 4 Minor Damages   |
|   |    | Schools               | Local          | Lasang Elementary School              | 1                 |      |          |        | 0              |   |
|   |    | Schools               | Local          | LABA C. MAGUAN IP SCHOOL              | 1                 |      |          |        | 0              |   |
|   |    | Schools               | Local          | RANCHO ELEMENTARY SCHOOL              | 1                 |      |          |        | 0              |   |
| Glan  | 61 |                       |                |                                       | 61                |      |          |        | 492,501,351.73 |   |
|   |    | Government Facilities | Local          | Municipal hall                        | 1                 |      |          |        | 40,000,000     | Damaged CHB Wall Partition, Cracks on Columns and Beams, Chipping/delamination on Floor |
|   |    | Government Facilities | Local          | Multi purpose building                | 1                 |      |          |        | 0              | collapsed   |
|   |    | Government Facilities | Local          | Municipal Gym                         | 1                 |      |          |        | 0              | damaged   |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |  | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                                  | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS            | COST(PHP)   | REMARKS  |
|---|--|-----------------------|----------------|---|-------------------|------|----------|-------------------|-------------|--|
|   |  | Government Facilities | Local          | Port  | 1                 |      |          |                   | 230,650,000 | Shattered/collapse slab, Damaged CHB Wall Partition, Cracks on Columns and Beams, Chipping/delamination on Floor<br>Damaged Causeway Pavement P8,400,000<br>Damaged Passenger Terminal Bldg. P6,250,000<br>Damaged Roro Ramp and Landing P31,680,000<br>Damaged Wharf -Calibrations 000-030 (elevated wharf) P90,000,000<br>-Calibrations 031-090 (totally Collapsed) P90,000,000<br>Maneuvering Area P4,320,000 |
|   |  | Government Facilities | Local          | Evacuation center                               | 1                 |      |          |                   | 0           | Partially damaged - subject for further assessment   |
|   |  | Government Facilities | National       | K1682-0150 to K1682+0170                        | 1                 |      |          | Partially Damaged | 50,000,000  | '50.0 Ln.M Rock Fall- Brgy. Sapu Padidu, Brgy. Kapatan, GLAN, Sarangani'   |
|   |  | Bridges               | National       | B01053MN - Aquino/Glan Padidu Bridge 30.15 Ln.M | 1                 |      |          |                   | 2,000,000   | Minor Bridge Damaged (Cracks on Bridge Abutment)Brgy. Glan Padidu, GLAN, Sarangani   |
|   |  | Bridges               | National       | B01054MN - Glan Bridge 30.15 Ln M               | 1                 |      |          |                   | 2,000,000   | Minor Bridge Damaged (Cracks on Bridge Abutment)Brgy. Ilaya, Brgy. Tapon, GLAN, Sarangani  |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |  | TYPE          | CLASSIFICATION | INFRASTRUCTURE                             | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP)    | REMARKS  |
|---|--|---------------|----------------|--|-------------------|------|----------|--------|--------------|--|
|   |  | Roads         | National       | K1722+0150 to K1722+0155                   | 1                 |      |          |        | 300,000      | 30.15 sq.m Road Depression (Raptured Pavement) Brgy. Punsad, GLAN, Sarangani           |
|   |  | Roads         | National       | K1715+0050 to K1715+0055                   | 1                 |      |          |        | 300,000      | 30.15 sq.m Road Depression (Raptured Pavement) Baliton, GLAN, Sarangani                |
|   |  | Roads         | National       | K1695+0340 to K1695+0365                   | 1                 |      |          |        | 600,000      | 90.45 sq.m Road Depression (Raptured Pavement) Brgy. Glan Padidu, GLAN, Sarangani      |
|   |  | Roads         | National       | K1720+0470 to K1720+0475                   | 1                 |      |          |        | 300,000      | 30.15 sq.m Road Depression (Raptured Pavement) Brgy. Kalatongan, GLAN, Sarangani       |
|   |  | Roads         | National       | K1710+0950 to K1710+0960                   | 1                 |      |          |        | 300,000      | 30.15 sq.m Road Depression (Raptured Pavement) Brgy. Cablalan, GLAN, Sarangani         |
|   |  | Road Slope    | National       | K1720+0180 to K1720+0205                   | 1                 |      |          |        | 50,000,000   | 30.00 Ln.m Landslide Brgy. Burias, GLAN, Sarangani                                     |
|   |  | Road Slope    | National       | K1718+0920 to K1718+0935                   | 1                 |      |          |        | 50,000,000   | 20.00 Ln.m Landslide Brgy. Burias, GLAN, Sarangani                                     |
|   |  | Flood control | National       | Poblacion Glan, Revetment, Glan, Sarangani | 1                 |      |          |        | 50,000,000   | 280 Ln.m. Damaged /Collapsed Revetment and Embankment Brgy. Poblacion, GLAN, Sarangani |
|   |  | Schools       | Local          | Glan Padidu NHS                            | 1                 |      |          |        | 3,652,509.73 | minor cracks on walls, chipped off column & beam plastering                            |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |  | TYPE    | CLASSIFICATION | INFRASTRUCTURE                         | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP)  | REMARKS  |
|---|--|---------|----------------|--|-------------------|------|----------|--------|------------|--|
|   |  | Schools | Local          | Pangyan NHS                            | 1                 |      |          |        | 12,398,842 | Damage ceiling and windows, cracks on walls, chipped off column & beam plastering            |
|   |  | Schools | Local          | Glan Padidu CES                        | 1                 |      |          |        | 0          | major cracks and unsafe for occupancy (function)   |
|   |  | Private | Local          | RRJPETROLLEE Store                     | 1                 |      |          |        | 0          | less severe damages and minor cracks noted needing repair safe for occupancy unless repaired |
|   |  | Schools | Local          | Del Neri Elementary School             | 1                 |      |          |        | 0          | 5 Minor Damages  |
|   |  | Schools | Local          | Kiaol Elementary School                | 1                 |      |          |        | 0          | 2 Minor Damages  |
|   |  | Schools | Local          | Batutuling Integrated School           | 1                 |      |          |        | 0          | 1 Minor Damages  |
|   |  | Schools | Local          | Calabanit Elementary School            | 1                 |      |          |        | 0          | 4 Minor Damages  |
|   |  | Schools | Local          | GULO INTEGRATED SCHOOL                 | 1                 |      |          |        | 0          | 2 Minor Damages, 2 Major Damages   |
|   |  | Schools | Local          | SEVERINO IBON SR. ELEMENTARY SCHOOL    | 1                 |      |          |        | 0          | 2 Minor Damages  |
|   |  | Schools | Local          | HADJI MUSA INTEGRATED SCHOOL           | 1                 |      |          |        | 0          | 3 Minor Damages  |
|   |  | Schools | Local          | San Vicente Elementary School          | 1                 |      |          |        | 0          | 2 Minor Damages  |
|   |  | Schools | Local          | Prudencio Mariano Sr Integrated School | 1                 |      |          |        | 0          | 4 Major Damages  |
|   |  | Schools | Local          | TANGAN INTEGRATED SCHOOL               | 1                 |      |          |        | 0          | 1 Minor Damage, 2 Major Damages  |
|   |  | Schools | Local          | GLAN SCHOOL OF ARTS AND TRADES         | 1                 |      |          |        | 0          | 6 Minor Damages  |
|   |  | Schools | Local          | CONGAN ES                              | 1                 |      |          |        | 0          | 3 Minor Damages  |
|   |  | Schools | Local          | CALONKAMBING INTEGRATED SCHOOL         | 1                 |      |          |        | 0          | 2 Major Damages  |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |  | TYPE    | CLASSIFICATION | INFRASTRUCTURE                       | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP) | REMARKS  |
|---|--|---------|----------------|--------------------------------------|-------------------|------|----------|--------|-----------|--|
|   |  | Schools | Local          | Macatimbol Elementary School         | 1                 |      |          |        | 0         | 1 Minor Damages, 2 Major Damages                       |
|   |  | Schools | Local          | GLAN CENTRAL INTEGRATED SPED CENTER  | 1                 |      |          |        | 0         | 4 Major Damages, 1 Totally Damage                      |
|   |  | Schools | Local          | Cablalan Integrated School           | 1                 |      |          |        | 0         | 6 Minor Damages  |
|   |  | Schools | Local          | JOSE AH YOUNG INTEGRATED SCHOOL      | 1                 |      |          |        | 0         | 16 Minor Damages                                       |
|   |  | Schools | Local          | MIASONG INTEGRATED SCHOOL            | 1                 |      |          |        | 0         | 3 Minor Damages  |
|   |  | Schools | Local          | CALATUNGAN ELEMENTARY SCHOOL         | 1                 |      |          |        | 0         | 4 Minor Damages, 2 Major Damages                       |
|   |  | Schools | Local          | LEONARD YOUNG SR.NHS                 | 1                 |      |          |        | 0         | 28 Minor Damages, 10 Major Damages, 14 Totally Damages |
|   |  | Schools | Local          | MALATABON ELEMENTARY SCHOOL          | 1                 |      |          |        | 0         | 1 Major Damage   |
|   |  | Schools | Local          | Flaviano Bartulaba Integrated School | 1                 |      |          |        | 0         | 4 Minor Damages, 1 Major Damage                        |
|   |  | Schools | Local          | ELENA M. MIPANA NATIONAL HIGH SCHOOL | 1                 |      |          |        | 0         | 1 Minor Damage   |
|   |  | Schools | Local          | PIO L SIAO ELEMENTARY SCHOOL         | 1                 |      |          |        | 0         | 3 Minor Damages  |
|   |  | Schools | Local          | TONGA LIM SIAO SR INTEGRATED SCHOOL  | 1                 |      |          |        | 0         | 2 Minor Damages, 2 Major Damages                       |
|   |  | Schools | Local          | CALPIDONG ELEMENTARY SCHOOL          | 1                 |      |          |        | 0         | 2 Minor Damages  |
|   |  | Schools | Local          | MINGKAT GAMPAL ELEMENTARY SCHOOL     | 1                 |      |          |        | 0         | 2 Minor Damages  |
|   |  | Schools | Local          | TAMPUS INTEGRATED SCHOOL             | 1                 |      |          |        | 0         | 9 Minor Damages, 2 Major Damages                       |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |   | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                             | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP)    | REMARKS  |
|---|---|-----------------------|----------------|--|-------------------|------|----------|--------|--------------|--|
|   |   | Schools               | Local          | PANGYAN CENTRAL ELEMENTARY SCHOOL          | 1                 |      |          |        | 0            | 4 Minor Damages, 3 Major Damages                             |
|   |   | Schools               | Local          | Panambalan Integrated School               | 1                 |      |          |        | 0            | 6 Minor Damages, 3 Major Damage                              |
|   |   | Schools               | Local          | EDSA INTEGRATED SCHOOL                     | 1                 |      |          |        | 0            | 2 Minor Damages  |
|   |   | Schools               | Local          | BALITON ELEMENTARY SCHOOL                  | 1                 |      |          |        | 0            | 2 Minor Damages  |
|   |   | Schools               | Local          | TANAO BANTILAN TAO NHS                     | 1                 |      |          |        | 0            | 3 Minor Damages, 5 Totally Damages                           |
|   |   | Schools               | Local          | VALERIA B. LOPEZ IS                        | 1                 |      |          |        | 0            | 2 Minor Damages, 2 Major Damages                             |
|   |   | Schools               | Local          | KALTUAD INTEGRATED SCHOOL                  | 1                 |      |          |        | 0            | 2 Minor Damages, 1 Major Damages                             |
|   |   | Schools               | Local          | E. ALEGADO INTEGRATED SCHOOL               | 1                 |      |          |        | 0            | 2 Minor Damages  |
|   |   | Schools               | Local          | KIOGAM CENTRAL ELEMENTARY SCHOOL           | 1                 |      |          |        | 0            | 3 Minor Damages  |
|   |   | Schools               | Local          | Domingo R. Cania Memorial ES               | 1                 |      |          |        | 0            | 2 Minor Damages, 2 Major Damages                             |
|   |   | Schools               | Local          | Adelina T. Recto Elementary School         | 1                 |      |          |        | 0            | 5 Minor Damages  |
|   |   | Schools               | Local          | Lumigo Integrated School                   | 1                 |      |          |        | 0            | 9 Major Damages  |
|   |   | Schools               | Local          | Margus ES                                  | 1                 |      |          |        | 0            |  |
| Kiamba  | 5 |                       |                |  | 5                 |      |          |        | 4,670,105.14 |  |
|   |   | Government Facilities | Local          | Municipal Hall                             | 1                 |      |          |        | 0            | light cracks on the wall                                     |
|   |   | Schools               | Local          | JBT Caing Integrated School, Brgy. Tambili | 1                 |      |          |        | 0            | Minor Line cracks and observed flooring gap                  |
|   |   | Schools               | Local          | James L. Chiongbian National Trade School  | 1                 |      |          |        | 2,024,930.62 | minor cracks on ceiling & walls, chipped off beam plastering |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |   | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                        | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP)    | REMARKS   |
|---|---|-----------------------|----------------|---------------------------------------|-------------------|------|----------|--------|--------------|---|
|   |   | Private               | Local          | Church Building                       | 1                 |      |          |        | 0            | Minor Line cracks in St. Anthony de Padua Parish  |
|   |   | Schools               | Local          | Kiamba National Highschool            | 1                 |      |          |        | 2,645,174.52 | Minor cracks on ceiling and walls   |
| Maitum  | 9 |                       |                |                                       | 9                 |      |          |        | 0            |   |
|   |   | Schools               | Local          | Malalag National HS                   | 1                 |      |          |        | 0            | Multiple split walls (Grade 7-Flores and 2-storey laboratory building unsafe for occupancy)   |
|   |   | Schools               | Local          | JAS Integrated School                 | 1                 |      |          |        | 0            | Hairline cracks   |
|   |   | Schools               | Local          | Reganit Elem School                   | 1                 |      |          |        | 0            | Hairline cracks (Kindergarten CR unsafe for use)  |
|   |   | Government Facilities | Local          | Sarangani Provincial Hospital- Maitum | 1                 |      |          |        | 0            | Hairline cracks   |
|   |   | Private               | Local          | Building                              | 1                 |      |          |        | 0            | Twin Ann Merchandise Hairline cracks  |
|   |   | Schools               | Local          | Maguling National HS                  | 1                 |      |          |        | 0            | Hair line Cracks  |
|   |   | Schools               | Local          | Kiayap Elem School                    | 1                 |      |          |        | 0            | Cracks on Grade 4 and 5 CR unsafe for use)  |
|   |   | Government Facilities | Local          | Sison Covered Court                   | 1                 |      |          |        | 0            | damaged welded baseplate of 3 posts (unsafe for use)  |
|   |   | Schools               | Local          | Malalag CES SPED Center               | 1                 |      |          |        | 0            | notable cracks and damages on classrooms and unsafe for occupancy (Grade 6--Nacion, Grade 5-Mendoza, Grade 4-Narvaez, Grade 2- Abequibel, Grade 1- Malupeng, Grade 4-Rocapor, Grade 5- Navaroza, District Office) |
| Maasim  | 2 |                       |                |                                       | 2                 |      |          |        | 3,500,000    |   |



| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |    | TYPE                  | CLASSIFICATION | INFRASTRUCTURE                                       | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS            | COST(PHP) | REMARKS  |
|---|----|-----------------------|----------------|--|-------------------|------|----------|-------------------|-----------|--|
|   |    | Schools               | Local          | Building   | 1                 |      |          |                   | 0         | Kyumad Integrated School buliding with cracks (not safe for occupancy)                               |
|   |    | Government Facilities | Local          | Maasim Public Market Phase 3                         | 1                 |      |          | Partially Damaged | 3,500,000 |  |
| Malungon  | 40 |                       |                |  | 40                |      |          |                   | 0         |  |
|   |    | Roads                 | Local          | Crossing Langit, connecting Brgy. Datal Bila-Alkikan | 1                 |      |          |                   | 0         | Bypass road, passable to light vehicles (one lane)   |
|   |    | Roads                 | Local          | 'NHW Nagpan - Ampon - Tamban Provincial Road'        | 1                 |      |          |                   | 0         | passable   |
|   |    | Roads                 | Local          | NHW Poblacion - Sta. Maria Provincial Road           | 1                 |      |          |                   | 0         | passable   |
|   |    | Schools               | Local          | Banahaw ES library                                   | 1                 |      |          |                   | 0         | Damaged School Buildings declared unsafe for occupancy   |
|   |    | Schools               | Local          | Bangkal IS   | 1                 |      |          |                   | 0         | Damaged School Buildings declared unsafe for occupancy (grade 6 classroom)                           |
|   |    | Schools               | Local          | Malungon ES feeding room                             | 1                 |      |          |                   | 0         | Damaged School Buildings declared unsafe for occupancy (SPED building, grade 2, 5 and 6 classroom)   |
|   |    | Schools               | Local          | Banate ES library                                    | 1                 |      |          |                   | 0         | Damaged School Buildings declared unsafe for occupancy   |
|   |    | Schools               | Local          | Banate NHS   | 1                 |      |          |                   | 0         | Damaged School Buildings declared unsafe for occupancy grade 8 (2 classrooms), grade 9 (2classrooms) |
|   |    | Schools               | Local          | Kinabalan IS   | 1                 |      |          |                   | 0         | Damaged School Buildings declared unsafe for occupancy (faculty room)                                |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |  | TYPE    | CLASSIFICATION | INFRASTRUCTURE                           | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP) | REMARKS  |
|---|--|---------|----------------|--|-------------------|------|----------|--------|-----------|--|
|   |  | Schools | Local          | Malalag Cogon ES                         | 1                 |      |          |        | 0         | Damaged School Buildings declared unsafe for occupancy (Grade 5 classroom) |
|   |  | Schools | Local          | Dakok Tamulon IS old building            | 1                 |      |          |        | 0         | Damaged School Buildings declared unsafe for occupancy                     |
|   |  | Schools | Local          | MALABOD INTEGRATED SCHOOL                | 1                 |      |          |        | 0         |  |
|   |  | Schools | Local          | BALACAYO ELEMENTARY SCHOOL               | 1                 |      |          |        | 0         |  |
|   |  | Schools | Local          | Banate Central Elementary School         | 1                 |      |          |        | 0         |  |
|   |  | Schools | Local          | BANATE NATIONAL HIGH SCHOOL              | 1                 |      |          |        | 0         |  |
|   |  | Schools | Local          | Columbio Integrated School               | 1                 |      |          |        | 0         |  |
|   |  | Schools | Local          | DANAO INTEGRATED SCHOOL                  | 1                 |      |          |        | 0         |  |
|   |  | Schools | Local          | DATAL TAMPAL ELEMENTARY SCHOOL           | 1                 |      |          |        | 0         |  |
|   |  | Schools | Local          | DATU MANANGKA MATANGGO ELEMENTARY SCHOOL | 1                 |      |          |        | 0         |  |
|   |  | Schools | Local          | KALONBARAK ELEMENTARY SCHOOL             | 1                 |      |          |        | 0         |  |
|   |  | Schools | Local          | KANYUGAN ES                              | 1                 |      |          |        | 0         |  |
|   |  | Schools | Local          | KIBALA ELEMENTARY SCHOOL                 | 1                 |      |          |        | 0         |  |
|   |  | Schools | Local          | KISABLAY ELEMENTARY SCHOOL               | 1                 |      |          |        | 0         |  |
|   |  | Schools | Local          | Lutay Integrated School                  | 1                 |      |          |        | 0         |  |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |          | TYPE    | CLASSIFICATION | INFRASTRUCTURE                    | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS | COST(PHP) | REMARKS |
|---|----------|---------|----------------|-----------------------------------|-------------------|------|----------|--------|-----------|---------|
|   |          | Schools | Local          | MALUNGON GAMAY ELEMENTARY SCHOOL  | 1                 |      |          |        | 0         |         |
|   |          | Schools | Local          | MALUNGON NATIONAL HIGH SCHOOL     | 1                 |      |          |        | 0         |         |
|   |          | Schools | Local          | MANABAWON ELEMENTARY SCHOOL       | 1                 |      |          |        | 0         |         |
|   |          | Schools | Local          | Niana integrated School           | 1                 |      |          |        | 0         |         |
|   |          | Schools | Local          | PIKONG ELEMENTARY SCHOOL          | 1                 |      |          |        | 0         |         |
|   |          | Schools | Local          | SAN JUAN INTEGRATE SCHOOL         | 1                 |      |          |        | 0         |         |
|   |          | Schools | Local          | San Miguel Integrated School      | 1                 |      |          |        | 0         |         |
|   |          | Schools | Local          | San Roque Elementary School       | 1                 |      |          |        | 0         |         |
|   |          | Schools | Local          | San Roque National High School    | 1                 |      |          |        | 0         |         |
|   |          | Schools | Local          | TALUS ELEMENTARY SCHOOL           | 1                 |      |          |        | 0         |         |
|   |          | Schools | Local          | Talus National High School        | 1                 |      |          |        | 0         |         |
|   |          | Schools | Local          | TAMBAN NATIONAL HIGH SCHOOL       | 1                 |      |          |        | 0         |         |
|   |          | Schools | Local          | TANDAWANAN INTEGRATED SCHOOL      | 1                 |      |          |        | 0         |         |
|   |          | Schools | Local          | TANGALI INTEGRATED SCHOOL         | 1                 |      |          |        | 0         |         |
|   |          | Schools | Local          | UPPER MAINIT NATIONAL HIGH SCHOOL | 1                 |      |          |        | 0         |         |
|   |          | Schools | Local          | DATU MONTONG CAWAG IP SCHOOL      | 1                 |      |          |        | 0         |         |
| <b>SULTAN KUDARAT</b>                             | <b>2</b> |         |                |                                   | <b>2</b>          |      |          |        | <b>0</b>  |         |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |          | TYPE    | CLASSIFICATION | INFRASTRUCTURE                                   | NUMBER OF DAMAGED | UNIT | QUANTITY | STATUS            | COST(PHP)        | REMARKS   |
|---|----------|---------|----------------|--|-------------------|------|----------|-------------------|------------------|---|
| Lambayong (Mariano Marcos)                        | 1        |         |                |  | 1                 |      |          |                   | 0                |   |
|   |          | Schools | Local          | Building   | 1                 |      |          |                   | 0                | Lambayong CES, Lambayong SK, Beam Crack/Flexure Crack (Bendin)/Minor wall cracks/Corner Cracks(Hairline Cracks) |
| Cumbio  | 1        |         |                |  | 1                 |      |          |                   | 0                |   |
|   |          | Schools | Local          | Sucob Elementary School                          | 1                 |      |          | Partially damaged | 0                | damaged on slab & ceiling, damaged masonry walls  |
| <b>COTABATO</b>                                   | <b>1</b> |         |                |  | <b>1</b>          |      |          |                   | <b>1,500,000</b> |   |
| Mlang   | 1        |         |                |  | 1                 |      |          |                   | 1,500,000        |   |
|   |          | Bridges | National       | B00240MN Bagontapay Br. K1634+0330 to K1634-0332 | 1                 |      |          | Partially Damaged | 1,500,000        | Minor Bridge Damaged (Cracks on bridge abutment and deck)   |

**OTHER DAMAGED ASSETS as of (December 08, 2023 08:00)**

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |          | CLASSIFICATION        | PARTICULARS/ NAME OF ASSET                          | UNIT   | QUANTITY | COST(PHP)      | REMARKS |
|---|----------|-----------------------|---|--------|----------|----------------|---------|
| <b>GRAND TOTAL</b>                                | <b>4</b> |                       |   |        | <b>3</b> | <b>357,000</b> |         |
| <b>REGION 11</b>                                  | <b>4</b> |                       |   |        | <b>3</b> | <b>357,000</b> |         |
| <b>DAVAO OCCIDENTAL</b>                           | <b>4</b> |                       |   |        | <b>3</b> | <b>357,000</b> |         |
| DON MARCELINO                                     | 4        |                       |   |        | 3        | 357,000        |         |
| KINANGA   |          | WATER REFILLING TANKS | CRYSTAL SLIPS WATER REFILLING STATION               | PIECES | 3        | 200,000        |         |
| KINANGA   |          | DRY GOODS             | LIQUOR DRINKS, EGGS/ JHOYZ'KY RICE & AGRIVET SUPPLY |        | 0        | 7,000          |         |
| KINANGA   |          | DRY GOODS & EQUIPMENT | ATO-ATO STORE                                       |        | 0        | 100,000        |         |
| KINANGA   |          | Furniture             | EJ FURNITURE AND GLASS SUPPLIER                     |        | 0        | 50,000         |         |

**CLASS SUSPENSION as of (December 08, 2023 08:00)**

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |    | LEVEL FROM | LEVEL TO | TYPE | DATE OF SUSPENSION | TIME OF SUSPENSION | DATE RESUMED     | TIME RESUMED | REMARKS          |
|---|----|------------|----------|------|--------------------|--------------------|------------------|--------------|------------------|
| <b>GRAND TOTAL</b>                                | 18 |            |          |      |                    |                    |                  |              |                  |
| <b>REGION 11</b>                                  | 6  |            |          |      |                    |                    |                  |              |                  |
| <b>DAVAO DEL SUR</b>                              | 1  |            |          |      |                    |                    |                  |              |                  |
| Digos   | 1  |            |          |      |                    |                    |                  |              |                  |
|   |    | Pre-school | Tertiary | All  | 17 November 2023   |                    |                  |              |                  |
| <b>DAVAO OCCIDENTAL</b>                           | 5  |            |          |      |                    |                    |                  |              |                  |
| Province-Wide                                     | 5  |            |          |      |                    |                    |                  |              |                  |
|   |    | Pre-school | Tertiary | All  | 20 November 2023   |                    | 21 November 2023 |              |                  |
| <b>REGION 12</b>                                  | 12 |            |          |      |                    |                    |                  |              |                  |
| <b>SARANGANI</b>                                  | 7  |            |          |      |                    |                    |                  |              |                  |
| Province-Wide                                     | 7  |            |          |      |                    |                    |                  |              |                  |
|   |    | Pre-school | Tertiary | All  | 20 November 2023   |                    | 21 November 2023 |              | 7 Municipalities |
| <b>SOUTH COTABATO</b>                             | 5  |            |          |      |                    |                    |                  |              |                  |
| General Santos (Dadiangas)                        | 1  |            |          |      |                    |                    |                  |              |                  |
|   |    | Pre-school | Tertiary | All  | 18 November 2023   |                    | 24 November 2023 |              |                  |
| Koronadal   | 1  |            |          |      |                    |                    |                  |              |                  |
|   |    | Pre-school | Tertiary | All  | 18 November 2023   |                    | 22 November 2023 |              |                  |
| Polomolok   | 1  |            |          |      |                    |                    |                  |              |                  |
|   |    | Pre-school | Tertiary | All  | 18 November 2023   |                    | 22 November 2023 |              |                  |
| Tupi  | 1  |            |          |      |                    |                    |                  |              |                  |
|   |    | Pre-school | Tertiary | All  | 18 November 2023   |                    | 21 November 2023 |              |                  |
| Tantangan   | 1  |            |          |      |                    |                    |                  |              |                  |
|   |    | Pre-school | Tertiary | All  | 18 November 2023   |                    | 21 November 2023 |              |                  |

**WORK SUSPENSION as of (December 08, 2023 08:00)**

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |   | TYPE | DATE OF SUSPENSION | TIME OF SUSPENSION | DATE RESUMED     | TIME RESUMED | REMARKS   |
|---|---|------|--------------------|--------------------|------------------|--------------|---|
| <b>GRAND TOTAL</b>                                | 5 |      |                    |                    |                  |              |   |
| <b>REGION 11</b>                                  | 5 |      |                    |                    |                  |              |   |
| <b>DAVAO OCCIDENTAL</b>                           | 5 |      |                    |                    |                  |              |   |
| Province-Wide                                     | 5 |      |                    |                    |                  |              |   |
|   |   | All  | 20 November 2023   |                    | 21 November 2023 |              | No work for all school teachers and employees only. |

**DECLARATION OF STATE OF CALAMITY as of (December 08, 2023 08:00)**

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |   | TYPE               | RESOLUTION NUMBER           | RESOLUTION DATE  | REMARKS |
|---|---|--------------------|-----------------------------|------------------|---------|
| <b>GRAND TOTAL</b>                                | 3 |                    |                             |                  |         |
| <b>REGION 12</b>                                  | 3 |                    |                             |                  |         |
| <b>SARANGANI</b>                                  | 3 |                    |                             |                  |         |
| Glan  | 1 |                    |                             |                  |         |
|   |   | City/ Municipality | Resolution No. 23 -769      | 21 November 2023 |         |
| Malapatan   | 1 |                    |                             |                  |         |
|   |   | City/ Municipality | Resolution No. 2023 -270    | 26 November 2023 |         |
| Alabel  | 1 |                    |                             |                  |         |
|   |   | City/ Municipality | Resolution No. 14-2023-1050 | 29 November 2023 |         |

**ASSISTANCE PROVIDED as of (December 08, 2023 08:00)**

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |    | SOURCE | QUANTITY | UNIT  | TYPE | PARTICULARS        | COST(PHP)     |
|---|----|--------|----------|-------|------|--------------------|---------------|
| <b>GRAND TOTAL</b>                                | 58 |        |          |       |      |                    | 86,117,342.84 |
| <b>REGION 11</b>                                  | 18 |        |          |       |      |                    | 2,249,382.27  |
| <b>DAVAO OCCIDENTAL</b>                           | 18 |        |          |       |      |                    | 2,249,382.27  |
| Don Marcelino                                     | 7  |        |          |       |      |                    | 517,084.5     |
|   |    | DSWD   | 61       |       |      | Family Food Pack   | 46,665        |
|   |    | OCD    | 11       | piece |      | Shelter Repair Kit | 118,783.5     |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |           | SOURCE    | QUANTITY | UNIT          | TYPE  | PARTICULARS | COST(PHP)            |
|---|-----------|-----------|----------|---------------|---|-------------|----------------------|
|   |           | OCD       | 11       | piece         | Family Pack   |             | 107,352.3            |
|   |           | OCD       | 150      | piece         | Jerry Can   |             | 32,400               |
|   |           | OCD       | 11       | piece         | Hygiene Kit-Pail  |             | 9,066.42             |
|   |           | OCD       | 61       | piece         | Tarpaulin   |             | 183,000              |
|   |           | OCD       | 72       | piece         | Blanket   |             | 19,817.28            |
| Sarangani   | 5         |           |          |               |   |             | 1,358,270.5          |
|   |           | DSWD      | 1000     | peso          | Family Food Pack  |             | 765,000              |
|   |           | OCD       | 11       | piece         | Shelter Repair Kit  |             | 300,000              |
|   |           | OCD       | 100      | piece         | Tarpaulin   |             | 10,798.5             |
|   |           | OCD       | 200      | piece         | Malong  |             | 48,472               |
|   |           | DSWD      | 93       |               | AICS  |             | 234,000              |
| Jose Abad Santos (Trinidad)                       | 5         |           |          |               |   |             | 262,027.27           |
|   |           | DSWD      | 5        | set           | Family Tent   |             | 98,325               |
|   |           | DSWD      | 143      | piece         | Family Food Pack  |             | 95,794.27            |
|   |           | DSWD      | 13       | piece         | Hygiene kit   |             | 19,474               |
|   |           | DSWD      | 13       | piece         | Sleeping Kit  |             | 18,434               |
|   |           | DSWD      | 3        |               | AICS  |             | 30,000               |
| No breakdown                                      | 1         |           |          |               |   |             | 112,000              |
|   |           | OCD       | 200      | piece         | Blanket   |             | 112,000              |
| <b>REGION 12</b>                                  | <b>40</b> |           |          |               |   |             | <b>83,867,960.57</b> |
| <b>SOUTH COTABATO</b>                             | <b>21</b> |           |          |               |   |             | <b>34,126,812.12</b> |
| Polomolok   | 5         |           |          |               |   |             | 4,807,648.58         |
|   |           | PDRRMO    | 138      | pack          | NFIs (Kitchen Kit, Sleeping Kit, Family pack, tarpaulin and shelter repair kit) |             | 629,590.5            |
|   |           | OCD XII   | 121      | pack          | NFIs (Kitchen Kit, Sleeping Kit, Family pack, tarpaulin and shelter repair kit) |             | 618,918.08           |
|   |           | DSWD XII  | 2200     | pack          | Family Food Pack  |             | 1,494,240            |
|   |           | DSWD XII  | 273      | beneficiaries | Cash Assistance   |             | 1,965,000            |
|   |           | DHSUD XII | 120      |               | NFIs (Shelter grade tarpaulin)  |             | 99,900               |
| Tupi  | 5         |           |          |               |   |             | 577,477.8            |
|   |           | PDRRMO    | 51       | pack          | NFIs (Kitchen Kit, Sleeping Kit, Family pack, tarpaulin and shelter repair kit) |             | 232,674.75           |

| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |           | SOURCE    | QUANTITY | UNIT          | TYPE  | PARTICULARS | COST(PHP)            |
|---|-----------|-----------|----------|---------------|---|-------------|----------------------|
|   |           | OCD XII   | 8        | pack          | NFIs (Kitchen Kit, Sleeping Kit, Family pack, tarpaulin and shelter repair kit) |             | 28,321.33            |
|   |           | DSWD XII  | 98       | pack          | Family Food Pack  |             | 65,649.22            |
|   |           | DSWD XII  | 49       | beneficiaries | Cash Assistance   |             | 250,000              |
|   |           | DSHUD XII | 1        | unit          | NFIs (Shelter grade tarpaulin)  |             | 832.5                |
| Koronadal   | 2         |           |          |               |   |             | 1,505,901            |
|   |           | DSWD XII  | 900      | pack          | Family Food Pack  |             | 602,901              |
|   |           | DSWD XII  | 450      | beneficiaries | Cash Assistance   |             | 903,000              |
| Tampakan  | 3         |           |          |               |   |             | 45,608.76            |
|   |           | DSWD XII  | 34       | pack          | Family Food Pack  |             | 22,776.26            |
|   |           | DSWD XII  | 11       | beneficiaries | Cash Assistance   |             | 22,000               |
|   |           | DSHUD XII | 1        | unit          | NFIs (Shelter grade tarpaulin)  |             | 832.5                |
| General Santos (Dadiangas)                        | 6         |           |          |               |   |             | 27,190,175.98        |
|   |           | DSWD XII  | 10332    | pack          | Family Food Pack  |             | 7,663,775.98         |
|   |           | DSWD XII  | 102      | pack          | NFIs (Kitchen Kit, Sleeping Kit, Family Kit)                                    |             | 165,480              |
|   |           | OCD XII   | 22       | pack          | Family Kit  |             | 61,600               |
|   |           | DSWD XII  | 9149     | beneficiaries | Cash Assistance   |             | 19,136,000           |
|   |           | DSHUD XII | 16       | unit          | NFIs (Shelter grade tarpaulin)  |             | 13,320               |
|   |           | PAGCOR    | 3        | beneficiaries | Cash Assistance   |             | 150,000              |
| <b>SARANGANI</b>                                  | <b>19</b> |           |          |               |   |             | <b>49,741,148.45</b> |
| No breakdown                                      | 1         |           |          |               |   |             | 574,765.62           |
|   |           | DSWD XII  | 858      |               | Family Food Pack  |             | 574,765.62           |
| Glan  | 6         |           |          |               |   |             | 31,620,924.74        |
|   |           | DSWD XII  | 30810    | pack          | Family Food Pack  |             | 22,013,089.8         |
|   |           | DSWD XII  | 1345     | pack          | NFIs (Kitchen Kit, Sleeping Kit, Family Kit)                                    |             | 2,154,460            |
|   |           | DSWD XII  | 1101     | beneficiaries | Cash Assistance   |             | 6,125,000            |
|   |           | PAGCOR    | 4        | beneficiaries | Cash Assistance   |             | 200,000              |
|   |           | OCD XII   | 168      | pack          | NFIs (Kitchen Kit, Sleeping Kit, Family pack, tarpaulin and shelter repair kit) | NFIs        | 827,009.94           |
|   |           | DHSUD XII | 362      |               | NFIs (Shelter grade tarpaulin)  |             | 301,365              |



| REGION   PROVINCE   CITY /MUNICIPALITY   BARANGAY |   | SOURCE    | QUANTITY | UNIT          | TYPE  | PARTICULARS | COST(PHP)     |
|---|---|-----------|----------|---------------|---|-------------|---------------|
| Malapatan   | 6 |           |          |               |   |             | 15,557,227.15 |
|   |   | OCD XII   | 149      | pack          | NFIs (Kitchen Kit, Sleeping Kit, Family pack, tarpaulin and shelter repair kit) | NFIs        | 798,395.65    |
|   |   | DSWD XII  | 3800     | pack          | Family Food Pack  |             | 2,770,884     |
|   |   | DSWD XII  | 2480     | pack          | NFIs (Kitchen Kit, Sleeping Kit, Family Kit)                                    |             | 4,073,915     |
|   |   | DSWD XII  | 1304     | beneficiaries | Cash Assistance   |             | 7,760,000     |
|   |   | PAGCOR    | 1        | beneficiaries | Cash Assistance   |             | 50,000        |
|   |   | DHSUD XII | 125      |               | NFIs (Shelter grade tarpaulin)  |             | 104,032.5     |
| Maasim  | 2 |           |          |               |   |             | 450,124.38    |
|   |   | DSWD XII  | 142      | pack          | Family Food Pack  |             | 95,124.38     |
|   |   | DSWD      | 71       | beneficiaries | Cash Assistance   |             | 355,000       |
| Alabel  | 4 |           |          |               |   |             | 1,538,106.56  |
|   |   | OCD XII   | 18       | pack          | NFIs (Kitchen Kit, Sleeping Kit, Family pack, tarpaulin and shelter repair kit) |             | 167,349.06    |
|   |   | DSWD XII  | 500      | pack          | Family Food Pack  |             | 344,945       |
|   |   | DSWD XII  | 177      | beneficiaries | Cash Assistance   |             | 1,005,000     |
|   |   | DSHUD XII | 25       |               | NFIs (Shelter grade tarpaulin)  |             | 20,812.5      |



REPUBLIC OF THE PHILIPPINES  
**NATIONAL DISASTER RISK REDUCTION AND MANAGEMENT COUNCIL**

National Disaster Risk Reduction and Management Center, Camp Aguinaldo, Quezon City, Philippines

**National Disaster Risk Reduction and Management Council**

**Magnitude 6.8 Earthquake in Sarangani (Davao Occidental)  
ACTIONS TAKEN**

**National**



**National Disaster Risk Reduction and Management Operations Center (NDRRMOC)**

- Issued NDRRMC Memorandum No. 148, s. 2023 for the Raising of the NDRRMOC Alert Status to Blue Alert ICOW Magnitude 7.2 Earthquake in Sarangani, Davao Occidental, effective 17 November 2023.
- Disseminated Emergency Alert and Warning Messages (EAWM) to the provinces of Davao Occidental, Davao del Sur, Sarangani, South Cotabato, Sultan Kudarat, and Cotabato.
- Issued OCD Memo on Raising of Standby Alert placing OCD Regional Offices on standby for possible augmentation as required by RDRRMCs XI and XII.
- Activated Virtual NDRRMOC for the affected Regional Offices and NDRRMC Member Agencies.
- NDRRMOC coordinated with affected Regions for updates and information.
- Issued NDRRMC Memorandum No. 149, s. 2023 for the Activation and Standby Status of Response Clusters ICOW 6.8 Magnitude Earthquake in Sarangani, Davao Occidental, effective 18 November 2023.

**NDRRMC Response Clusters**

**FOOD AND NON-FOOD ITEMS (F/NFIS)**

**A. STANDBY FUNDS AND PREPOSITIONED RELIEF STOCKPILE**

There is a total of Php3,140,058,594.74 standby funds and stockpiles from DSWD and OCD, of which, Php 223,753,160.63 are standby funds, and 2,177,760,743.73 are worth of other FNIs prepositioned.

**B. COST OF FNFI ASSISTANCE PROVIDED**

A total of Php71,375,811.5 worth of assistance was provided by DSWD and OCD to the affected families.

**C. FFPs PROVIDED**

A total of 25,978 families received FFPs in Regions XI and XII.

**D. FNFI PROVIDED**

A total of 3,958 families received various FNIs items in Regions XI and XII.

**E. OCD ASSISTANCE PROVIDED**

OCD provided various NFIs to 1,824 families in South Cotabato and Sarangani.

**FOOD AND NON FOOD ITEMS (FNIs) RELATED ACTIVITIES**

**-DSWD-DRMG**

- Prepared documentary requirements for the release of 50,000 FFPs from VDRC to FO XII
- Prepared documentary requirements for the release of 20,000 FFPs from VDRC to FO XI
- DRMB is closely coordinating with DSWD FOs XI, XII, and NDRRMC Response Cluster member agencies for significant updates relative to the ongoing disaster response operations.
- Continuous production and repacking of FFPs at the NROC, Pasay City and VDRC, Cebu
- Continuous coordination with the Logistic Cluster for support of transport of goods
- DSWD Secretary Rex T. Gatchalian, together with DSWD FO XII Regional Director Loreto V. Cabaya, Jr., spearheaded the distribution of FFPs and financial assistance to the families and individuals in General Santos City who were affected by the earthquake.
- DRMB conducted coordination meeting with DSWD FOs XI and XII, and NRLMB relative to the disaster response operations on Mw 6.8 earthquake in Sarangani, Davao Occidental.

- The Disaster Response Management Bureau (DRMB) closely coordinated with the DSWD FOs for significant updates and any requests for relief augmentation.
- All DRMB Quick Response Team (QRT) members and emergency equipment were on standby and ready for deployment.
- NRLMB ensured replenishment and availability of FNIs for resource augmentation to DSWD FOs.
- NRLMB continuously conducted repacking of relief goods for possible augmentation.

#### -DSWD FO XII

- Augmented/distributed 1,500 FFPs at General Santos City LGU
- Augmented/distributed 5,000 FFPs at Sarangani Province, of which 500 FFPs was given to Glan LGU
- DSWD FO XII facilitated the provision of FFPs to the affected individuals, including mall employees, in General Santos City, South Cotabato and in the municipality of Glan in Sarangani Province.
- Continuous coordination with the affected LGUs for food and non-food items needs for assistance.
- DSWD FO XII deployed staff to conducted Rapid Damage Assessment and Needs Analysis (RDANA).
- DSWD FO XII Quick Response Teams (QRTs) were deployed in different municipalities to conduct monitoring, validation and assist in the distribution of relief and financial assistance.
- DSWD FO XII facilitated the provision of FFPs, Sleeping Kits, and Kitchen to the affected families in Glan, Sarangani Province.
- DSWD FO XII facilitated the provision Sleeping Kits, Kitchen Kits to the affected families in General Santos City.
- DSWD FO XII provided FFPs to the affected family with partially damaged house in Koronadal City

#### OCDRO XII

- Augmented 79 Family Packs amounting to Php689,024.57 in the Municipalities of Malapatan and Glan, Sarangani Province.

#### CAMP COORDINATION AND CAMP MANAGEMENT (CCCM) and INTERNALLY DISPLACED PERSONS PROTECTION (IDPP)

##### DSWD

##### DSWD Central Office

- DRMG-DRMB closely coordinates with DSWD FOs XI, XII and NDRRMC Response Cluster member agencies for significant updates relative to the ongoing disaster response operations.
- DRMG Usec. Diane Cajipe together with DRMB staff attended the NDRRMC Response Cluster Meeting re: 6.8 Magnitude Earthquake in Sarangani, Davao Occidental on 18 November 2023 at the Office of Civil Defense.

##### DSWD Field Office XII

- DSWD Field Office XII is continuously coordinating with the affected LGUs for their needs and updates on the earthquake incident;
- DSWD Field Office XII Regional Director Loreto Cabaya Jr. conducted visit and provided financial assistance to the affected families of the earthquake incident;
- DSWD Field Office XII already activated its Quick Response Team and on standby alert for any augmentation support; DSWD Field Office XII thru its Disaster Response Management Division (DRMD) conducted validation and needs assessment to LGUs affected namely, General Santos City, Alabel, Malapatan and Glan, Sarangani.
- DSWD FO XII provided financial assistance to the affected family with partially damaged house in Koronadal City;
- DSWD FO XII provided financial assistance, through the Assistance to Individuals in Crisis Situation (AICS), to the affected families with damaged houses in Glan, Sarangani and General Santos City.

##### DSWD Field Office XI

- DSWD Field Office XI is continuously coordinating with their Local Government Units for any significant updates and is ready for augmentation support.
- DSWD FO XI through the Disaster Response Management Division (DRMD) conducted site-visit at barangay 76-A, Bucana, Davao City to assess and validate.
- DSWD FO XI maintains close coordination with the affected LGUs and other concerned offices for significant updates and any requests for relief augmentation.
- The DROMIC staff together with the personnel from the Office of Civil Defense XI provided technical assistance on the guidelines and protocols in preparing disaster incidents to the P/MLGUs in the Province of Davao Occidental. The activity was attended by the LDRRMOs and LSWDOs of the aforementioned province on 20 November 2023.

## DepEd

### Central Office

- The Central Office attended and reported the damages report in the NDRRMC Emergency Meeting on Mw. 6.8 Earthquake in Sarangani, Davao Occidental;
- The Central Office called for an emergency meeting with the affected regions and divisions to ask for updates and provided technical assistance;
- The DRRMS deployed the Rapid Assessment of Damages Report (RADaR) to affected regions and divisions for the administration of RADaR;
- Monitored the impacts of hazard in exposed and affected regions and divisions.

### Field Office XI

- Monitored the impacts of hazards to field offices and schools; and
- Provided guidance to all schools about the response measures to be undertaken.

## OTHER DSWD RESPONSE INTERVENTION

- A total of Php35,430,000.00 worth of cash assistance have already been provided to the 11,160 beneficiaries thru Assistance to Individuals in Crisis Situations (AICS).

## HEALTH

### Prepositioned Logistics

A total of Php 1,864,394.75 worth of health commodities are prepositioned in the provinces of Regions X, XI, XII, XIII, and BARMM, of which Php 1,037,831.35 are Medical and Public Health commodities, Php 826,238.4 are Water, Sanitation, and Hygiene (WASH) commodities, and Php 325.00 are Nutrition in Emergencies (NiE) commodities.

### Logistics Available at the Central Office and Centers for Health Development

A total of Php 151,466,577.08 worth of health commodities are available at the DOH Central Office and Centers for Health Development of Regions X, XI, XII, XIII and BARMM. Of which, Php 97,847,369.18 are Medical and Public Health Commodities,

## SEARCH, RESCUE AND RETRIEVAL

### SRR Teams Deployed

- A total of nine (9) SRR teams were deployed by AFP and BFP.

## EDUCATION

### DepEd Central Office

- The Central Office attended and reported the damages report in the NDRRMC Emergency Meeting on Mw. 6.8 Earthquake in Sarangani, Davao Occidental.
- The Central Office called for an emergency meeting with the affected regions and divisions to ask for updates and provided technical assistance.
- The DRRMS deployed the Rapid Assessment of Damages Report (RADaR) to affected regions and divisions for the administration of RADaR.
- Monitored the impacts of hazard in exposed and affected regions and divisions.

### DepEd Field Office

- Monitored the impacts of hazards to field offices and schools; and
- Provided guidance to all schools about the response measures to be undertaken.

## LOGISTICS

### A. ASSET RECAPITULATION

- A total of 18 assets were deployed to South Cotabato and Davao to deliver FFPs.

### B. STANDBY EQUIPMENT AND RESOURCES

- A total of 829 logistics assets are available for deployment, of which, 7 are air assets, 818 are land assets, and 4 are sea assets.

## EMERGENCY TELECOMMUNICATIONS

A total of 0 emergency ICT equipment/resources were deployed, while 391 emergency ICT equipment/resources are available and ready for deployment.

## DICT Central/NCR

- ETC-DICT issued a Memorandum: Activation of EOC and possible deployment including mobilization of Assets and Resources to the ETC Member Agencies and DICT Regional Offices to support the Local Government Units, and responding agencies and organizations relative to the Sarangani 6.8 Magnitude Earthquake;
- Attended the NDRRMC emergency meeting at the Camp Aguinaldo relative to the 6.8 Magnitude Earthquake in Sarangani, Davao Occidental;
- Participated in the Virtual EOC of NDRRMC;
- Coordinated with the Public Telecommunications Entities for status report on affected sites;

## DICT Region 11

- Conducted inspection to DICT Regional and Provincial facilities;

## SHELTER

- A total of 1167 units of shelter grade tarpaulins are available for distribution to the affected population, of which for delivery are 360 units intended for Davao de Oro while 640 units for Koronadal City, provided by the IOM as donation. While 167 units are by DHSUD, on-standby and to be distributed as necessary.
- Available funds amounting to Php 16,005,683.00 is on standby for the implementation of the Rental Subsidy and Financial Assistance Program in Regions 11 and 12, ready for downloading, subject to validated number of totally damaged housing units per region.



## Department of Social Welfare and Development (DSWD)

### Prepositioned resources:

- Standby Funds: A total of Php90,546,713.89 standby funds in the CO and FOs. Of the said amount, Php10,451,867.54 is the available Quick Response Fund (QRF) in the CO.
- Stockpiles: A total of 1,264,300 family food packs (FFPs) amounting to Php841,801,727.18, other food items and non-food items (NFIs) amounting to Php1,935,081,450.86 are available.



## DOST-Philippine Institute of Volcanology and Seismology (PHIVOLCS)

- Continuous aftershock monitoring at the General Santos City Seismic Station (Staff-Controlled) and the Don Marcelino, Davao del Sur Station (Satellite-Telemetered).
- Installed a temporary seismic instrument (Titan strong motion and Trillium compact post-hole broadband sensor) at Brgy. Poblacion, Kiamba, and Glan, Sarangani on 19-20 Nov 2023.
- The QRT Sub-Teams visited the following areas on November 20, 2023:
  - ? Damage Survey and IEC Team: Glan, Sarangani
  - ? Geologic Impacts Team: Glan, Sarangani
  - ? GPS Team: Kiamba, Sarangani and Isulan, Sultan Kudarat
  - ? Seismic Instrumentation Team: Glan, Sarangani
  - ? Intensity Meter Team: Sultan Kudarat
- Released earthquake primer and posted on the DOST-PHIVOLCS official website and social media pages on 18 November 2023.
- Plotted on a map the approximate locations of earthquake impacts gathered from social media and NDRRMC Situational Reports.



## Department of the Interior and Local Government (DILG)

- Disseminated the Disaster Online Reporting and Monitoring System (DORMS) on Earthquake to DILG XI and XII.
- Monitored the situation in the affected areas and coordinated with the DILG Regions XI and XII.
- Provided all available information regarding the earthquake and the weather situations affecting the area.



## Department of Public Works and Highways (DPWH)

- Conducted of post-earthquake assessment is on-going.
- Installed signages.
- Monitored national roads and bridges.



## Department of Education (DepEd)

- The Central Office attended and reported the damages report in the NDRRMC Emergency Meeting on Mw. 6.8 Earthquake in Sarangani, Davao Occidental.
- The Central Office called for an emergency meeting with the affected regions and divisions to ask for updates and provided technical assistance.
- The DRRMS deployed the Rapid Assessment of Damages Report (RADaR) to affected regions and divisions for the administration of RADaR.
- Monitored the impacts of hazard in exposed and affected regions and divisions.



## Armed Forces of the Philippines (AFP)

- Issued alert notice to all the UCs and Major Services on 17 November 2023
- Alerted available air and naval assets on standby alert for possible conduct of RDANA, relief, and other HADR operations in Regions IX, X, XI, XII, BARMM, and CARAGA
- Placed all DRTGS of WESTMINCOM and Major Services on BLUE ALERT STATUS effective 17 November 2023.
- 10SFC assisted MDRRMC Polomok, headed by their Vice Mayor for damage assessment in the municipality.

### TF Gensan

- Deployed troops to check possible damages and give assistance in the City (2 teams in SM, 1 team in KCC, 1 team in Robinsons, 3 mobile teams with driver and 2 escorts for roving)

### 5SFBn

- 11 SFC coordinated with South Cotabato PDRRMO to identify areas of priority based on existing reports received.
- Conducted survey and inspections in Koronadal City
- Provided assistance and identify possible damage of infrastructure
- Deployed 2 personnel at PDRRMO; and 6 personnel and 4 CAAs in MDRRMC Polomok and Tupi

### 381B

- Coordinated with Maasim MDRRMO
- QRF on standby for possible HADR operations.

## Region 10

### OCD 10

Coordinated with PDRRMD Bukidnon, Misamis Oriental, Lanao del Norte, Misamis Occidental, Camiguin, CDRRMO Cagayan de Oro and Camiguin for reported damages.

### PDRRMD Bukidnon

Coordinated with MDRRMOs in their AOR and reported to OCD 10 that there were no reported damages caused by the earthquake.

### PDRRMO Misamis Oriental

Coordinated with MDRRMOs in their AOR and reported to OCD 10 that there were no reported damages caused by the earthquake.

### PDRRMO Lanao del Norte

Coordinated with MDRRMOs in their AOR and reported to OCD 10 that there were no reported damages caused by the earthquake.

### **PDRRMO Misamis Occidental**

Earthquake not felt in Misamis Occidental.

### **PDRRMO Camiguin**

Earthquake not felt in Camiguin.

### **CDRRMD Cagayan de Oro**

Reported Intensity II and no damages reported.

### **CDRRMO Iligan**

Felt but no damages reported.

## **Region 11**

### **DSWD - DROMIC XI**

- DRRMD staff attended Rehab and Early Recovery meeting with the RDRRMC Member Agencies;
  - Provided Technical Assistance on the guidelines and protocols in preparing disaster incidents to the P/M/LGUs in the Province of Davao Occidental;
  - Conducted coordination with the Local DRRMCs for updates of the incident;
  - Submitted Situation Reports to OCD-RDRRMC XI Operations Center;
  - Prepositioned DSWD Food and Non-Food Items at LGU level;
  - Delivered 1,000 food packs for the 86 affected families in Sarangani, Davao Occidental and the remainder as standby stocks considering that it is an island municipality;
  - Provided 15 family packs amounting to PhP 11,745.00 for affected families in Don Marcelino, Davao Occidental;
  - Deployed DRMD staff to render duty at the RDRRMC XI EOC;
  - Conducted constant coordination with P/C/MSWDOs and P/C/MDRRMOs of Davao Occidental;
  - The DROMIC staff of DRMD rendered 24 hours skeletal duty at the DSWD Operation Center and RDRRMC OpCen; and
  - While there are only eighty-six families who have been reported as affected by the earthquake in Sarangani, this Office delivered one thousand (1,000) food packs to be provided to the said affected families and the remainder as reserved stock ready and available to supplement the LGUs capability to provide to its constituents. It is to be noted that Sarangani is a far flung island. Logistically, accessibility is a concern to provide quick response. As such, in order to economically and promptly cater the needs of the people in the area, it is deemed practical to send the 1,000 food packs at once, for immediate distribution to the 86 affected families and have the remainder thereof as standby stockpile;
  - A team was deployed to conduct assessment on the affected families in the Municipality of Sarangani, Davao Occidental.
- Scheduled cash payout under AICS on November 23, 2023
- Co-facilitated the hauling of NFIs going to LGU Sarangani (Balut Island) via Navy vessel
- Provided 143 Family Food Packs, 13 Hygiene Kits, 13 Sleeping Kits and 5 Family Tents to the affected families and individuals in Jose Abad Santos, Davao Occidental
- Set-up temporary shelter to accommodate a family whose house has been completely damaged by earthquake (as of November 24, 2023)

## **PCG - CGDSEM**

- deployed personnel in RDRRMC EOC
- conducted assessment in its stations and sub-stations
- Assisted the hauling of NFIs to be transported to LGU Sarangani via Navy vessel.

## **PNP XI**

- Identified resources (manpower and assets) for standby for any incident
- DCPO (Davao City Police Office) joined the inspection of infrastructure in Matina Crossing Overpassing Bridge
- Deployed personnel in RDRRMC EOC

## **Office of the Vice President**

- deployment of mobile kitchen for responders in Davao Occidental

## **AFP - Eastern Mindanao Command**

- Troops under the 73rd Infantry Battalion conducted a Humanitarian Assistance and Disaster Response (HADR) operation to clear the roads of Jose Abad Santos, Davao Occidental and Glan, Sarangani Province from rockslide debris
- The HADR operation was a collaborative effort involving the troops and personnel of the Provincial and Municipal Disaster Risk Reduction and Management Offices in the respective areas.

## **DILG**

### Central Office

- Participated in the NDRRMC Emergency Response Cluster Meeting with the Vice President last Nov 18, 2023;
- Disseminated the Disaster Online Reporting and Monitoring System (DORMS) on Earthquake to DILG XI and XII
- Continuously monitors the situation in the affected areas and continuous close coordination with the DILG Regions XI and XII;
- Continuously provided all available information regarding the earthquake and the weather situations affecting the area.

### Regional Office XI

- Continuous monitoring and reporting of the situations and response operations within their respective C/MLGOOs and P/C/MDRRMOs on the status of their AORs;
- Maintained close coordination and support with their respective LDRRMCs;
- DILG Regions XI and XII have accounted for all DILG employees, who are reported to be in safe condition;

## **NFEM**

- Deployed Detailed Duty Officer for Regional EOC.
- Naval Forces Eastern Mindanao(DRRT team) standby for dispatch
- Assisted the hauling of NFIs to be transported to LGU Sarangani via Navy vessel.

## **BFP XI**

- BFP-SRU Davao responded to collapsed crane structure of Paragon Tower for SRR(no reported casualties); and
- Deployed Detailed Duty Officer for Regional EOC.

## **DPWH XI**



- Submitted initial report re National Roads and Damaged Assessment (no reported damages and all roads and bridges are passable).

## **OCD XI**

- Continuous monitoring in Davao Region in coordination with P/C/MDRRMCs and RDRRMC XI Member-Agencies;
- Continuous dissemination of Earthquake Bulletin issued by PHIVOLCS thru official social media page, phone SMS, email, viber and messenger.;
- Submission of Situations Report to NDRRMOC thru the NDRRMC Monitoring Dashboard;
- Issued RDRRMC Memo re RED Alert Status of OCD-RDRRMC EOC;
- Activated Regional Virtual EOC; and
- Called and presided the Response Cluster Emergency Meeting.
- Facilitated the hauling and transport of NFIs to Sarangani Balut Island via Navy Vessel
- Provided 100pcs Trapal, 11 Shelter Repair Kits, 200pcs Malong and 200pcs Blanket for the Augmentation of Disaster Emergency Relief and Operation for Sarangani, Davao Occidental re-effects of 6.8M EQ
- Provided NFIs to LGU Don Marcelino (11 Shelter Repair Kits, 11 Family packs, 150 Jerry cans, 11 Hygiene Kits-Pail, 61 Tarpaulins, and 72 Blankets)

## **Davao De Oro P/C/MDRRMCs**

- Conducts monitoring of possible effects thru coordination with their respective BDRRMCs;
- Continuous information dissemination of PhiVolcs Earthquake Bulletin thru SMS, Email, Social Media Page, and Messenger;
- Conducts damage assessment, validation and inspection of government buildings, schools and private establishments in their respective AOR;
- Conducted initial briefing and deployed RDANA;

## **DOH XI**

- PDOHOs/PHO and Local DRRM-H conducts continuous coordination and monitoring;
- PDOHOs/PHO and Local DRRM-H conducts ongoing assessment to the affected areas;
- DOH DCHD coordinates with PHOs/PDOHOs for any damage of health assets and casualties;
- DOH DCHD conducts continuous information gathering and monitoring of status;
- Prepositioned Php 5,833.85 medical and public health commodities, PhP 3,910.00 worth of WASH, and PhP 325 Nutrition in Emergencies

## **Davao del Sur P/C/MDRRMCs**

- Conducts monitoring of possible effects thru coordination with their respective BDRRMCs;
- Continuous information dissemination of PhiVolcs Earthquake Bulletin thru SMS, Email, Social Media Page, and Messenger;
- Conducts damage assessment, validation and inspection of government buildings, schools and private establishments in their respective AOR;
- Deployed building inspectors for assessment and inspection
- Conducted sitrep in various barangay thru radio communication
- Consolidated data report from the barangays

## **Davao CDRRMC**

- Activated Urban Search and Rescue Team (USAR);
- Conducts monitoring of possible effects thru coordination with concerned BDRRMCs;
- Continuous information dissemination of PhiVolcs Earthquake Bulletin thru SMS, Email, Social Media Page, and Messenger;
- Conducts damage assessment, validation and inspection of government buildings, schools and private establishments in their respective AOR;
- Conducted evacuation of individuals from Purok 46, Brgy. Bucana (living near the Paragon Tower) and Lingap Toril Building, Brgy. Toril;
- City Information Office issued confirmation that there were no reported casualties in Davao City;

## **Davao Oriental P/C/MDRRMCs**

- Conducts monitoring of possible effects thru coordination with their respective BDRRMCs;
- Continuous information dissemination of PhiVolcs Earthquake Bulletin thru SMS, Email, Social Media Page, and Messenger;
- Conducts damage assessment, validation and inspection of government buildings, schools and private establishments in their respective AOR;

## **Region 12**

### **OCD XII/RDRRMC OPCEN**

- Conducted RDANA Phase II Preparatory Meeting with RDRRMC selected member and affected LGUs.
- Conducted Ocular Survey to LGUs with Intensity VII to verify reports and identify possible needs.
- Issued RDRRMC Memo 29 raising RDRRMC XII OpCen's Alert Status to Red
- Continuous coordination with LGUs and RDRRMC Member Agencies
- Disseminated PHIVOLCS Alert no Tsunami Threat
- Disseminated PHIVOLCS Earthquake Bulletin
- Sent memo to member agencies activating the ff response clusters
  - a. Food Cluster
  - b. Non Food Item Cluster
  - c. Logistics cluster
  - d. Protection cluster
- Sent memo to select member agencies directing them to send 3 personnel each to form part of the 3 RDANA teams that will be organized and deployed to Sarangani and South Cotabato
- Distributed 79 Family Packs to the affected families.
- Conducted briefing for DILG Undersecretary for Peace and Order Oscar Valenzuela and company
- Distributed 26 Boxes of family kits in to the affected families in Brgy Polo, Polomolok, South Cotabato on November 20, 2023
- ASec Hernando M. Caraig Jr. together with RD Aniñon and company conducted ocular inspection on damaged infra and paid courtesy visit to LCEs (Gov. Ruel Pacquiao of Sarangani Prov; Mayor Salway Sumbo Jr. of Malapatan; Mayor Victor James Yap of Glan; and Mr. Enrique Dagupolo Executive Secretary of Mayor Vic Paul Salarda of Alabel)
- ASec Hernando M. Caraig Jr. together with RD Aniñon and company conducted ocular inspection on damaged infra and paid courtesy visit to LCEs (Gov. Reynaldo S. Tamayo, Jr and Vice Gov. Arthur Y. Pingoy Jr. of South Cotabato Province and Mr. Rolly Doanne Aquino PDRRMO of South Cotabato.
- ASec Hernando M. Caraig Jr. together with RD Aniñon and company conducted ocular inspection on damaged infra and paid courtesy visit to LCEs (Mayor Romeo S. Tamayo, Jr of Tupi, South Cotabato; Mayor Bernie D. Palencia of Polomolok, South Cotabato and Mayor Lorelie G. Pacqiao represented by Atty. Franklin M. Gacal, City Administrator of LGU General Santos City .
- Distributed 19 Family Packs and Trapal to the affected families of Alabel, Sarangani Province.
- Distributed 6 Trapals to the affected families of Glan, Sarangani Province.
- Distributed 95 Family Packs and 95 Trapals to the affected families of Polomolok, South Cotabato Province.
- RD Aniñon provided briefing during the visit of PBBM and Cabinet Secretaries in General Santos City re Magnitude 6.8 Sarangani, Davao Occidental EQ
- Distributed 345 shelter repair kits to Tupi and Polomolok of South Cotabato, Alabel, Malapatan, and Glan of Sarangani Province, and General Santos City
- Disseminated RDRRMC Memo 33 - Activation of additional response clusters and transfer of RDRRMC EOC
- Disseminated notice re Early Recovery Cluster meeting to RDRRMC member agencies

### **PAGCOR**

- Turned over to PLGU Sarangani: 160 sacks of 50 kgs/sack of rice, 500 sacks of assorted canned goods and noodles, 666 boxes of 1.5L bottled water (8 bottles/ Box)
- Turned over to PLGU Sarangani: Non-food items; 1000 sacks of hygiene kits and sleeping materials (4 kits per sack)
- PAGCOR provided financial assistance amounting to 400,000.00 to the bereaved families.

## **PDRRM SARANGANI**

"• Immediately deployment of SAR team to provide manpower augmentation to Glan and Alabel in the conduct of

rescue and other emergency response services"

- Conducted Rapid Damage Assessment
- Inspection of all offices within the capitol compound to ensure safety, structural integrity and stability of all buildings
- Provided food and non-food items to affected families in partnership and coordination with DSWD XII and OCD XII and other NGOs and CSOs
- Provided financial assistance to individuals who suffered major and minor injuries that are admitted at the hospital
- Provided burial assistance to families of the five confirmed deaths from Congressman Erwin Tulfo and Tingog Partylist
- Conducted actual field assessment to determine the total cost of damages particularly on infrastructure
- Continuous inspection and damage assessment being conducted
- Profiling of affected families
- Coordination with national agencies conducted for possible funding support for the rehabilitation and reconstruction of damaged infrastructures

## **LGU Surallah**

- Surallah RDANA Team, MDRRMO Personnel, Municipal Engineering Office Personnel and BFP Surallah, Surallah MPS conducted inspection to different buildings in the municipality

## **PSWD South Cotabato**

- Conducted assessment to damaged houses in Polomolok and Tupi.

## **PEO South Cotabato**

- Provincial Engineering Office Conducted RDANA

## **LGU TUPI**

- Deployed Response Team (BFP-Tupi, BFP-Tupi-EMS, PNP -Tupi, MDRRMC Rescue Team, BDRRMC-Poblacion Response Team, Volunteerws in Tupi National High School, South East Asian Institute of Technology Inc.
- MDRRMC Tupi conducted coordination and assessment in the affected area.
- MDRRMO Tupi conducted inspection to different schools and buildings
- 5th Special Force Philippine Army coordinated with MDRRMC Operation Center for report of affected communities.
- Provincial Police Mobile Group also visited the toally damaged house in Sitio Saboy, Brgy Acmonan.
- Engineering Office conducted inspeccion in the Public Market Building and Municipal Hall
- Office of Civil Defense XII gave one (1) complete Non-food Items (Hygeine Kit, Sleeping Kit, and Family Kit)
- MDRRMC Tupi, conducted on going assessment and coordination with the different Barangays.
- DSWD 12 Provided cash assistance amounting to Php. 5,000.00 to 48 partially damaged houses and Php. 10,000.00 to totally damaged house with the total cash assistance of Php. 250,000.00
- DSWD 12 provided 98 family food packs to 49 totally and partially damaged houses (2 family food packs per household)
- OCD 12 provided Eight (8) Shelter Kit to the Municipality of Tupi, South Cotabato
- DHSUD 12 provided One (1) high grade tarpaulin to one (1) totally damaged house.
- DOLE 12 conducted profiling of 49 partially and totally damaged houses for the implementation of TUPAD Program.

- Coordinated with Ms. Jane Lasaca-Provincial DRR-CCA Focal Person for possible intervention of Kapok Elementary School, Acmonan, Tupi, South Cotabato.
- Submitted progress report to PDRRMO, DILG-Provinc, DSWD 12 and OCD 12 (RDRRMC - Emergency Operations Center)
- Local Government Unit of Tupi, South Cotabato distributed Five (5) sacks of Rice for food activity in farm to market road.

## **DSWD XII**

- DSWD FO XII released 2,300 family food packs to the Local Government Unit of Glan, Sarangani province.
- DSWD AICS extended cash assistance to 71 households with damaged houses in Maasim, Sarangani province.
- DSWD AICS extended cash assistance to 1,000 displaced mall workers in General Santos City.
- DSWD FO XII released 200 family food packs to affected families in Malapatan, Sarangani.
- DSWD FO XII released 200 family food packs to affected families in Polomolok, South Cotabato
- DSWD FO XII released 6,800 family food packs to affected families in Glan, Sarangani.
- Continuous distribution of family food packs in Glan, Sarangani Province.
- Activated Regional Quick Response (QRT) and ready for deployment.
- Prepositioning of Family Food Packs and provision of 1,500 FFP in General Santos City and 500 FFP in Glan, Sarangani
- Provision of financial assistance to casualties of Gen. Santos City
- DSWD Secretary Rex T. Gatchalian, together with DSWD FO XII Regional Director Loreto V. Cabaya, Jr., spearheaded the distribution of FFPs and financial assistance to the families and individuals in General Santos City who were affected by the earthquake.
- DRMB conducted coordination meeting with DSWD FOs XI and XII, and NRLMB relative to the disaster response operations on Mw 6.8 earthquake in Sarangani, Davao Occidental.
- 500 FFPs were distributed to the affected families and individuals in the Municipality of Glan.
- DSWD FO XII facilitated the provision of 1,500 FFPs to the affected individuals, which include mall employees in General Santos City.
- DSWD FO XII Quick Response Teams deployed in different LGUs to conduct monitoring, validation and distribution of relief and financial assistance.
- Provided 82 family food packs and financial assistance to 41 fisherfolks who are socioeconomically affected by the earthquake.
- Provided 814 family food packs and financial assistance to the displaced mall workers in Gaisano Mall, Koronadal City.
- DSWD FO XII deployed staff to join the conduct of RDANA team.
- DSWD QRT attended the consultation meeting with LGU General Santos City for provision of PSP intervention to earthquake victims and other assistance to identified fisherfolks.
- Provided 1,600 family food packs to the affected families of earthquake in Malapatan, Sarangani Province.
- Provided 1,600 family food packs to the affected families of earthquake in Glan, Sarangani Province.
- DSWD FO XII provided 1,820 family food packs, 320 sleeping kits and 320 kitchen kits to the affected families in Glan, Sarangani Province.
- DSWD FO XII provided 45 sleeping kits and 45 kitchen kits to the affected families in General Santos City and extended medical assistance to 1 patient in SOCSARGEN County Hospital.
- DSWD FO XII provided 86 family food packs and cash assistance to the 1 family with partially damaged house and 1 injured in Koronadal City.
- DSWD FO XII through AICS extended cash assistance to 420 households with totally and partially damaged houses in Glan, Sarangani province and 48 households in General Santos City.
- DSWD FO XII provided 790 kitchen kits and 480 sleeping kits to the affected families in Malapatan, Sarangani Province.
- DSWD FO XII provided 2,000 family food packs to the affected families in Polomolok, South Cotabato
- DSWD FO XII provided 34 family food packs to the affected families in Tampakan, South Cotabato.
- DSWD FO XII provided 98 family food packs to the affected families in Tupi, South Cotabato
- DSWD AICS extended P2,000 cash assistance to each additional 41 displaced mall workers in Gaisano Mall, Koronadal City.
- DSWD AICS provided cash assistance to 273 families with damaged houses in Polomolok, South Cotabato.
- DSWD AICS provided cash assistance to 49 families with damaged houses in Tupi, South Cotabato.
- DSWD AICS provided cash assistance to 71 families with damaged houses in General Santos City
- DSWD AICS provided cash assistance to 198 families with damaged houses in Malapatan.
- DSWD personnel Conducted Critical Incident Stress Debriefing (CISD) to 60 instructors and 25 students in Golden State College in General Santos City.

- Activated 24/7 manned operation center with installed Mobile Storage Unit and Emergency Telecommunication equipment in Glan, Sarangani.
- Delivered 1,600 family food packs in Malapatan for prepositioned.
- Delivered 1,600 family food packs in Glan for prepositioned.
- DSWD AICS provided 2,000 cash assistance to each 11 individuals who experienced hyperventilation in Tampakan, South Cotabat
- DSWD FO XII provided 2,000 family food packs and P2,000 cash assistance to each 2,000-transport group in General Santos City
- DSWD FO XII distributed 1,600 family food packs in Glan, Sarangani Province.
- DSWD FO XII distributed 141 family kits, 141 kitchen kits and cash assistance to the families with totally damaged houses in Glan, Malapatan and General Santos City.
- DSWD FO XII distributed 128 family food packs to the affected families in Maasim, Sarangani province.
- DSWD XII provided 1,500 family food packs and cash assistance to 1,500 displaced mall workers in General Santos City.
- DSWD FO XII released 6,800 family food packs to affected families in Glan, Sarangani.
- DSWD FO XII released 200 family food packs to affected families in Polomolok, South Cotabato.
- DSWD FO XII released 200 family food packs to affected families in Malapatan, Sarangani Province.
- DSWD AICS extended cash assistance to 1,000 displaced mall workers in General Santos City.
- DSWD AICS extended cash assistance to 71 households with damaged houses in Maasim, Sarangani Province.
- DSWD FO XII released 2,300 family food packs to the Local Government Unit of Glan, Sarangani Province.

## **DILG XII**

- Activation of DILG XII Regional Office and DILG Provincial and City Offices Operations Centers for Magnitude 6.8 Earthquake and Activation of Disaster Online Reporting and Monitoring System (DORMS)
- Dissemination of urgent memorandum to all LGUs on various response actions to be undertaken by LGUs through their LCEs.
- Verification of reported dead and missing persons and reported to DILG CODIX and RDRRMC EOC

## **DepED 12**

-On-going conduct of assessment of damages and evaluation of RADAR reports and coordination with School DRRM Coordinators

## **Philippine Red Cross -GENSAR Chapter**

- Responded and provided first aid to all affected victims in Gen. Santos City area

## **LGU Gensan**

- Ongoing assessment on high-rise buildings and other infrastructures
- Conducted verification on the numbers of casualties
- Declared suspension of work on November 20 and classes (public and private) on November 18-21
- Conducted Ra
- Provided emergency assistance and transport to victims of EQ together with PRC GenSar Chapter, BFP Gensan, CHO and BLGUs
- BFP, CDRRMO, Police Station 6, and SOCO assisted in the search and retrieval of reported missing person
- City Mayors office headed by Mayor Lorelie Pacquiao convenes national and local government agencies on November 18, 2023
- LGU Gensan provided financial assistance amounting to 15000 and DSWD XII financial assistance to the bereaved family

## **PDRRMC South Cotabato**

- PDRMMO Operation Center was activated and closely coordinated and monitors advisories issued by the PHILVOCS
- Provincial Engineering Office Conducted RDANA
- PDRRMO distributed relief assistance to affected families in Barangays of Upper Klinan, Landan, and Polo
- PDRRMO together with CDRRMO Koronadal facilitated the DSWD XII during distribution cash assistance to employees of Gaisano mall of Koronadal

## **LGU KORONADAL**

- Informed and dispatched RED CROSS Ambulance, CHO Ambulance, BFP Ambulance

## **LGU Banga**

- MDRRMC dispatched all available transport service and operation responders
- MDRRMC inspected the damages in Municipal establishments and other buildings

## **LGU TBOLI**

- MDRRMO SAR Team responded and transported patients to the hospital and health center.
- Barricades and warning signs were deployed on the closed road.
- No activity has been monitored

## **LGU Malungon**

- MDRRMO conducted site monitoring to different Brgys, Schools, public market and Hospital
- Conducted RDANA
- Psychological first aid to trauma victims especially those in the hospital and schools premises.

## **LGU Malapatan**

- Sent request for housing assistance to NHA XII
- MDRRMC activated RED alert status
- Joint inspection will be conducted on Nov 18, 2023 at 7:00 AM
- Suspension of classes from Nov 20-21, 2023 for assessment and validation of schools
- Ongoing assessment and clearing operations
- To provide 100 food packs to the affected families.

## **LGU GLAN**

- Ongoing assessment and clearing operations
- Ongoing validation for total numbers of IDPs in Brgy. Pangyan.
- To provide 100 food packs to the affected families.

## **LGU ALABEL**

- Alabel Rescue Team conducted monitoring in the affected areas
- Ongoing assessment of high-rise buildings, roads and bridges

## **LGU KIDAPAWAN**

- Activated EOC
- Ongoing assessment of high-rise buildings

## **LGU MAITUM**

-On going validation for the assessment of damages.